

With best wishes

David L. Bruton

PALÆONTOLOGISK MUSEUM
UNIVERSITETET I OSLO



**Catalogue of the trilobites figured in
Friedrich Schmidt's "Revision der ostbaltischen silurischen
Trilobiten" (1881-1907)**

David L. Bruton, Ole A. Hoel, Lessanu T. Beyene & Andrei Yu. Ivantsov

Suggested reference to this catalogue:


Bruton, D. L., Hoel, O. A., Beyene, L. T., & Ivantsov, A. Yu. 1997. Catalogue of the trilobites figured in Friedrich Schmidt's "Revision der ostbaltischen silurischen Trilobiten" (1881-1907). *Contributions from the Palaeontological Museum, University of Oslo* No. 403, 115 pp.

(c) Paleontologisk Museum, Oslo, 1997.
ISBN 82-90915-07-1
Available from Paleontologisk Museum,
Sars Gate 1
N-0562 Oslo
Norway

**Catalogue of the trilobites figured in
Friedrich Schmidt's "Revision der ostbaltischen silurischen
Trilobiten" (1881-1907)**

***David L. Bruton, *Ole A. Hoel, *Lessanu T. Beyene &
Andrei Yu. Ivantsov

***Paleontologisk Museum, Sars Gate 1, N-0562 Oslo, Norway.
** Palaeontological Institute, Russian Academy of Sciences, Profsoyuznaya 123, 117647
Moscow, Russia.**



Friedrich Schmidt (1832-1908)

TABLE OF CONTENTS:

INTRODUCTION	2
Friedrich Schmidt	2
The Schmidt trilobite collection	3
General remarks on the species and collections	5
References	8
The Catalogue	10
PART 1 (Alphabetical list)	11
PART 2 (Listed according to volume, plate and fig.)	
Plates:	
Volume 1	74
Volume 2	81
Volume 3	84
Volume 4	87
Volume 5	90
Volume 6	96
Text-figures (all volumes)	97
PART 3 (Taxonomic revision)	
Volume 1	100
Volume 2	103
Volume 3	104
Volume 4	106
Volume 5	107
References	113

INTRODUCTION

In 1965, the senior author visited Leningrad with the express purpose of examining the bulk of the trilobite collection of Fr. Schmidt (1832-1908), thought to be kept in the Karpinsky Museum. Access to the collections was not possible on the grounds that it was "no longer in the museum, having been packed away as the result of World War II". This later turned out to be untrue and with the help of colleagues, specimens of interest were smuggled out of the collections, photographed, returned and later published (35, pl. 35, fig.14; pl.36, figs. 1; 36, fig.2 A,B). In 1972, part of the collection was moved to the Central Scientific Research Geological Exploration Museum, Leningrad and to the Department of Historical Geology, University of Leningrad (A.M. Karpunin, letter to DLB 5/7/1994), while the remainder ended up in Moscow where today it is to be found in the museum of the Paleontological Institute of the Russian Academy of Sciences. There is no doubt that during this upheaval, certain specimens were mislaid or lost and today about 70% of the collection remains available for study. It is well curated, a great tribute to Russian colleagues who have cared for it so well under extremely difficult conditions.

The object of our work was to examine collections in Moscow and St. Petersburg, produce and publish this computer catalogue of the Schmidt collection, to exchange data files with Russian colleagues and to photograph specimens for future reference and research. For the present, photographs of all specimens illustrated in the Schmidt monographic Vols. I,II,IV and a selection from Vol. III but not Vol. V are archived in the Paleontological Museum, Oslo.

FRIEDRICH SCHMIDT (1832-1908)

Friedrich Schmidt was born in Estonia on the 15th. January 1832. Little is known of his family life except that his father was an estate manager for the von Oldekop family and his uncle was a respected cleric. Schmidt's interests in natural history started early in life and his first love was botany, which he later studied at the University of Tartu where he received both bachelor and master degrees in the subject. This training stood him in good stead as from 1856-1859 he was assistant director of the botanic garden in Tartu. Between times, his botanical excursions brought him into contact with the geology of his native Estonia and in 1858 (1) he published his first and lasting observations on the Ordovician and Silurian rocks of the country together with a detailed

Acknowledgements. We wish to thank Professor A.Yu. Rozanov, Moscow, Director A.M. Karpunin, Nina Kadletz (CNIGR Museum, St. Petersburg) and Galina M. Gataulina, (Museum of Paleontology & Stratigraphy, University of St. Petersburg), for allowing us access to material in their care. Additional help in Moscow was received from Anna V. Rykova (computer catalogue), Dimitri Grazhdankin and Elena V. Zlokazova (literature and translation), while accommodation in St. Petersburg was kindly arranged by Dr. Tanya Koren. For photographic help we are indebted to Alexander V. Mazin and Per Aas for work in Moscow and St. Petersburg respectively. Our work and travel to and from Russia (April-May 1996), has been financed by a grant (110194/730) from the East Europe Programme of the Norwegian Research Council (NFR) for which we are most grateful. Our thanks to Anne G. Bruton for assistance in Moscow and for looking after Grazhdankin, Ivantsov and Elena V. Zlokazova during their visit to Oslo in October 1996. Finally, we wish to thank Professor Valdar Jaanusson, Stockholm for help with faunal, stratigraphical, historical and locality data, Dr. Hans Arne Nakrem, Oslo, for designing the computer programme we have used and Professor Harry B. Whittington for advice with the text.

map. In the autumn of the same year he was invited to collaborate with Russian colleagues studying the flora, fauna and geology of northern Siberia and the Sakhalin area off the Pacific east coast and took part in expeditions to these areas between 1859 and 1862. This work brought him in contact with Mesozoic, Tertiary and younger rocks and he became fascinated with relating fossils from the Quaternary deposits with those observed among the Pacific and Polar faunas.

Schmidt moved to St. Petersburg in January 1862 to collate the botanical results of the expeditions but later found time to publish papers on the glacial deposits of Estonia (3) as well as a paper on Silurian fish (4). Between 1866-1867 he returned to Siberia

and led the famous Russian Academy's Jenisei expedition which uncovered the first frozen mammoth skeleton with soft parts preserved.

On his return from Siberia, Schmidt was taken very seriously ill and needed treatment in Germany where he stayed until the autumn of 1870, hence the late publication of the results from his Siberian expedition (5). Meanwhile, the Estonian nobility were anxious that their famous son should not neglect his homeland. They financed his fieldwork and studies of the Palaeozoic rocks of the country, from which he started assembling collections of fossils. This work continued until his death in 1908, but until then he had many other interests outside Estonia and received numerous awards for his scientific efforts.

In January 1872, Fr. Schmidt was elected an associate member of the Russian Academy of Sciences for his contribution to palaeontology and a year later became Director of the Mineralogical Museum in St. Petersburg, a post he held for 27 years. In 1874, the Academy favoured him with the title "academician extraordinarius" but it was not until 1885 that he became a full member!

As a resident of St. Petersburg, Schmidt took an active part in the Natural History Society of the city and received funding from this organisation to study the Ordovician rocks of the district. This knowledge was incorporated in a comprehensive account of the Cambro-Silurian stratigraphy of the Baltic area together with a new map of Estonia and the St. Petersburg province presented at a meeting of the St. Petersburg Natural History Society on November 23. 1878. The map was published a year later in St. Petersburg (7), but the stratigraphical scheme is to be found in the introduction of the first of Fr. Schmidt's trilobite monographs published in

1881 (8; see also 39). His interest in trilobites was inspired by A.F. Volborth's gift to the Russian Academy of Sciences in 1876, of a large collection of Ordovician trilobites from the St. Petersburg area. Schmidt's interest in trilobites lasted for over 30 years, his last monograph (20) of his much quoted "Revision der ostbaltischen silurischen Trilobiten", being published in 1907, only a year before his death. Other contributions on trilobites include new finds from east Siberia (11) and reports from the early Cambrian of Estonia (12-13). He was always anxious to use his fossils to solve stratigraphical problems and his monographic treatment of trilobites, (8-10, 14-17, 19-20) ostracods, (6) and merostomes (18) all reflect this. A paper on brachiopods was published posthumously (21).

Fr. Schmidt was very much an international figure. He travelled extensively in Sweden (including Gotland) (2) and Germany, attended all the International Geological Congresses between 1884 and 1891 and was himself one of the organisers of the seventh Congress, held in St. Petersburg in 1897. In this connection, he led an excursion to Estonia. He combined his visit to Washington in 1891, with visits to the classic Ordovician and Silurian localities in New York, Ohio and later in eastern Canada. He received awards from many institutions and societies, the highest being the Wollaston Medal from the Geological Society of London in 1890. He was a prolific writer and his publication list numbers more than 200 titles.

The above section is based on a translation of Männil (38)

THE SCHMIDT TRILOBITE COLLECTION

We define the Schmidt Trilobite Collection to embrace those trilobite specimens figured in the 9 monographic parts which together are known under the title "Revision der ostbaltischen silurischen Trilobiten von Fr. Schmidt." Schmidt was author of eight of these parts (I: 1881 (8); II: 1885 (9); IV: 1894 (14); V-I: 1898 (15); V-II: 1901 (16); V-III: 1904 (17); V-IV: 1906 (19); VI: 1907 (20)). Part III: 1886 (10), dealing with the illaenid trilobites, was written by the Swedish palaeontologist, Gerhard Holm. Both authors had access to the earlier collections of E. Eichwald (22-27) and A.F. Volborth (28-30) then in the possession of the Russian Academy of Sciences in St. Petersburg. Specimens

from Sweden, housed at the Museum of Natural History (Naturhistoriska Riksmuseet) in Stockholm and at the Palaeontological Museum, University of Uppsala, were made available through the auspices of Holm who also provided Norwegian specimens from his own collections.

We know that Volborth donated his collection to the Academy in 1876 and that this collection and the one from Eichwald, was curated by Fr. Schmidt in preparation for his monographic work (31). Today, Eichwald's collections are housed in the Paleontological Museum, University of St. Petersburg, Volborth's in The Central Scientific Research Geological Exploration Museum (CNIGR),

St. Petersburg. In his remarks on these collections, Schmidt (8) concludes that one of the weaknesses of the Volborth Collection was the fact that Volborth received many of the specimens from local amateur collectors in the region of Pavlovsk and details of their stratigraphical occurrence were unknown. However, Schmidt also relied heavily on gifts of trilobites from local collectors and it is not always certain from where particular specimens came.

Figured specimens from the Schmidt Collection amount to 1408 representing what then were 255 different species of which 120 were new. In this present work we have succeeded in tracing 990 specimens or approximately 70% of the Schmidt Collection. This is better than we had first hoped and remarkable considering the history of the collection since Fr. Schmidt's death in 1908. Regrettably, we have not been able to trace the history in detail and we have heard so many stories that it has been impossible to offer a true picture. Suffice to say, the collection was split up in 1972 and what remains is today available for study in three separate institutions; two in St. Petersburg and one in Moscow. These are:

Museum of Paleontology & Stratigraphy, University of St. Petersburg, 199164 St. Petersburg (hereafter abbreviated (PSM).

The Central Scientific Research Geological Exploration Museum (CNIGR), Srednii Prospekt 74, 199026, St. Petersburg (CNI).

The Paleontological Institute, Russian Academy of Sciences,
123, Profsoyuznaya st. 117647 Moscow (PIN).

**Museum of Paleontology & Stratigraphy,
University of St. Petersburg (PSM)**

Specimens from the Eichwald and Schmidt collections are displayed in closed cabinets. Specimens are mounted on plasticine attached to cardboard tablets. Labels and specimen data lie under the tablets. The museum is damp and unheated and labels are starting to fade. Curation is good and there are well kept handwritten/typed catalogues. Copies of the Schmidt publications are available. Photographic facilities are not available.

Present numbering: Collection number separated by slash from specimen number (e.g. 149/1). The entire Schmidt collection has the same number: 149.

**Central Scientific Research Geological
Exploration Museum, St. Petersburg (CNI)**

Specimens from the Schmidt collection are displayed in closed display cases. Specimens nestle in their own depression on a plaster of Paris tablet. The museum is damp and unheated. Curation is very good and handwritten catalogues are available. Copies of the Schmidt publications are available. A catalogue of holotypes was published in 1979 (37) pp. 68-73. Photographic facilities are not available but a room with a fume cupboard can be used in connection with personal equipment.

Present numbering: specimen number separated by slash from collection number (e.g. 2/11101). Each monograph has a separate collection number and 11101 is the collection number for part II.

**Palaeontological Institute, Russian Academy of
Sciences, Moscow (PIN)**

The Schmidt collection is in cupboard drawers in a separate room reserved for type and figured specimens. The collection is that part removed from St. Petersburg to Moscow during a reorganisation period. During this time, specimens were mislaid, others suffered from flooding, leaving labels with brown water-marks and frayed edges.

Specimens often have a flattened base and traces of glue which originally affixed them to a base or tablet. Small specimens are still glued to a cardboard base and are kept in a glass phial closed with a cork or cotton wool. In some cases the cork has been sealed with a black laquer. Curation is well organised and recently a computer catalogue (using the Microsoft Excel-System), has been established. Copies of the Schmidt publications are available and many of the specimens are accompanied by cut-out figures from original copies of plates. An in-house photographic service is available.

Present numbering: black figures on irregular white background. Collection number separated by slash from specimen number (e.g. 4248/44). Here collection number 4248 refers to the entire Schmidt collection.

GENERAL REMARKS ON THE SPECIMENS AND COLLECTIONS

As mentioned above, we have succeeded in tracing 70% of the Schmidt Trilobite Collection, the remainder being listed in the catalogue under the category "missing" for the specimens probably lost during the reorganisation period. This means that specimens cannot be traced in the collections of the three Russian institutions where the bulk of the Schmidt Collection is housed. One Swedish specimen has been identified in Stockholm, and there still remains the possibility that material exists elsewhere in Russia, and in Stockholm, Tallinn, Tartu, Wroclaw or Berlin. These specimens are listed "NT" (=not traced) and their original repository given.

Generally, since being figured, specimens have survived the war years, transport and handling well and only in a few cases has damage occurred such as partial exfoliation of exoskeleton, loss of spines, etc. Schmidt used the services of several artists in order to illustrate his work with varying success. Many illustrations are exact, true to scale and all features, including damaged areas and blemishes, are portrayed in detail. Other illustrations are more idealised and damaged areas have been reconstructed using transferred detail from another specimen. Such composite figures are common in Volumes I and II and some figures are laterally inverted after having been drawn with the help of camera-lucida. The plates I-XI and XII in Volume V-II, all plates in Volume V-III and V-IV, and in Volume VI, are photographs of high quality for their time.

Numbering of specimens has changed during the years and up to three different systems have followed the specimens now in Moscow. These are:

Narrow white rectangular area with red numbers.
Corresponds to Fr. Schmidt's catalogue from the Karpinsky Museum, St. Petersburg.

White square with two sets of black numbers;
collection number on top separated by horizontal bar from specimen number below.
Corresponds to Geological Museum of Academy of Sciences, St. Petersburg. Probably pre-1917.

Present day numbering

differs from institution to institution as explained above and listed in the catalogue.

Type specimens are recognised by a duck-egg green paint dot sometimes on the specimen itself or on the surrounding matrix. This is probably a mark from the time of Fr. Schmidt.

STRATIGRAPHIC AND LOCALITY DATA

Text-Figures 1 and 2 attempt to correlate the lithostratigraphic scheme of Schmidt (1881-1907) with the modern usage for the St. Petersburg district (32) and Oslo Region (33-34) respectively; both are tied into the standard chronostratigraphic standard for Baltoscandia. Schmidt's stratigraphic units, identified by letters of the alphabet (B-K), correlate only approximately to units of the Oeland Series (Lower Ordovician) of modern usage, but correspond well in the succeeding Viru Series (Middle Ordovician), Harju Series (Upper Ordovician) and Silurian. Where possible in the catalogue, we have added the modern stratigraphic symbols and present day names to Schmidt's localities. In doing this we have relied heavily on the generous advice afforded us by Professor Valdar Jaanusson, Department of Palaeobiology, Natural History Museum, Stockholm, Sweden, a former resident of Estonia and authority on the Ordovician stratigraphy and palaeontology of that country.

Professor Jaanusson has drawn our attention to the fact that German (not Russian) was the main administrative language used in Estonia until around 1890 and that Fr. Schmidt, although fluent in both languages, used the German spelling for Estonian place names. Transliterating these into modern Estonian is one problem, but an additional problem is locating the localities on present day maps. Moreover Schmidt's locality names often followed the name of a landowners estate even though the actual locality was some distance away from the residence. Thus the locality Kirna (= Kernu) of Schmidt (14, pl 6, fig 38), from the manor of Kirna, was in fact a quarry on estate land but near the village of Monuste approximately 6 kms to the west. On present day maps the old quarry is at the farm of Saunja and is the type locality of the Saunja Limestone (upper Nabala Stage) (Valdar Jaanusson letter of 12/11/1996).

Schmidt also transliterated the Russian Cyrillic names to German for localities in the province of Ingemanland (= Ingria in English) between the rivers of Narva and Sjas.

We conclude that many of the localities are well documented thanks to Schmidt's earlier work (1), but later, he often used the same locality name for several exposures, especially when these occurred in cliff sections where several units were present. This is the case in and around the capital Reval (= Tallinn).

ORDOVICIAN

Baltic Series/Stages/substages	Schmidt (1881-1907)	St. Petersburg area	Central Oslo Region (lithostratigraphy; etage only for reference)	European graptolite Zones	Baltic trilobite Zones
HARJU	Hirnantian		Langøyene Fm. (5b)	<i>persculptus extraordinarius</i>	<i>Dalmanitina zones</i>
	Porkuni	Borkholmsche Schicht (F_2)	Husbergøya Fm. (5a)	<i>anceps</i> ?	
	Pirgu	Lyckholmsche Schicht (F_1)	Skogerholmen Fm. (4d)		<i>Staurocephalus clavifrons (assemblage)</i>
	Vormsi		Skjerholmen Fm. (4c γ)		
	Nabala		Grimsøya Fm. (4c β)	<i>complanatus</i>	
	Rakvere	Wesenbergsche Schicht (E)	Venstøp Fm. (4c α)	<i>linearis</i>	
	Oandu		Solvang Fm. (4b δ_{1-2})		
	Keila	D ₂ Jewesche Schicht (D)	Nakkholmen Fm. (4b γ)	<i>clingani</i>	<i>Toxochasmops extensa</i>
	Johvi		Jelitsavetino Fm.		
	Idavere	Itfersche Schicht (C ₃)	Frognerkilen Fm. (4b β)		
	Kukruse	Kuckersche Schicht (C ₂)	Khrevitsa Fm.	<i>multidens</i>	
	Uhaku	C _{1b} Echino-sphaeriten-kalk (C ₁)	Shundorovo Fm.		
	Lasnamagi		Gryazno Fm.		
	Aseri	C _{1a}	Soltsy Fm.	<i>gracilis</i>	<i>Botrioides coscinorhinus</i>
VIRU	Aluoja	B _{3b}	Valesy Fm.		
	Valaste	Vaginaten-B _{3a} kalk (B ₃)	Valim Fm.	<i>teretiusculus</i>	
	Hunderum	B _{2b}	Häkavik Mbr. (4a α_4)		
	Langevoja		Porogi Fm.	<i>murchisoni</i>	
	Vääna	Glaukonitt-kalk (B ₂)	Engervik Mbr. (4a α_3)		<i>A.(N.) platyurus</i>
	Saka		Elnes Fm.		
	Billingen	B _{2a}	Duboviki Fm.	<i>artus</i> (' <i>bifidus</i> ')	<i>M.gigas & M.obtusicauda</i>
	Hunneberg	Glaukonitt-sand (B ₁)	Sjøstrand Mbr. (4a α_{1-2})		<i>A.'raniceps'</i>
OELAND	KUNDA	Obuchov Fm.	Svartodden Mbr. (3c γ)	<i>austro-dentatus</i>	<i>A.expansus</i>
	Valaste		Lysaker Mbr. (3c β)		<i>M.limbata</i> upper
	Hunderum	Volkov Fm.	Huk Fm.	<i>hirundo</i>	lower
	Langevoja		Hukodden Mbr. (3c α)		<i>M.simon</i>
	Vääna	Leetse Fm.	Galgeberg Mbr. (3b β)	<i>extensus</i>	<i>M.polyphemus</i>
	Saka		Tøyen Fm.		<i>M.estonica</i>
	Billingen		Hagastrand Mbr. (3b α)	<i>approximatus</i>	<i>M.dalecarlicus</i>
	Hunneberg				<i>M.planilimbata</i>

Text-figure 1: Correlation chart of the Ordovician of Estonia as defined by Schmidt (8), compared to the present stratigraphic units of Estonia, St Petersburg Area, and the Oslo Region, and their relation to the graptolite and trilobite zonation. (Compiled from 32, 33, 40, 41, 42, and 43)

SILURIAN

Regional Stages		Schmidt 1881-1907	Central Oslo Region (etage for reference only)	Standard graptolite Zones
Pridoli	Ohesaare K ₄		- - - ? - - -	<i>transgrediens</i> <i>-perneri</i>
	Kaugatoma K _{3b}			<i>bouceki</i> <i>lochkovensis</i> <i>pridoliensis</i> <i>-ultimus s.l.</i>
Ludlow	Kuressaare K _{3a}		Stubdal Fm. (10)	<i>formosus/</i> <i>balticus</i>
	Paadla K ₂		- - - ? - - -	<i>koslowskii-</i> <i>auriculatus</i> <i>boemicus/</i> <i>aversus</i> <i>leintwardinensis</i> <i>scanicus/</i> <i>chimaera</i>
Wenlock	Rootsiküla K ₁		Sundvollen Fm. (10)	<i>nilssoni/</i> <i>colonus</i>
	Jaagarahu J ₂		- - - ? - - -	<i>ludensis</i> <i>nassa</i> <i>lundgreni</i>
Llandovery	Jaani J ₁		Steinsfjorden Fm. (9)	<i>ellesae</i>
	Adavere H		I Untere Oeselsche Schicht	<i>linnarsoni</i>
Raikküla G ₃		H Estonus Schicht	Malmøya Fm. (8c-d)	<i>rigidus</i>
			Skinnerbukta Fm. (8a-b)	<i>riccartonensis</i> <i>murchisoni</i> <i>centrifugus</i>
Juuru G ₁₋₂		G ₃ Raikülsche Schicht	Vik Fm. (7c)	<i>crenulata</i> <i>griestoniensis</i>
			Rytteråker Fm. (7a-b)	<i>crispus</i> <i>turriculatus</i> <i>maximus</i> <i>sedwickii</i>
G ₁ Jördensche Schicht		G ₂ Borealisbank	Solvik Fm. (6a-c)	<i>convolutus</i> <i>argenteus</i> <i>magnus</i> <i>triangulatus</i> <i>cyphus</i> <i>acinaces</i> <i>atavus</i>
				<i>acuminatus</i>

Text-figure 2: Correlation chart of the Silurian of Estonia as defined by Schmidt (8), compared with the present stratigraphic units of Estonia and the Oslo Region. (Compiled from 34, 44, 45 and 46)

REFERENCES

- 1: Schmidt, F. (1858): Untersuchungen über die Silurische Formation von Estland, Nord-Livland und Oesel. *Archiv für Naturkunde Serie. I. Band.II*, 1-250, 1 Karte.
- 2: Schmidt, F. (1859): Beitrag Zur Geologie der Insel Gotaland, nebst einigen Bemerkungen über die untersilurische Formation des Festlandes von Schweden und die Heimat der norddeutschen silurischen Geschiebe. *Archiv für Naturkunde Serie. I. Band.II*, 403-464, 1 Karte.
- 3: Schmidt, F. (1865): Untersuchungen über die Erscheinungen der Glacialformation in Estland und auf Oesel. *Bulletin de l'Academie Impériale des Sciences de St.-Petersbourg I'e Série: VIII*, 339-368. 1 Karte.
- 4: Schmidt, F. (1866): Über *Thyestes verrucosus* Eichw. und *Cephalaspis Screnki* Pand., nebst einer Einleitung über das Vorkommen silurischer Fischreste auf der Insel Oesel. [Eastern St. Petersburg Mineralogical Society] 1, 217-250.
- 5: Schmidt, F. (1869): Vorläufige Mittheilungen über die wissenschaftlichen Resultate der Expedition zur Aufsuchung eines angekündigten Mammuthcadavers. *Bulletin de l'Academie Impériale des Sciences de St.-Petersbourg I'e Série: XIII*, 97-130.
- 6: Schmidt, F. (1873): Über die russischen silurischen Leperditian mit Hinzuziehung einiger Arten aus den Nachbarländern. *Miscellanea Siurica I. Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII'e Série: XXI*, No.2. 26 pp.
- 7: Schmidt, F. (1879): Report on Silurian System in St. Petersberg, Estonia and Island of Oesel. [Transactions of the Naturalist's Society of St. Petersburg], Vol. X, 42-48 (report from meeting of 23. November 1878).
- 8: Schmidt, F. (1881): Revision der ostbaltischen silurischen Trilobiten nebst geognostischer Übersicht des ostbaltischen Silurgebiets Abt. I. Phacopiden, Cheiruriden und Encrinuriden. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII'e Série: XXX*, No.1. 237 pp., 16 pls., 15 text-figs.
- 9: Schmidt, F. (1885): Revision der ostbaltischen silurischen Trilobiten. Abt. II. Acidaspiden und Lichiden. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII'e Série: XXXIII*, No.1. 127 pp., 6 pls.
- 10: Holm, G. (1886): Revision der ostbaltischen silurischen Trilobiten. Abt. III. Illaeniden.
- 11: Schmidt, F. (1886): Über einige neue ostsibirische Trilobiten und verwandte Thierformen. *Bulletin de l'Academie Impériale des Sciences de St.-Petersbourg I'e Série: XXX*, 501-512, 1 pl.
- 12: Schmidt, F. (1888): Über eine neuentdeckte untercambrische Fauna in Estland. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII'e Série: XXVI*, No. 2, 27 pp.
- 13: Schmidt, F. (1890): Weitere Beiträge zur Kenntnis des *Olenellus Mickwitzii*. *Bulletin de l'Academie Impériale des Sciences de St.-Petersbourg I'e Série: XXXIII*, No. 2, 191-195, 10 figs.
- 14: Schmidt, F. (1894): Revision der ostbaltischen silurischen Trilobiten. Abt. IV. Calymmeniden, Proetiden, Bronteiden, Harpeiden, Trinucleiden, Remopleuriden und Agnostiden. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII'e Série: XLII*, No. 5. 93 pp., 6 pls.
- 15: Schmidt, F. (1898): Revision der ostbaltischen silurischen Trilobiten. Abtheilung V: Asaphiden; Lieferung I. Allgemeine Theil und Übersicht der Arten. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VIII'e Série: (VI, no.11)*. 46 pp., 16 text-figs.
- 16: Schmidt, F. (1901): Revision der ostbaltischen silurischen Trilobiten. Abtheilung V: Asaphiden; Lieferung II. Die Gattungen *Asaphus* sens. str., *Onchomетопус*, *Isotelus* und *Niobe* enthaltend. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VIII'e Série: (XII; no.8)*. 113 pp., 12 pls., 64 text-figs.
- 17: Schmidt, F. (1904): Revision der ostbaltischen silurischen Trilobiten. Abtheilung V: Asaphiden; Lieferung III. Enthaltend die Gattungen *Ptychopyge* (*Pseudasaphus*, *Basilicus* und *Ptychopyge* sens. str.), *Ogygia* und *Nileus*. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VIII'e Série: (XIV; no.10)*. 68 pp., 8 pls. 6 text-figs.
- 18: Schmidt, F. (1904): Über die neue Merostomeform *Stylonurus (?) Simonsoni* aus dem Obersilur von Rotziküll af Oesel. *Bulletin de l'Academie Impériale des Sciences de St.-Petersbourg, XX*, No. 3, 99-105, 1 pl.
- 19: Schmidt, F. (1906): Revision der ostbaltischen silurischen Trilobiten. Abtheilung V: Asaphiden; Lieferung IV. Enthaltend die Gattung *Megalaspis*. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VIII'e Série: (XIX; no.10)*. 62 pp., 8 pls., 33 text-figs.

- 20: Schmidt, F. (1907): Revision der ostbaltischen silurischen Trilobiten. Abtheilung VI: Allgemeine Übersicht mit Nachträgen und Verbesserungen. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII'e Série: (XX; no.8)*. 104 pp., 3 pls., 18 text-figs.
- 21: Schmidt, F. (?) Beitrage zur Kenntnis der Ostbaltischen virzüglich untersilurischen Brachiopoden der Gattungen *Plectambonites* Pand., *Leptaena* Dalm. und *Strophomena* Blain. (Vorläufige Mitteilung.). *Bulletin de l'Academie Impériale des Sciences de St.-Petersbourg, VII'e Série, II*, 717-726.
- 22: Eichwald, E. (1825): Geognostico-zoologicae, per Ingriam Marisque Baltici provincias, nec non de Trilobitis observationes. 58 pp. (illustrated)(Casani).
- 23: Eichwald, E. (1840): Die Urwelt Russlands durch Abbildungen erläutert. Vol. 1. (1840) St. Petersburg.
- 24: Eichwald, E. (1842): Die Urwelt Russlands durch Abbildungen erläutert. Vol. 2. (advance copy). 184 pp. St. Petersburg. (Also 1843: Beiträge zur Kenntnis des Russisches Reichs. Herausgegeben von K. E. Von Baer. Band 8.
- 25: Eichwald, E. (1854): Grauwackenschichten Liv- und Estlands. *Bulletin du la Société Impériale des naturalistes de Moscou 1854*, p. 55.
- 26: Eichwald, E. (1858): Beitrag zur geographischen Verbreitung der fossilen Thiere Russlands. *Bulletin du la Société Impériale des naturalistes de Moscou. 1858 Vol. 30 (?)*, no.4.
- 27: Eichwald, E. (1861): Paleontologija Rossii. Drevnij period. II. Fauna graubakkovoj gornoizvestkovoj i mdistoslanstsjevastoj formatsii rossii. 521 pp.
- 28: Volborth, A. von (1858): Über Crotaluren und Remopleuriden. *Verhandlungen der Kaiserlichen mineralogischen Gesellschaft zu St. Petersburg Jahr 1857-58*. p. 126
- 29: Volborth, A. von (1863): Über die mit glatten Rumpfgliedern versehenen russischen Trilobiten, nebst einem Anhange über die bewegungsorgane und über das Herz derselben. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII'e Série: (VI; no.2)*. 1-47, pls. 1-4.
- 30: Volborth, A. von (1864): Ueber einen neuen ehstländische illaenen. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII'e Série: (VII; no.9)*
- 31: Hecker, R. T. H. (1987): [On the Silurian Plateau. Essays on the history of Geological knowledge] "Nauka" Moscow; 24, 57-69. (in Russian)
- 32: Männil, R. & Meidla, T. (1994): The Ordovician System of the East European Platform (Estonia, Latvia, Lithuania, Byelorussia, parts of Russia, the Ukraine and Moldova. In: Webby, B. D.; Ross, R. J. & Zhen, Y. Y. (eds.) The Ordovician System of the East European Platform and Tuva (southeastern Russia). *International Union of Geological Sciences, Publication No. 28, A*, 1-52.
- 33: Owen, A. W.; Bruton, D. L.; Bockelie, J. F. & Bockelie, T. G. (1990): The Ordovician successions of the Oslo Region, Norway. *Norges Geologiske Undersøkelse, Special Publication No.4*. 54 pp.
- 34: Worsley, D.; Aarhus, N.; Bassett, M. G.; Howe, P. A.; Mørk, A. & Olaussen, S. (1983): The Silurian succession of the Oslo Region. *Norges Geologiske Undersøkelse 384 (Bulletin 72)*; 57 pp.
- 35: Bruton, D. L. (1967): Silurian odontopleurid trilobites from Sweden, Estonia and Latvia. *Palaeontology 10*, 214-244.
- 36: Bruton, D. L. (1968): Ordovician odontopleurid trilobites from Estonia and Latvia. *Lethaia 1*, 288-302.
- 37: Romanovskaya, L. V; Malcherskaya, T. M & Kadlets, N. M. (1979): [Catalogue of Holotypes of Fauna and Flora species stored in CNIGR Museum. Issue 1. Ministry of Geology of the USSR. Central Scientific-Research Geological Exploration Museum named after Academician F. N. Chernyshev] Leningrad 1979. (in Russian)
- 38: Männil, R. M. (1958): O Zhisni i tvorchestve akademika F. B. Schmidta. (1832-1908) [About the life and works of academician Fr. Schmidt (1832-1908)] (in Russian). *Ensv Teaduste Akadeemia Geologogia Instituudi Uurimised 3*, 5-16. + Bibliography of Fr. Schmidt. Ibid. 45-54.
- 39: Schmidt, F. (1882): On the Silurian (and Cambrian) strata of the Baltic Provinces of Russia, as compared with those of Scandinavia and the British Isles. *Quarterly Journal of the Geological Society of London 38*, 514-536, pl. XXIII.
- 40: Bergström, J. (1982): Scania. In: Bruton, D. L. & Williams, S. H. (eds): *4th International Symposium on the Ordovician System, Field excursion guide*. Paleontological Contributions from the University of Oslo No.279. 184-197.
- 41: Bergström, S. M. & Wang, Zhi-hao (1995): Global correlation of Catlemanian to Darriwillian conodont faunas and their relations to the graptolite Zone succession. In: Chen Xu & Bergström, S. M. (eds): Special Issue: The Base of the *Austrodentatus* Zone as a level for global subdivision of the Ordovician System.

- PalaeoWorld No. 5. 92-98. Nanjing University Press.
- 42: McNamara, K. J. (1980a): Taxonomy and distribution of chasmopine trilobites. *Geological Magazine* 117, 65-80.
- 43: Nielsen, A. T. (1995): Trilobite systematics, biostratigraphy and palaeoecology of the Lower Ordovician Komstad Limestone and Huk Formations, southern Scandinavia. *Fossils and Strata* 38. 374 pp.
- 44: Nestor, H. (1993): Catalogue of Silurian Stratigraphical Units and Stratotypes in Estonia and Latvia. Baltic Stratigraphic Association.
- Institute of Geology, Estonian Academy of Sciences. Tallinn 1993. 23 pp.
- 45: Nestor, H. (1996): A glimpse on Bedrock Stratigraphy. In: Meidla, T.; Puura, I.; Nemliher, J.; Raukas, A. & Saarse, L. (eds): The Third Baltic Stratigraphical Conference. Abstracts. Field Guide. Tartu. 81-83.
- 46: Kaljo, D. (1990): The Silurian of Estonia. In: Kaljo, D. & Nestor, H. (eds): IUGS / IGCP Field meeting Estonia 1990: An Excursion Guidebook. Institute of Geology, Estonian Academy of Sciences. 21-26

THE CATALOGUE

The program for the following catalogue was designed for us by Dr Hans Arne Nakrem, Palaeontological Museum, Oslo, for use with the FoxPro 2.6 database system, (Fox Software). At the start, one of us (LTB), registered stratigraphic and locality data for corresponding figured specimens appearing in the Schmidt monographs. Print-out lists were then taken to Russia and updated after specimens and catalogue numbers had been checked. Additional data was added from museum catalogue lists in St.Petersburg and from the computerised data base in Moscow. Cross-checking of lists allowed all parties to make corrections and improve their respective data bases.

We have attempted to present the present catalogue as user-friendly as possible in the following three parts:-

Part 1

Alphabetical list of taxa based on original GENUS-name with subgenus and species where applicable. Reference to volume (part), plate and figure or text-figure with page reference.

Museum catalogue number (or listed as "missing"). Stratigraphical occurrence according to Schmidt's letter system, followed by modern equivalent (). Locality data according to Schmidt, followed by present name ().

Name of collector where known.

Where a specimen has not been traced, but may be present in collections elsewhere, this is indicated by NT, (= not traced), and the original repository is noted. Several of these specimens may still be in museums in Estonia, Germany, Poland, Russia and Sweden.

Part 2

List of taxa according to volume (part), plate and figure reference.

The present corresponding museum catalogue number is given for future reference.

NT denotes specimens possibly extant in museums in Estonia, Germany, Poland, Russia and Sweden.(see Part 1).

Part 3

List of taxa arranged as they occur in sequential monographs except new species appearing in Volume VI (Schmidt 1907), which are included under the appropriate genus and indicated (Vol. VI). Revised binomen, with reference to revisor(s) is given where possible. Where no reference is given, the revision is that of the present authors.

* indicates a type species based either on original designation or with reference to Harrington et al. 1959.

PART 1

Alphabetical list of taxa based on original GENUS-name with subgenus and species where applicable.

Reference to volume (part), plate and figure or text-figure with page reference.

Museum catalogue number (or listed as "missing").

Stratigraphical occurrence according to Schmidt's letter system, followed by modern equivalent ().

Locality data according to Schmidt, followed by present name ().

Name of collector where known.

Where a specimen has not been traced, but may be present in collections elsewhere, this is indicated by "NT" (= not traced), and the original repository is noted. Several of these specimens may still be in museums in Estonia, Germany, Poland, Russia and Sweden.

Acidaspis emarginata Schmidt, 1885

Vol. II, pl.I, fig.1, p. 2: CNI 1/11101; J (=Jaani Stage, Wenlock); Koggowa auf Mohn (=Koguva on the Muhu island), Estonia.

Acidaspis kuckersiana Schmidt, 1885

Vol. II, pl.I, fig.2, p. 4: CNI 2/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Acidaspis kuckersiana Schmidt, 1885

Vol. II, pl.I, fig.3, p. 4: CNI 3/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Acidaspis kuckersiana var. mickwitzii Schmidt, 1907

Vol. VI, pl.I, fig.19, p. 23: CNI 26/11155; D2 (=Keila); Kegel (=Keila), Estonia.

Agnostus glabratus var. ingrata Schmidt, 1894

Vol. IV, pl.VI, fig.39, p. 90: PIN 4248/39; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Agnostus glabratus var. ingrata Schmidt, 1894

Vol. IV, pl.VI, fig.40, p. 90: PIN 4248/872; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Agnostus glabratus var. ingrata Schmidt, 1894

Vol. IV, pl.VI, fig.41, p. 90: Missing; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Agnostus glabratus var. ingrata Schmidt, 1894

Vol. IV, pl.VI, fig.42, p. 90: PIN 4248/119; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Agnostus glabratus var. ingrata Schmidt, 1894

Vol. IV, pl.VI, fig.43, p. 90: PIN 4248/841; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Agnostus glabratus var. ingrata Schmidt, 1894

Vol. IV, pl.VI, fig.44, p. 90: PIN 4248/873; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Amphion fischeri Eichwald, 1825

Vol. I, pl.XIII, fig.1, p. 191: Missing; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Amphion fischeri Eichwald, 1825

Vol. I, pl.XIII, fig.2, p. 191: CNI 54/11059; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Amphion fischeri Eichwald, 1825

Vol. I, pl.XIII, fig.3, p. 191: CNI 55/11059; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Amphion fischeri Eichwald, 1825

Vol. I, pl.XIII, fig.4, p. 191: Missing; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Amphion fischeri Eichwald, 1825

Vol. I, pl.XIII, fig.5, p. 191: CNI 56/11059; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Amphion fischeri Eichwald, 1825

Vol. I, pl.XIII, fig.6, p. 191: CNI 54/11059; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Amphion fischeri Eichwald, 1825

Vol. I, pl.XIII, fig.7, p. 191: Missing; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Amphion fischeri Eichwald, 1825

Vol. I, pl.XIII, fig.8, p. 191: CNI 57/11059; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Amphion fischeri Eichwald, 1825

Vol. VI, pl.I, fig.8, p. 13: PIN 4248/75; B2b
 (=Langevoja-Hunderum); Obuchowo am
 Wolchow (=Obuchovo), Russia.

Ampyx aff. costatus Sars, 1835

Vol. IV, pl.VI, fig.26, p. 84: PIN 4248/863; C1
 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Ampyx aff. costatus Sars, 1835

Vol. IV, pl.VI, fig.27, p. 84: PIN 4248/112; C1
 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Ampyx aff. costatus Sars, 1835

Vol. IV, pl.VI, fig.28,28a, p. 84: PIN 4248/906;
 C1; Pawlowsk (=Pavlovsk), Russia.

Ampyx costatus? Sars, 1835

Vol. IV, pl.VI, fig.24, p. 84: PIN 4248/144; C1
 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Ampyx costatus? Sars, 1835

Vol. IV, pl.VI, fig.25, p. 84: PIN 4248/862; C1
 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Ampyx knyrkoi Schmidt, 1907

Vol. VI, pl.III, fig.11, p. 65: PIN 4248/88; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Ampyx knyrkoi Schmidt, 1907

Vol. VI, pl.III, fig.12,12a, p. 65: PIN 4248/89;
 B2b (=Langevoja-Hunderum); Iswos am
 Wolchow (=Izvos), Russia.

Ampyx linnarsoni Schmidt, 1894

Vol. IV, pl.VI, fig.21,21a, p. 83: PIN 4248/828;
 B2 Glauconitkalk; Baltischport (=Paldiski),
 Estonia. Coll.: Linnarsson

Ampyx linnarsoni Schmidt, 1894

Vol. IV, pl.VI, fig.22, p. 83: Missing; B2
 Glauconitkalk; Iswos am Wolchow (=Izvos at the
 Volkov river), Russia.

Ampyx linnarsoni Schmidt, 1894

Vol. IV, pl.VI, fig.23, p. 83: Missing; B2
 Glauconitkalk; Baltischport (=Paldiski), Estonia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.1,1a, p. 77: PIN 4248/835; B2-
 B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk),
 Russia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.2, p. 77: PIN 4248/27; B2-B3
 (=Billingen-Aluja); Pawlowsk (=Pavlovsk),
 Russia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.3, p. 77: PIN 4248/832; B2-B3
 (=Billingen-Aluja); Pawlowsk (=Pavlovsk),
 Russia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.4, p. 77: PIN 4248/838; B2-B3
 (=Billingen-Aluja); Pawlowsk (=Pavlovsk),
 Russia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.5, p. 77: PIN 4248/531; B3
 Vaginatenkalk (=Valaste-Aluoja); Wolchow bei
 Iswos (=Izvos), Russia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.6, p. 77: PIN 4248/839; B2-B3
 (=Billingen-Aluja); Pawlowsk (=Pavlovsk),
 Russia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.7, p. 77: PIN 4248/840; B2-B3
 (=Billingen-Aluja); Pawlowsk (=Pavlovsk),
 Russia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.8, p. 77: PIN 4248/25; B2-B3
 (=Billingen-Aluja); Pawlowsk (=Pavlovsk),
 Russia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.9, p. 77: PIN 4248/842; B2-B3
 (=Billingen-Aluja); Pawlowsk (=Pavlovsk),
 Russia.

Ampyx nasutus Dalman, 1826

Vol. IV, pl.VI, fig.10, p. 77: Missing; B3
 (=Valaste-Aluoja); Iswos am Wolchow (=Izvos at
 the Volkov river), Russia.

Ampyx rostratus Sars, 1835

Vol. IV, pl.VI, fig.29, p. 85: PIN 4248/434; C2
 (=Kukruse); Kuckers (=Kukruse), Estonia.

Ampyx rostratus Sars, 1835

Vol. IV, pl.VI, fig.30, p. 85: PIN 4248/145; C2
 (=Kukruse); Kuckers (=Kukruse), Estonia.

Ampyx rostratus Sars, 1835

Vol. IV, pl.VI, fig.31,31a, p. 85: PIN 4248/147;
 C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Ampyx rostratus Sars, 1835

Vol. IV, pl.VI, fig.32, p. 85: PIN 4248/146; C1 (C1c) (=Aluoja-Uhaku); Odensholm (=Osmussaar), Estonia.

Ampyx rostratus Sars, 1835

Vol. IV, pl.VI, fig.33, p. 85: PIN 4248/438; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.11, p. 80: PIN 4248/850; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.12, p. 80: PIN 4248/143; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.13, p. 80: PIN 4248/143; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.14, p. 80: PIN 4248/32; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.15,15a, p. 80: PIN 4248/36; B2-B3 Glauconitkalk (=Billingen-Aluja); Popowka bei Pawlowsk (=Popovka), Russia.
Coll.: Plautin

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.16,16a, p. 80: PIN 4248/427; B3 Vaginatenkalk (=Valaste-Aluoja); Reval (=Tallinn), Estonia. Coll.: Stacy

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.17,17a, p. 80: PIN 17=4248/844,17a=4248/26; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.18,18a, p. 80: PIN 4248/142; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.19, p. 80: PIN 4248/856; B2-B3 (=Billingen-Aluja); Pawlowsk (=Pavlovsk), Russia.

Ampyx volborthi Schmidt, 1894

Vol. IV, pl.VI, fig.20, p. 80: PIN 4248/854; B2-B3 (=Billingen-Aluja);

Apatocephalus serratus var. dubius Moberg & Segerberg, 1906

Vol. VI, pl.III, fig.13, p. 66: Missing; B2b?; Popowka bei Pawlowsk (=Popovka), Russia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.1,1a, p. 72: CNI 79/11152; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn, Lasnamägi), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.2, p. 72: CNI 80/11152; C1b (=Lasnamagi-Uhaku); Erras (=Erra), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.3, p. 72: CNI 81/11152; C2 (=Kukruse); Kuckers (=Kukruse), Estonia. Type specimen of *A. (N.) nieszkowskii* Schmidt, 1898; designated by Balashova 1976, p. 18.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.4, p. 72: CNI 82/11152; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.5, p. 72: CNI 83/11152; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.6, p. 72: CNI 84/11152; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.7, p. 72: CNI 85/11152; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.8, p. 72: CNI 86/11152; C1b-C2 (=Lasnamagi-Kukruse); Odensholm (=Osmussaar), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.9, p. 72: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885

Vol. V-II, pl.VIII, fig.10,10a, p. 72: CNI 10a=87/11152; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885
Vol. V-II, pl.VIII, fig.11, p. 72: CNI 88/11152;
C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885
Vol. V-II, textfig.43, p. 75: CNI 89/11152; C1b-C2
(=Lasnamagi-Kukruse); Dalarne, Sweden,
Sweden.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885
Vol. V-II, textfig.44, p. 75: Missing; C1b-C2
(=Lasnamagi-Kukruse); Tolks in Estland
(=Kohala), Estonia.

Asaphus (Neoasaphus) ludibundus Törnquist, 1885
Vol. V-II, textfig.45, p. 76: CNI 90/11152; C1b-C2
(=Lasnamagi-Kukruse); Odensholm
(=Osmussaar), Estonia.

Asaphus (Neoasaphus) ludibundus mut. itferensis
Schmidt, 1901
Vol. V-II, pl.VIII, fig.12, p. 77: CNI 91/11152;
C3 (=Idavere); Itfere (=Idavere), Estonia.

Asaphus (Neoasaphus) ludibundus mut. itferensis
Schmidt, 1901
Vol. V-II, pl.VIII, fig.13, p. 77: CNI 92/11152;
C3 (=Idavere); Itfere (=Idavere), Estonia.

Asaphus (Neoasaphus) ludibundus mut. itferensis
Schmidt, 1901
Vol. V-II, pl.VIII, fig.14, p. 77: CNI 91/11152;
C3 (=Idavere); Itfere (=Idavere), Estonia.

Asaphus (Neoasaphus) ludibundus var. itferensis
Schmidt, 1901
Vol. V-II, pl.XII, fig.27, p. 77: CNI 93/11152; C3
(=Idavere); Itfere (?) (=Idavere), Estonia.

Asaphus (Neoasaphus) ludibundus mut. jewensis
Schmidt, 1901
Vol. V-II, pl.VIII, fig.15a,b, p. 78: CNI
94/11152; D1 (=Johvi); St. Mathias (=Madise),
Estonia.

Asaphus (Neoasaphus) ludibundus mut. jewensis
Schmidt, 1901
Vol. V-II, pl.VIII, fig.16, p. 78: CNI 95/11152;
D1 (=Johvi); St. Mathias (=Madise), Estonia.

Asaphus (Neoasaphus) ludibundus mut. jewensis
Schmidt, 1901
Vol. V-II, pl.VIII, fig.17, p. 78: CNI 96/11152;
D1 (=Johvi); St. Mathias (=Madise), Estonia.

Asaphus (Neoasaphus) ludibundus mut. jewensis
Schmidt, 1901

Vol. V-II, pl.VIII, fig.18, p. 78: CNI 97/11152;
D1 (=Johvi); St. Mathias (=Madise), Estonia.

Asaphus (Neoasaphus) ludibundus mut. jewensis
Schmidt, 1901

Vol. V-II, pl.VIII, fig.19,19a, p. 78: CNI
98/11152; D1 (=Johvi); Kawast (=Kavastu),
Estonia.

Asaphus (Neoasaphus) ludibundus var. jewensis
Schmidt, 1901

Vol. V-II, textfig.46, p. 79: Missing; D1 (=Johvi);
Kawast (=Kavastu), Estonia.

Asaphus (Neoasaphus) ludibundus mut. kegelensis
Schmidt, 1901

Vol. V-II, pl.IX, fig.1, p. 81: CNI 99/11152; D2
(=Keila); Kegel (=Keila), Estonia.

Asaphus (Neoasaphus) ludibundus mut. kegelensis
Schmidt, 1901

Vol. V-II, pl.IX, fig.2, p. 81: CNI 100/11152; D2
(=Keila); Paesküll (=Pääsküla), Estonia.

Asaphus (Neoasaphus) ludibundus mut. kegelensis
Schmidt, 1901

Vol. V-II, pl.IX, fig.3, p. 81: CNI 101/11152; D2
(=Keila); Kegel (=Keila), Estonia.

Asaphus (Neoasaphus) ludibundus mut. kegelensis
Schmidt, 1901

Vol. V-II, pl.IX, fig.4, p. 81: CNI 102/11152; D2
(=Keila); Kegel (=Keila), Estonia.

Asaphus (Neoasaphus) ludibundus mut. kegelensis
Schmidt, 1901

Vol. V-II, pl.IX, fig.5, p. 81: CNI 103/11152; D2
(=Keila); Kedder (=Kehra), Estonia.

Asaphus (Neoasaphus) ludibundus mut. kegelensis
Schmidt, 1901

Vol. V-II, pl.IX, fig.6, p. 81: CNI 104/11152; D2
(=Keila); Kegel (=Keila), Estonia.

Asaphus (Neoasaphus) ludibundus var. kegelensis
Schmidt, 1901

Vol. V-II, textfig.47, p. 81: CNI 105/11152; D2
(=Keila); Kegel (=Keila), Estonia.

Asaphus bröggeri Schmidt, 1901

Vol. V-II, pl.II, fig.4, p. 21: PIN 4248/92; B2a-b
(=Billingen-Hunderum); Iswos (=Izvos), Russia.

Asaphus bröggeri Schmidt, 1901

Vol. V-II, pl.II, fig.5, p. 21: CNI 1/11152; B2a-b
 (=Billingen-Hunderum); Wassilkowo an der
 Lawa (=Vassilkovo), Russia.

Asaphus bröggeri Schmidt, 1901

Vol. V-II, pl.II, fig.6,6a, p. 21: Missing; B2a-b
 (=Billingen-Hunderum); Wassilkowo an der
 Lawa (=Vassilkovo), Russia.

Asaphus bröggeri Schmidt, 1901

Vol. V-II, pl.II, fig.7, p. 21: CNI 2/11152; B2a-b
 (=Billingen-Hunderum); Iswos (=Izvos), Russia.

Asaphus bröggeri Schmidt, 1901

Vol. V-II, pl.XII, fig.5, p. 21: CNI 3/11152; B2a-b
 (=Billingen-Hunderum); Putilow'schen Brüchen
 (=Putilovo), Russia.

Asaphus bröggeri Schmidt, 1901

Vol. V-II, textfig.4, p. 6: Missing; B2a;.

Asaphus bröggeri Schmidt, 1901

Vol. V-II, textfig.13, p. 23: CNI 4/11152; B2b-
 B3a (=Langevoja-Valaste); Putilovo (=Putilovo),
 Russia.

Asaphus centron Eichwald, 1843

Vol. V-IV, textfig.21, p. 45: Missing; B2b;
 Zarskaja Slawänka (=Slavenka), Russia.

Asaphus cornutus Pander, 1830

Vol. V-II, pl.IV, fig.1, p. 47: CNI 37/11152; C1a
 (=Aluoja-Aseri); Malla in Estland (=Malla),
 Estonia.

Asaphus cornutus Pander, 1830

Vol. V-II, pl.IV, fig.2,2a, p. 47: CNI 39/11152;
 C1a (=Aluoja-Aseri); Malla (=Malla), Estonia.

Asaphus cornutus Pander, 1830

Vol. V-II, pl.IV, fig.3, p. 47: PIN 4248/893; C1a
 (=Aluoja-Aseri); Chudleigh (=Voka), Estonia.

Asaphus cornutus Pander, 1830

Vol. V-II, pl.IV, fig.4, p. 47: CNI 38/11152; C1a
 (=Aluoja-Aseri); Chudleigh (=Voka), Estonia.

Asaphus cornutus Pander, 1830

Vol. V-II, pl.IV, fig.5, p. 47: CNI 41/11152; C1a
 (=Aluoja-Aseri); Dubowiki am Wolchow
 (=Duboviki), Russia.

Asaphus cornutus Pander, 1830

Vol. V-II, pl.IV, fig.7, p. 47: Missing; C1a
 (=Aluoja-Aseri); Katlino bei Pawlowsk
 (=Katlino), Russia.

Asaphus cornutus Pander, 1830

Vol. V-II, pl.XII, fig.11, p. 47: CNI 39/11152;
 C1a (=Aluoja-Aseri); Dubowiki am Wolchow
 (=Duboviki), Russia.

Asaphus cornutus Pander, 1830

Vol. V-II, pl.XII, fig.12, p. 47: CNI 40/11152;
 C1a (=Aluoja-Aseri); Malla in Estland (=Malla),
 Estonia.

Asaphus cornutus Pander, 1830

Vol. V-II, textfig.3, p. 6: Missing; B3b-C1a;.

Asaphus cornutus Pander, 1830

Vol. V-II, textfig.35, p. 48: PIN 4248/893; B3b-
 C1a (=Valaste-Aseri); Chudleigh (=Voka),
 Estonia.

Asaphus cornutus var. holmi Schmidt, 1901

Vol. V-II, pl.IV, fig.8,a,b, p. 50: Missing; C1a
 (=Aluoja-Aseri); Malla (=Malla), Estonia.

Asaphus delphinus Lawrow, 1856

Vol. V-II, pl.III, fig.8, p. 45: CNI 32/11152; C1a
 (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Asaphus delphinus Lawrow, 1856

Vol. V-II, pl.III, fig.9, p. 45: CNI 33/11152; C1a
 (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.

Asaphus delphinus Lawrow, 1856

Vol. V-II, pl.III, fig.10, p. 45: Missing; C1a
 (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.

Asaphus delphinus Lawrow, 1856

Vol. V-II, pl.III, fig.11, p. 45: CNI 34/11152;
 C1a (=Aluoja-Aseri); Dubowiki am Wolchow
 (=Duboviki), Russia.

Asaphus delphinus Lawrow, 1856

Vol. V-II, pl.III, fig.12, p. 45: Missing; C1a
 (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Asaphus delphinus Lawrow, 1856

Vol. V-II, pl.XII, fig.15, p. 45: CNI 35/11152;
 C1a (=Aluoja-Aseri); Gostilizy (=Gostilitsy),
 Russia.

Asaphus delphinus Lawrow, 1856

Vol. V-II, textfig.5, p. 6: Missing; C1a;

Asaphus delphinus Lawrow, 1856

Vol. V-II, textfig.33, p. 45: CNI 36/11152; C1a
(=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Asaphus delphinus Lawrow, 1856

Vol. V-II, textfig.34, p. 46: CNI 36/11152; C1a
(=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.

Asaphus devexus Eichwald, 1840

Vol. V-II, pl.VII, fig.1, p. 65: CNI 66/11152; C1b
(=Lasnamagi-Uhaku); Reval (=Tallinn,
Lasnamägi), Estonia. Coll.: Plautin

Asaphus devexus Eichwald, 1840

Vol. V-II, pl.VII, fig.2, p. 65: CNI 67/11152; C1b
(=Lasnamagi-Uhaku); Reval (=Tallinn,
Lasnamägi), Estonia.

Asaphus devexus Eichwald, 1840

Vol. V-II, pl.VII, fig.3, p. 65: CNI 68/11152; C1b
(=Lasnamagi-Uhaku); Reval (=Tallinn,
Lasnamägi), Estonia.

Asaphus devexus Eichwald, 1840

Vol. V-II, pl.VII, fig.4, p. 65: CNI 68/11152; C1b
(=Lasnamagi-Uhaku); Reval (=Tallinn,
Lasnamägi), Estonia.

Asaphus devexus Eichwald, 1840

Vol. V-II, pl.VII, fig.5, p. 65: Missing; C1b
(=Lasnamagi-Uhaku); Odensholm (=Osmussaar),
Estonia.

Asaphus devexus Eichwald, 1840

Vol. V-II, pl.VII, fig.6, p. 65: CNI 69/11152; C1b
(=Lasnamagi-Uhaku); Reval (=Tallinn,
Lasnamägi), Estonia.

Asaphus devexus Eichwald, 1840

Vol. V-II, pl.VII, fig.7, p. 65: CNI 70/11152;
C1a-b (=Aluoja-Uhaku); Welssy am Wolchow,
oberhalb Dubowiki (=Velssy), Russia.

Asaphus devexus Eichwald, 1840

Vol. V-II, textfig.9, p. 6: Missing; C1a-C1b;

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, pl.I, fig.12, p. 41: CNI 22/11152; B3b-
C1a (=Valaste-Aseri); Reval (=Tallinn), Estonia.
Coll.: Volborth (?)

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, pl.I, fig.13, p. 41: CNI 23/11152; B3b-
C1a (=Valaste-Aseri); Reval (=Tallinn), Estonia.

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, pl.I, fig.14, p. 41: CNI 24/11152; B2b-
C1a (=Langevoja-Aseri); Reval (=Tallinn),
Estonia.

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, pl.IV, fig.6, p. 41: Missing; B3b-C1a
(=Valaste-Aseri); Pawlowsk (=Pavlovsk), Russia.

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, pl.IV, fig.9,9a-c, p. 41: CNI 25/11152;
C1a (=Aluoja-Aseri); Pawlowsk (=Pavlovsk),
Russia.

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, pl.IV, fig.10, p. 41: CNI 26/11152;
B3b-C1a (=Valaste-Aseri); Pawlowsk
(=Pavlovsk), Russia.

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, pl.XII, fig.20, p. 41: ?; C1a (=Aluoja-
Aseri); Pawlowsk (=Pavlovsk), Russia.

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, pl.XII, fig.21, p. 41: CNI 28/11152;
C1a (=Aluoja-Aseri); Papowka (=Papovka),
Russia.

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, textfig.7, p. 6: Missing; B3b-C1a;

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, textfig.11, p. 13: CNI 29/11152; B3b-
C1a (=Valaste-Aseri); Pawlowsk (=Pavlovsk),
Russia. Coll.: Volborth

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, textfig.12, p. 13: CNI 23/11152; B3b-
C1a (=Valaste-Aseri); Reval (=Tallinn), Estonia.

Asaphus eichwaldi Schmidt, 1901

Vol. V-II, textfig.28 a,b, p. 41: PSM 149/29;
B3b-C1a (=Valaste-Aseri); Archangelskoje am
Wolchow (=Archangelskoje), Russia.

Asaphus eichwaldi var. *aplanata* Schmidt, 1901

Vol. V-II, pl.IV, fig.11, p. 44: CNI 31/11152;
B3b-C1a (=Valaste-Aseri); Lawa bei Wassilkowo
(=Vassilkovo), Russia.

Asaphus eichwaldi var. knyrkoi Schmidt, 1901

Vol. V-II, textfig.29, p. 42: Missing; B3b
 (=Valaste-Aluoja); Sapolek am Wolchow
 (=Sapolek), Russia.

Asaphus eichwaldi var. knyrkoi Schmidt, 1901

Vol. V-II, textfig.30, p. 43: CNI 129/11152; B3b
 (=Valaste-Aluoja); Sapolek am Wolchow
 (=Sapolek), Russia.

Asaphus eichwaldi var. knyrkoi Schmidt, 1901

Vol. V-II, textfig.31, p. 44: Missing; B3b
 (=Valaste-Aluoja); Sapolek am Wolchow
 (=Sapolek), Russia.

Asaphus eichwaldi var. knyrkoi Schmidt, 1901

Vol. V-II, textfig.32, p. 44: Missing; B3b
 (=Valaste-Aluoja); Sapolek am Wolchow
 (=Sapolek), Russia.

Asaphus expansus Wahlenberg, 1821

Vol. V-II, pl.XII, fig.6, p. 24: CNI 8/11152; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Asaphus expansus Wahlenberg, 1821

Vol. V-II, textfig.1, p. 6: Missing; B2b;

Asaphus expansus Wahlenberg, 1821

Vol. V-II, textfig.14, p. 27: Missing; B2b
 (=Langevoja-Hunderum); Iswos (=Izvos), Russia.

Asaphus expansus Wahlenberg, 1821

Vol. V-II, textfig.15, p. 28: CNI 9/11152; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Asaphus expansus Wahlenberg, 1821

Vol. V-II, textfig.16, p. 28: Missing; B2b
 (=Langevoja-Hunderum); Iswos (=Izvos), Russia.

Asaphus expansus Wahlenberg, 1821

Vol. V-II, pl.I, fig.1, p. 24: CNI 5/11152; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Asaphus expansus Wahlenberg, 1821

Vol. V-II, pl.1, fig.2, p. 24: CNI 6/11152; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Asaphus expansus Wahlenberg, 1821

Vol. V-II, pl.1, fig.3, p. 24: CNI 7/11152; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Asaphus expansus Wahlenberg, 1821

Vol. V-II, pl.1, fig.5, p. 24: Missing; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.II, fig.11, p. 52: CNI 42/11152; C1a
 obere Linsenschicht (=Aluoja-Aseri); Reval
 (=Tallinn), Estonia.

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.II, fig.12, p. 52: CNI 43/11152; C1a
 (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.II, fig.13, p. 52: CNI 44/11152; C1a
 (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.II, fig.14, p. 52: Missing; B3b
 (=Valaste-Aluoja); Obuchowo am Wolchow
 (=Obuchovo), Russia.

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.II, fig.15, p. 52: CNI 45/11152;
 B3b-C1a (=Valaste-Aseri); Pawlowsk
 (=Pavlovsk), Russia.

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.II, fig.16, p. 52: CNI 46/11152;
 B3b-C1a obere Linsenschicht (=Valaste-Aseri);
 Reval (=Tallinn), Estonia.

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.II, fig.17, p. 52: CNI 47/11152;
 B3b-C1a (C1a) obere Linsenschicht (=Valaste-
 Aseri); Malla (=Malla), Estonia.

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.II, fig.18, p. 52: CNI 48/11152;
 B3b-C1a obere Linsenschicht (=Aluoja-Aseri);
 Baltischport (=Paldiski), Estonia.

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.XII, fig.16, p. 52: CNI 49/11152;
 C1a obere Linsenschicht (=Aluoja-Aseri);
 Baltischport (=Paldiski), Estonia.

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.XII, fig.17, p. 52: Missing; C1a
 (=Aluoja-Aseri); Dubowiki am Wolchow
 (=Duboviki), Russia.

Asaphus kowalewskii Lawrow, 1856

Vol. V-II, pl.XII, fig.18, p. 52: CNI 50/11152;
C1a (=Aluoja-Aseri); Dubowiki am Wolchow
(=Duboviki), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.1, p. 58: Missing; C1a
(=Aluoja-Aseri); Popowka (=Popovka), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.2, p. 58: Missing; C1a
(=Aluoja-Aseri); Popowka (=Popovka), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.3, p. 58: Missing; C1a
(=Aluoja-Aseri); Popowka (=Popovka), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.4, p. 58: Missing; C1a
(=Aluoja-Aseri); Popowka (=Popovka), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.5, p. 58: CNI 53/11152; C1a
(=Aluoja-Aseri); Popowka (=Popovka), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.6, p. 58: Missing; C1a
(=Aluoja-Aseri); Popowka (=Popovka), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.7, p. 58: Missing; C1a
(=Aluoja-Aseri); Popowka (=Popovka), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.8, p. 58: Missing; C1a
(=Aluoja-Aseri); Popowka (=Popovka), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.9, p. 58: CNI 54/11152; C1a
(=Aluoja-Aseri); Popowka (=Popovka), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.11, p. 59: CNI 56/11152; C1a
(=Aluoja-Aseri); Pawlowsk (=Pavlovsk), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.V, fig.13, p. 59: CNI 57/11152; C1a
(=Aluoja-Aseri); Pawlowsk (=Pavlovsk), Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.XII, fig.22, p. 58: CNI 58/11152;
C1a (=Aluoja-Aseri); Pawlowsk (=Pavlovsk),
Russia.

Asaphus laevissimus Schmidt, 1901

Vol. V-II, pl.XII, fig.23, p. 58: CNI 59/11152;
C1a (=Aluoja-Aseri); Pawlowsk (=Pavlovsk),
Russia.

Asaphus laevissimus var. laticauda Schmidt, 1901

Vol. V-II, pl.V, fig.10, p. 61: CNI 55/11152; C1a
(=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Asaphus laevissimus var. laticauda Schmidt, 1901

Vol. V-II, textfig.6, p. 6: Missing; C1a;

Asaphus latus Pander, 1830

Vol. V-II, pl.VI, fig.4, p. 62: Missing; C1a obere
Linsenschicht (=Aluoja-Aseri); Baltischport
(=Paldiski), Estonia.

Asaphus latus Pander, 1830

Vol. V-II, pl.VI, fig.5, p. 62: CNI 60/11152; C1a
(=Aluoja-Aseri); Dubowiki am Wolchow
(=Duboviki), Russia.

Asaphus latus Pander, 1830

Vol. V-II, pl.XII, fig.24, p. 62: CNI 61/11152;
C1a (=Aluoja-Aseri); Gostilizy (=Gostilitsy),
Russia.

Asaphus latus Pander, 1830

Vol. V-II, textfig.10, p. 6: Missing; C1a;

Asaphus latus Pander, 1830

Vol. V-II, textfig.36, p. 62: CNI 62/11152; C1a
(=Aluoja-Aseri); Dubowiki (=Duboviki), Russia.

Asaphus latus var. plautini Schmidt, 1901

Vol. V-II, pl.VI, fig.1, p. 64: CNI 63/11152; C1a
(=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Asaphus latus var. plautini Schmidt, 1901

Vol. V-II, pl.VI, fig.2, p. 64: CNI 64/11152; C1a
(=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Asaphus latus var. plautini Schmidt, 1901

Vol. V-II, pl.VI, fig.3, p. 64: Missing; C1a
(=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Asaphus latus var. plautini Schmidt, 1901

Vol. V-II, textfig.37, p. 64: CNI 65/11152; C1a
(=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Asaphus lepidurus Nieszkowski, 1859

Vol. V-II, pl.I, fig.4, p. 29: CNI 10/11152; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Asaphus lepidurus Nieszkowski, 1859

Vol. V-II, pl.I, fig.6, p. 29: Missing; B2b
 Glaucnitkalk (=Langevoja-Hunderum); Sackhof
 (Glint?) (=Saka). Original of Nieszkowski, 1859,
 p. 360?

Asaphus lepidurus Nieszkowski, 1859

Vol. V-II, pl.I, fig.7,7a, p. 29: Missing; B2b
 Glaucnitkalk (=Langevoja-Hunderum); Kolk
 (=Kolga), Estonia.

Asaphus lepidurus Nieszkowski, 1859

Vol. V-II, pl.XII, fig.7, p. 29: Missing; B2b
 (=Langevoja-Hunderum); Iswos (=Izvos), Russia.

Asaphus lepidurus Nieszkowski, 1859

Vol. V-II, textfig.17, p. 30: CNI 11/11152; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Asaphus lepidurus Nieszkowski, 1859

Vol. V-II, textfig.18, p. 31: CNI 12/11152; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Asaphus lepidurus Nieszkowski, 1859

Vol. V-II, textfig.19, p. 31: Missing; B2b
 (=Langevoja-Hunderum);

Asaphus lepidus Törnquist, 1885

Vol. VI, pl.III, fig.14, p. 71: Missing; C1b
 (=Lasnamagi-Uhaku); Laaksberge bei Reval
 (=Tallinn, Lasnamägi), Estonia. Coll.: Plautin

Asaphus lepidus var. kegelensis Schmidt, 1907

Vol. VI, textfig.7, p. 73: CNI 24/11155; D2
 (=Keila); Kegel (=Keila), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.VI, fig.6,6a, p. 68: CNI 71/11152;
 C1b (=Lasnamagi-Uhaku); Reval (=Tallinn,
 Lasnamägi), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.VI, fig.7, p. 68: CNI 72/11152; C1b
 (=Lasnamagi-Uhaku); Reval (=Tallinn,
 Lasnamägi), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.VI, fig.8,8a, p. 68: CNI 73/11152;
 C1b (=Lasnamagi-Uhaku); Reval (=Tallinn,
 Lasnamägi), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.VI, fig.9, p. 68: CNI 74/11152; C1b
 (=Lasnamagi-Uhaku); Reval (=Tallinn,
 Lasnamägi), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.VI, fig.10, p. 68: CNI 75/11152;
 C1b (=Lasnamagi-Uhaku); Reval (=Tallinn,
 Lasnamägi), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.VI, fig.11, p. 68: CNI 77/11152;
 C1b (=Lasnamagi-Uhaku); Reval (=Tallinn,
 Lasnamägi), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.VI, fig.12, p. 68: Missing; C1b
 (=Lasnamagi-Uhaku); Reval (=Tallinn,
 Lasnamägi), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.VI, fig.13, p. 68: CNI 76/11152;
 C1a (=Aluoja-Aseri); Gostilizy (=Gostilitsy),
 Russia. Coll.: Plautin

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.XII, fig.25, p. 68: CNI 77/11152;
 C1b (=Lasnamagi-Uhaku); Reval (=Tallinn,
 Lasnamägi), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, pl.XII, fig.26, p. 68: CNI 77/11152;
 C1b (=Lasnamagi-Uhaku); Reval (=Tallinn,
 Lasnamägi), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, textfig.38, p. 69: Missing; C1a-C1b
 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, textfig.39, p. 69: Missing; C1a-C1b
 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, textfig.40, p. 70: CNI 78/11152; C1a-
 C1b (=Aluoja-Uhaku); Odensholm (=Osmussaar),
 Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, textfig.41, p. 71: CNI 71/11152; C1a-
 C1b (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.

Asaphus ornatus Pompekij, 1890

Vol. V-II, textfig.42, p. 71: **Missing**; C1a-C1b
 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.

Asaphus pachyophthalmus Schmidt, 1901

Vol. V-II, pl.II, fig.8, p. 37: **CNI 18/11152**; B3b
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Asaphus pachyophthalmus Schmidt, 1901

Vol. V-II, pl.II, fig.10, p. 37: **Missing**; B3b
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Asaphus pachyophthalmus Schmidt, 1901

Vol. V-II, pl.II, fig.9,9a, p. 37: **Missing**; B3b
 (=Valaste-Aluoja); Unter der Brücke über die
 Popowka bei Pawlowsk (=Popovka), Russia.
 Coll.: General Plautin

Asaphus pachyophthalmus Schmidt, 1901

Vol. V-II, textfig.22,22a, p. 37: **CNI 128/11152**;
 B3b (=Valaste-Aluoja); Byltschitschina am
 Wolchow (=Bilshino), Russia. Coll.: Lamanski

Asaphus pachyophthalmus Schmidt, 1901

Vol. V-II, textfig.23, p. 38: **Missing**; B3b
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Asaphus pachyophthalmus Schmidt, 1901

Vol. V-II, textfig.24, p. 38: **CNI 19/11152**; B3b
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Asaphus pachyophthalmus Schmidt, 1901

Vol. V-II, textfig.25, p. 38: **Missing**; B3b
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Asaphus pachyophthalmus Schmidt, 1901

Vol. V-II, textfig.27, p. 40: **CNI 21/11152**; B3b
 (=Valaste-Aluoja); Sapolek am Wolchow
 (=Sapolek), Russia.

Asaphus pachyophthalmus var. major Schmidt, 1901

Vol. V-II, textfig.26, p. 40: **CNI 21/11152**; B3b
 (=Valaste-Aluoja); Sapolek am Wolchow
 (=Sapolek), Russia.

Asaphus pachyophthalmus var. minor Schmidt, 1901

Vol. V-II, pl.XII, fig.13,13a, p. 40: **CNI
 127/11152**; B3b (=Valaste-Aluoja); Kunda?
 (=Kunda), Estonia. Coll.: Dr.Gagel

Asaphus pachyophthalmus var. minor Schmidt, 1901

Vol. V-II, pl.XII, fig.14,14a, p. 40: **CNI**
 20/11152; B3b (=Valaste-Aluoja); Sapolek am
 Wolchow (=Zapolek), Russia.

Asaphus platyurus Angelin, 1854

Vol. V-II, pl.III, fig.1, p. 55: **Missing**; B3b-C1a
 (C1a) (=Aluoja-Aseri); Chudleigh (=Voka),
 Estonia.

Asaphus platyurus Angelin, 1854

Vol. V-II, pl.III, fig.2, p. 55: **PIN 4248/452**; C1a
 (=Valaste-Aseri); Chudleigh (=Voka), Estonia.

Asaphus platyurus Angelin, 1854

Vol. V-II, pl.III, fig.3, p. 55: **CNI 52/11152**; C1a
 (=Aluoja-Aseri); Archangelskoje am Wolchow
 (=Archangelskoje), Russia.

Asaphus platyurus Angelin, 1854

Vol. V-II, pl.III, fig.4, p. 55: **PIN 4248/453**; C1a
 (=Aluoja-Aseri); Peuthof am Glint (=Päite at the
 cliff), Estonia.

Asaphus platyurus Angelin, 1854

Vol. V-II, pl.III, fig.7, p. 55: **Missing**; C1a
 (=Aluoja-Aseri); Chudleigh (=Voka), Estonia.

Asaphus platyurus Angelin, 1854

Vol. V-II, pl.XII, fig.19, p. 55: **CNI 52/11152**;
 C1a (=Aluoja-Aseri); Chudleigh (=Voka),
 Estonia.

Asaphus platyurus Angelin, 1854

Vol. V-II, textfig.8, p. 6: **Missing**; B3b-C1a;

Asaphus platyurus var. laticauda Angelin, 1854

Vol. V-II, pl.III, fig.5, p. 56: **PIN 4248/454**; B3b
 (C1a) (=Valaste-Aluoja); Hirto bei Reval (=Iru
 near Tallinn), Estonia.

Asaphus platyurus var. laticauda Angelin, 1854

Vol. V-II, pl.III, fig.6, p. 56: **PIN 4248/454**; B3b
 (C1a) (=Valaste-Aluoja); Hirto bei Reval (=Iru
 near Tallinn), Estonia.

Asaphus raniceps Dalman, 1827

Vol. V-II, pl.I, fig.8, p. 32: **PIN 4248/10**; B3a-b
 Kalksandstein (=Hunderum-Aluoja); Rogö
 (=Rågö, one of the Pakri islands), Estonia.

Asaphus raniceps Dalman, 1827

Vol. V-II, pl.I, fig.9, p. 32: **Missing**; B2b-B3a
 (=Langevoja-Valaste); Iswos (=Izvos), Russia.

Asaphus raniceps Dalman, 1827

Vol. V-II, pl.I, fig.10, p. 32: PIN 4248/17; B2b-B3a (=Langevoja-Valaste); Iswos (=Izvos), Russia.

Asaphus raniceps Dalman, 1827

Vol. V-II, pl.I, fig.11, p. 32: PIN 4248/91; B2b-B3a (=Langevoja-Hunderum); Iswos (=Izvos), Russia.

Asaphus raniceps Dalman, 1827

Vol. V-II, pl.II, fig.1, p. 32: CNI 14/11152; B2b-B3a (=Langevoja-Valaste); Iswos (=Izvos), Russia.

Asaphus raniceps Dalman, 1827

Vol. V-II, pl.II, fig.2, p. 32: CNI 15/11152; B2b-B3a (=Langevoja-Valaste); Iswos (=Izvos), Russia.

Asaphus raniceps Dalman, 1827

Vol. V-II, pl.II, fig.3, p. 32: PIN 4248/7; B2b-B3a (=Langevoja-Valaste); Iswos (=Izvos), Russia.

Asaphus raniceps Dalman, 1827

Vol. V-II, textfig.2, p. 6: Missing; B2b;

Asaphus raniceps Dalman, 1827

Vol. V-II, textfig.20, p. 35: CNI 16/11152; B2b-B3a (=Langevoja-Valaste); Nikolskoe am Lawa (=Nikolskoe), Russia.

Asaphus raniceps var. lamanskii Schmidt, 1901

Vol. V-II, pl.XII, fig.8, p. 35: Missing; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia.

Asaphus raniceps var. lamanskii Schmidt, 1901

Vol. V-II, pl.XII, fig.9, p. 35: Missing; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia.

Asaphus raniceps var. lamanskii Schmidt, 1901

Vol. V-II, pl.XII, fig.10, p. 35: CNI 13/11152; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia.

Asaphus raniceps var. lamanskii Schmidt, 1901

Vol. V-II, textfig.21, p. 35: CNI 17/11152; B2b-B3a (=Langevoja-Valaste); Obuchovo (=Obuchovo), Russia.

Basilicus kegelensis Schmidt, 1904

Vol. V-III, pl.V, fig.1, p. 29: CNI 37/11153; D2 (=Keila); Kegel (=Keila), Estonia.

Basilicus kegelensis Schmidt, 1904

Vol. V-III, pl.V, fig.2, p. 29: CNI 38/11153; D2 (=Keila); Kegel (=Keila), Estonia.

Basilicus kegelensis Schmidt, 1904

Vol. V-III, pl.V, fig.3, p. 29: CNI 39/11153; D2 (=Keila); Kegel (=Keila), Estonia.

Basilicus kuckersianus Schmidt, 1904

Vol. V-III, pl.IV, fig.8, p. 26: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Basilicus kuckersianus Schmidt, 1904

Vol. V-III, pl.IV, fig.9, p. 26: CNI 32/11153; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Basilicus kuckersianus Schmidt, 1904

Vol. V-III, pl.IV, fig.10, p. 26: CNI 33/11153; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Basilicus kuckersianus Schmidt, 1904

Vol. V-III, pl.IV, fig.11, p. 26: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Basilicus kuckersianus Schmidt, 1904

Vol. V-III, pl.IV, fig.12, p. 26: CNI 34/11153; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Basilicus kuckersianus Schmidt, 1904

Vol. V-III, pl.IV, fig.13, p. 26: CNI 35/11153; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Basilicus kuckersianus Schmidt, 1904

Vol. V-III, pl.IV, fig.14, p. 26: CNI 36/11153; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Basilicus lawrowi Schmidt, 1904

Vol. V-III, pl.IV, fig.2, p. 23: CNI 27/11153; C1a (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Basilicus lawrowi Schmidt, 1904

Vol. V-III, pl.IV, fig.3, p. 23: CNI 28/11153; C1a (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Basilicus lawrowi Schmidt, 1904

Vol. V-III, pl.IV, fig.4, p. 23: Missing; C1a (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Basilicus lawrowi Schmidt, 1904

Vol. V-III, pl.IV, fig.5, p. 23: CNI 29/11153; C1a
 (=Aluoja-Aseri); Baltischport (=Paldiski),
 Estonia. Coll.: A.Mickwitz

Basilicus lawrowi Schmidt, 1904

Vol. V-III, pl.IV, fig.6, p. 23: CNI 30/11153; C1a
 (=Aluoja-Aseri); Ropscha (=Ropscha), Russia.

Basilicus lawrowi Schmidt, 1904

Vol. V-III, pl.IV, fig.7, p. 23: PSM 149/39; C1b
 (=Lasnamagi-Uhaku); Odensholm (=Osmussaar),
 Estonia. Coll.: Eichwald

Basilicus lawrowi Schmidt, 1904

Vol. V-III, textfig.4, p. 24: CNI 31/11153; C1a
 (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Basilicus lawrowi Schmidt, 1904

Vol. V-III, pl.IV, fig.1, p. 23: CNI 26/11153; C1a
 (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Bronteus estonicus Schmidt, 1894

Vol. IV, pl.III, fig.1, p. 36: CNI 16/11110; H
 (=Adavere Stage, Llandovery); Klein Ruhde
 (=Väike-Rôude), Estonia.

Bronteus estonicus Schmidt, 1894

Vol. IV, pl.III, fig.2, p. 36: CNI 16/11110; H
 (=Adavere Stage, Llandovery); Klein Ruhde
 (=Väike-Rôude), Estonia.

Bronteus estonicus Schmidt, 1894

Vol. IV, pl.III, fig.3, p. 36: NT; H (=Adavere
 Stage, Llandovery); Insel Mohn (=Island of
 Muhu), Estonia. Originally in the collections of
 the Gesellschaft für Naturforschung, Dorpat
 (Tartu) Estonia.

Bronteus estonicus Schmidt, 1894

Vol. IV, pl.III, fig.4, p. 36: CNI 17/11110; H
 (=Adavere Stage, Llandovery); Klein Ruhde in
 Estland (Väike-Rôude), Estonia.

Bronteus estonicus Schmidt, 1894

Vol. IV, pl.III, fig.5, p. 36: NT; H (=Adavere
 Stage, Llandovery); Klein Ruhde (Väike-Rôude),
 Estonia. Originally in the collections of the
 Gesellschaft für Naturforschung, Dorpat (Tartu)
 Estonia.

Bronteus estonicus Schmidt, 1894

Vol. IV, pl.III, fig.6, p. 36: NT; H (=Adavere
 Stage, Llandovery); Insel Mohn (=Island of
 Muhu), Estonia. Originally in the collections of
 the Gesellschaft für Naturforschung, Dorpat
 (Tartu) Estonia.

Bronteus estonicus Schmidt, 1894

Vol. IV, pl.III, fig.7, p. 36: Missing; H (=Adavere
 Stage, Llandovery); Insel Mohn (=Island of
 Muhu), Estonia.

Bronteus laticauda Wahlenberg, 1821

Vol. IV, pl.III, fig.9, p. 34: NT; F1 (F1c)
 (=Nabala-Pirgu); Pühhalep auf Dago (=Pühalepa
 on Hiiumaa), Estonia. Originally in the
 collections of the Gesellschaft für
 Naturforschung, Dorpat (Tartu) Estonia.

Bronteus laticauda Wahlenberg, 1821

Vol. IV, pl.III, fig.10, p. 34: CNI 14/11110; F1
 (=Nabala-Pirgu); Insel Worms (=Island of
 Vormsi), Estonia.

Bronteus laticauda Wahlenberg, 1821

Vol. IV, pl.III, fig.11, p. 34: CNI 15/11110; F1
 (F1c) (=Nabala-Pirgu); Schwarzen (=Vardi,
 Erratics), Estonia. Coll.: G.Pahnsch

Bronteus marklini? Angelin, 1854

Vol. IV, pl.III, fig.8, p. 38: CNI 18/11110; H
 (=Adavere Stage, Llandovery); Nudi Bei Raiküll
 (=Nuudi near Raikküla), Estonia.

Calymene (Pharostoma) denticulata Eichwald, 1861

Vol. IV, pl.II, fig.20, p. 30: CNI 13/11110; C1
 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Calymene (Pharostoma) nieszkowskii Schmidt, 1894

Vol. IV, pl.II, fig.17,17a, p. 29: CNI 12/11110;
 C2 (=Kukruse); Kuckers in Estland (=Kukuse),
 Estonia.

Calymene (Pharostoma) nieszkowskii Schmidt, 1894

Vol. IV, pl.II, fig.18, p. 29: NT; C2 (=Kukruse);
 Salla bei Erras (=Sala near Erra), Estonia. Coll.:
 Nieszkowski. Originally in the collections of the
 Gesellschaft für Naturforschung, Dorpat (Tartu)
 Estonia.

Calymene (Pharostoma) oelandicum? Angelin, 1854

Vol. IV, pl.II, fig.19, p. ?: Missing; ?;
 Eberswalde. Coll: Prof. Remelé. May be in the
 Berlin Museum.

Calymene (Pharostoma) pediloba Römer, 1861
Vol. IV, pl.II, fig.12,12a, p. 26: CNI 9/11110; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Calymene (Pharostoma) pediloba Römer, 1861
Vol. IV, pl.II, fig.13, p. 26: CNI 10/11110; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Calymene (Pharostoma) pediloba Römer, 1861
Vol. IV, pl.II, fig.14, p. 26: CNI 11/11110; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Calymene (Pharostoma) pediloba Römer, 1861
Vol. IV, pl.II, fig.15, p. 26: Missing; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Calymene (Pharostoma) pediloba Römer, 1861
Vol. IV, pl.II, fig.16, p. 26: Missing; E;
Wesenberg (=Rakvere), Estonia.

Calymene (Ptychometopus) volborthi Schmidt, 1894
Vol. IV, pl.II, fig.21,21a-b, p. 32: Missing; B2
Glauconitkalk; Pawlowsk (=Pavlovsk), Russia.

Calymene (Ptychometopus) volborthi Schmidt, 1894
Vol. VI, pl.III, fig.9, p. 58: Missing; B2b
(=Langevoja-Hunderum); Popowka bei
Pawlowsk (=Popovka), Russia.

Calymene aff. frontosa Lindström, 1885
Vol. IV, pl.II, fig.7, p. 18: CNI 6/11110; G3
(=Raikküla Stage, Llandovery); Kallasto auf Dago
(=Kallaste on Hiumaa), Estonia.

Calymene conspicua Schmidt, 1894
Vol. IV, pl.I, fig.9, 9a-c, p. 20: Missing; K (K4) ;
Ohhesaar auf Oesel (=Ohesaare Pank on
Saaremaa), Estonia.

Calymene conspicua Schmidt, 1894
Vol. IV, pl.I, fig.10, p. 20: Missing; K (K4) ;
Ohhesaar auf Oesel (=Ohesaare Pank on
Saaremaa), Estonia.

Calymene conspicua Schmidt, 1894
Vol. IV, pl.I, fig.11 a-d, p. 20: CNI 7/11110; K
(K4) ; Ohhesaar auf Oesel (=Ohesaare Pank on
Saaremaa), Estonia.

Calymene conspicua Schmidt, 1894
Vol. IV, pl.I, fig.12, p. 20: NT; K (K3b) ;
Kaugatoma pank (=Kaugatuma Pank on
Saaremaa), Estonia. Originally in the collections
of the Gesellschaft für Naturforschung, Dorpat
(Tartu) Estonia.

Calymene conspicua Schmidt, 1894
Vol. VI, pl.III, fig.7, p. 55: Missing; K (K4) ;
Ohhesaarepank auf Ösel (=Ohesaare Pank, on
Saaremaa), Estonia.

Calymene conspicua Schmidt, 1894
Vol. VI, pl.III, fig.8, p. 55: CNI 20/11155; K
(K4) ; Ohhesaarepank auf Ösel (=Ohesaare Pank,
on Saaremaa), Estonia.

Calymene frontosa Lindström, 1885

Vol. IV, pl.II, fig.4,4a-b, p. 18: Missing; H
(=Adavere Stage, Llandovery); Keoküll bei
Raiküll in Estland (=Keo near Raikküla), Estonia.

Calymene frontosa Lindström, 1885

Vol. IV, pl.II, fig.5,5a, p. 18: NT; H (=Adavere
Stage, Llandovery); Estland, Estonia. Originally
in the collections of the Berginstitut, St.
Petersburg.

Calymene frontosa Lindström, 1885

Vol. IV, pl.II, fig.6, p. 18: Missing; H (=Adavere
Stage, Llandovery); Kattentak in Estland (=Päri),
Estonia.

Calymene frontosa Lindström, 1885

Vol. IV, pl.II, fig.8, p. 18: Missing; G1 (=Juuru
Stage, Llandovery); Kardina in Estland
(=Karina?), Estonia.

Calymene intermedia Lindström, 1885

Vol. IV, pl.II, fig.1, p. 16: CNI 3/11110; K (K4) ;
Ohhesaare pank auf Oesel (=Kaugatuma Pank,
Saaremaa), Estonia.

Calymene intermedia Lindström, 1885

Vol. IV, pl.II, fig.2, p. 16: CNI 4/11110; K (K3b)
; Kaugatoma pank auf Oesel (=Kaugatuma Pank,
Saaremaa), Estonia.

Calymene intermedia Lindström, 1885

Vol. IV, pl.II, fig.3,3a, p. 16: CNI 5/11110; K
(K3b) ; Kaugatoma pank auf Oesel (=Kaugatuma
Pank, Saaremaa), Estonia.

Calymene laevigata Schmidt, 1907

Vol. VI, pl.III, fig.6, p. 54: CNI 19/11155; K
(K4) ; Ohhesaarepank auf Ösel (=Ohesaare Pank,
on Saaremaa), Estonia.

Calymene ohhesaarensis Schmidt, 1894

Vol. IV, pl.I, fig.13,13a-b, p. 22: CNI 177/11110;
K (K4) ; Ohhesaare pank auf Oesel (=Kaugatuma
Pank, Saaremaa), Estonia.

Calymene senaria var. stacyi Schmidt, 1894

Vol. IV, pl.II, fig.9, p. 23: CNI 8/11110; F1 (F1b) (=Nabala-Pirgu); Kertel auf Dago (=Kärdla on Hüumaa), Estonia. Coll.: Consul Stacy.

Calymene senaria var. stacyi Schmidt, 1894

Vol. IV, pl.II, fig.10, p. 23: Missing; F1 (F2) (=Nabala-Pirgu); Borkholm (=Porkuni, Quarry), Estonia.

Calymene senaria var. stacyi Schmidt, 1894

Vol. IV, pl.II, fig.11, p. 23: Missing; F1 (F2); Langenau bei Danzig. Coll.: Dr.Kiesow

Calymene spectabilis Angelin, 1854

Vol. VI, pl.III, fig.2,2a, p. 55: CNI 21/11155; K (K3b) ; Kaugatomapank auf Ösel (=Kaugatuma Park on Saaremaa), Estonia. Coll.: Schrenk

Calymene spectabilis Angelin, 1854

Vol. VI, pl.III, fig.3, p. 55: Missing; K (K3b) ; Kaugatomapank auf Ösel (=Kaugatuma Park on Saaremaa), Estonia.

Calymene spectabilis Angelin, 1854

Vol. VI, pl.III, fig.4, p. 55: CNI 22/11155; K (K4) ; Ohhesaarepank (=Ohesaare Pank, on Saaremaa), Estonia.

Calymene spectabilis Angelin, 1854

Vol. VI, pl.III, fig.5, p. 55: CNI 23/11155; K (K4) ; Ohhesaarepank (=Ohesaare Pank, on Saaremaa), Estonia.

Calymene tuberculata Brünnich, 1781

Vol. IV, pl.I, fig.1,1a, p. 13: NT; J (J1) (=Jaani Stage, Wenlock); St. Johannis auf Oesel (=Jaani on Saaremaa), Estonia. Originally in the Museum of Paleontology & Stratigraphy, University of St. Petersburg

Calymene tuberculata Brünnich, 1781

Vol. IV, pl.I, fig.2, p. 13: PSM 149/17; J (J1) (=Jaani Stage, Wenlock); St. Johannis auf Oesel (=Jaani on Saaremaa), Estonia.

Calymene tuberculata Brünnich, 1781

Vol. IV, pl.I, fig.3, p. 13: NT; J (J1) (=Jaani Stage, Wenlock); St. Johannis auf Oesel (=Jaani on Saaremaa), Estonia. Originally in the collections of the Gesellschaft für Naturforschung, Dorpat (Tartu) Estonia.

Calymene tuberculata Brünnich, 1781

Vol. IV, pl.I, fig.4, p. 13: CNI 1/11110; J (J1) (=Jaani Stage, Wenlock); St. Johannis auf Oesel (=Jaani on Saaremaa), Estonia.

Calymene tuberculata Brünnich, 1781

Vol. IV, pl.I, fig.5, p. 13: NT; J (J1) (=Jaani Stage, Wenlock); St. Johannis auf Oesel (=Jaani on Saaremaa), Estonia. Coll.: Eichwald. Originally in the Museum of Paleontology & Stratigraphy, University of St. Petersburg.

Calymene tuberculata Brünnich, 1781

Vol. IV, pl.I, fig.6, p. 13: NT; J (J1) (=Jaani Stage, Wenlock); St. Johannis auf Oesel (=Jaani on Saaremaa), Estonia. Originally in the Museum of Paleontology & Stratigraphy, University of St. Petersburg.

Calymene tuberculata Brünnich, 1781

Vol. IV, pl.I, fig.7,7a, p. 13: CNI 2/11110; J (J1) (=Jaani Stage, Wenlock);

Calymene tuberculata Brünnich, 1781

Vol. IV, pl.I, fig.8,8a, p. 13: NT; J; Oestergarn auf Gotland, Sweden. Originally in the collections of the Gesellschaft für Naturforschung, Dorpat (Tartu) Estonia.

Calymene tuberculata Brünnich, 1781

Vol. VI, pl.III, fig.1,1a, p. 53: CNI 18/11155; J (J1) (=Jaani Stage, Wenlock); St. Johannis auf Ösel (=Jaani on Saaremaa), Estonia.

Cheirurus (Cheirurus) cf. macrophthalmus Kutorga, 1854

Vol. I, textfig.10, p. 143: PIN 4248/13; C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Cheirurus (Cheirurus) cf.glaber Angelin, 1854

Vol. I, pl.VII, fig.18 a,b, p. 151: PSM 149/3,4; D (=Johvi-Oandu); Dago (Geschiebe) (=Hiumaa, Erratics), Estonia. Coll.: Eichwald.

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.VI, fig.5 a,b, p. 137: Missing; C1 (=Aluoja-Uhaku); Alandsinseln (Geschiebe) (=Åland in Finland), Finland. Coll.: Moberg

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.VI, fig.6 a,b, p. 137: PIN 4248/3; C1 (=Aluoja-Uhaku); Karrol bei Wesenberg (=Karula near Rakvere), Estonia.

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.VI, fig.7, p. 137: Missing; C1 (=Aluoja-Uhaku); Karrol bei Wesenberg (=Karula near Rakvere), Estonia.

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.VI, fig.8, p. 137: PIN 4248/347; C1
 (=Aluoja-Uhaku); Dubowiki am Wolchow
 (=Duboviki at Volkov river), Russia.

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.VI, fig.9, p. 137: Missing; C1;
 Munnalas im Kirchspiel Nissi (Geschiebe). (.
 (=Munalaskme, Nissi parish) (Erratics)), Estonia.

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.VI, fig.10, p. 137: PIN 4248/86; C1;
 Karrol (=Karula, Haljala parish), Estonia.

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.XI, fig.20, p. 137: Missing; C1;
 Gostilizy mit Stachel am Nackenring
 (=Gostilitsy), Russia.

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.XII, fig.25, p. 137: CNI 5/11059; C1
 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.XII, fig.26, p. 137: PIN 4248/6; C1;
 Gostilizy (=Gostilitsy), Russia.

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.XVI, fig.2, p. 137: Missing; C1
 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Cheirurus (Cheirurus) exsul Beyrich, 1846

Vol. I, pl.XVI, fig.3, p. 137: Missing; C1
 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Cheirurus (Cheirurus) gladiator Eichwald, 1858

Vol. I, pl.VI, fig.11 a,b, p. 146: PIN 4248/89; C1
 (=Aluoja-Uhaku); Kl.Rogö (=Väike Pakri island,
 Swedish Lilla Rågö), Estonia.

Cheirurus (Cheirurus) gladiator Eichwald, 1858

Vol. I, pl.VI, fig.12, p. 146: Missing; C1
 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.
 Coll.: Eichwald

Cheirurus (Cheirurus) gladiator Eichwald, 1858

Vol. I, pl.VI, fig.13, p. 146: NT; C1 (=Aluoja-
 Uhaku); Odensholm (=Osmussaar), Estonia.
 Coll.: Eichwald. Originally in the Museum of
 Paleontology & Stratigraphy, University of St.
 Petersburg.

Cheirurus (Cheirurus) gladiator Eichwald, 1858

Vol. I, pl.VI, fig.14, p. 146: PIN 4248/88; C1
 (=Aluoja-Uhaku); Odensholm (=Osmussaar),
 Estonia.

Cheirurus (Cheirurus) gladiator Eichwald, 1858

Vol. I, pl.VI, fig.15, p. 146: CNI 869/11059; C1
 (=Aluoja-Uhaku); Palms (=Palmse), Estonia.
 Coll.: Pahlen

Cheirurus (Cheirurus) gladiator Eichwald, 1858

Vol. I, pl.VI, fig.17, p. 146: NT; C1 (=Aluoja-
 Uhaku); Reval (=Tallinn), Estonia. Originally in
 the Petrowsk (now Timiryazev) Academy of
 Agricultural sciences, Moscow.

Cheirurus (Cheirurus) gladiator Eichwald, 1858

Vol. I, pl.XI, fig.19, p. 146: Missing; (C1b) ;
 Rogö (=Rågö, one of the Pakri islands), Estonia.

Cheirurus (Cheirurus) ingricus Schmidt, 1881

Vol. I, pl.VI, fig.1a,b, p. 135: PSM 149/2; B2
 Glauconitkalk; Iswos am Wolchow (=Izvos at
 Volkov river), Russia.

Cheirurus (Cheirurus) ingricus Schmidt, 1881

Vol. I, pl.VI, fig.2, p. 135: NT; B3
 Vaginatenkalk; Pawlowsk (=Pavlovsk), Russia.
 Originally in the collections of the Berginstitut,
 St. Petersburg.

Cheirurus (Cheirurus) ingricus Schmidt, 1881

Vol. VI, pl.I, fig.4, p. 8: PIN 4248/48; B2b
 (=Langevoja-Hunderum); Obuchowo am
 Wolchow (=Obuchovo), Russia.

Cheirurus (Cheirurus) ingricus Schmidt, 1881

Vol. I, textfig.9, p. 135: Missing; B2-B3
 (=Billingen-Aluja); Koltschanowo am Sjas
 (=Koltschanovo), Russia. Coll.: Wenjukow

**Cheirurus (Cheirurus) macrophthalmus Kutorga,
 1854**

Vol. I, pl.VII, fig.1 a,b,c, p. 143: CNI 6/11059;
 C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk),
 Russia.

**Cheirurus (Cheirurus) macrophthalmus Kutorga,
 1854**

Vol. I, pl.VII, fig.2, p. 143: Missing; C1
 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cheirurus) macrophthalmus Kutorga, 1854

Vol. I, pl.VII, fig.3 a,b, p. 143: Missing; C1; Kongla bei Malla in Estland (=Kongla near Malla), Estonia.

Cheirurus (Cheirurus) macrophthalmus Kutorga, 1854

Vol. I, pl.VII, fig.4, p. 143: NT; C1; Dubowiki am Wolchow (=Duboviki at river Volkhov), Russia. Originally in the Museum of Paleontology & Stratigraphy, University of St. Petersburg

Cheirurus (Cheirurus) macrophthalmus Kutorga, 1854

Vol. I, pl.VII, fig.5, p. 143: Missing; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cheirurus) macrophthalmus Kutorga, 1854

Vol. I, pl.XVI, fig.4, p. 143: Missing; C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Cheirurus (Cheirurus) ornatus Dalman, 1827

Vol. I, pl.VI, fig.3 a,b, p. 133: Missing; B2 Vaginatenkalk; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cheirurus) ornatus Dalman, 1827

Vol. I, pl.VI, fig.4 a,b, p. 133: PIN 4248/340; B2 Vaginatenkalk; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cheirurus) ornatus Dalman, 1827

Vol. I, pl.XVI, fig.1, p. 133: PIN 4248/85; B (=Oeland Series); Rogö (=Rågö, one of the Pakri islands), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VI, fig.16 a,b, p. 147: Missing; C1 (=Aluoja-Uhaku); Odensholm (=Osmussaar), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.6, p. 147: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.7, p. 147: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.8, p. 147: CNI 8/11059; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.9, p. 147: CNI 9/11059; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.10, p. 147: PIN 4248/94; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.11, p. 147: PIN 4248/94; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.12, p. 147: PIN 4248/94; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.13, p. 147: CNI 10/11059; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.14, p. 147: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.15, p. 147: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.16, p. 147: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.VII, fig.17, p. 147: PIN 4248/96; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.XVI, fig.5, p. 147: CNI 7/11059; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. I, pl.XVI, fig.6, p. 147: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Cheirurus) spinulosus Nieszkowski, 1857

Vol. VI, pl.I, fig.5, p. 9: Missing; C1b (C1c) (=Lasnamagi-Uhaku); Erras in Estland (=Erra), Estonia. Original of Nieszkowski, 1857, pl. 1, fig. 13.

Cheirurus (Cyrtometopus) affinis Angelin, 1854

Vol. I, pl.VII, fig.22, p. 157: Missing; B3 Vaginatenkalk (=Valaste-Aluoja); Reval Laaksberg (=Lasnamägi, Tallinn), Estonia.

Cheirurus (Cyrtometopus) affinis Angelin, 1854

Vol. I, pl.VIII, fig.1, p. 157: Missing; B3
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Cheirurus (Cyrtometopus) affinis Angelin, 1854

Vol. I, pl.VIII, fig.2, p. 157: Missing; B3
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Cheirurus (Cyrtometopus) affinis Angelin, 1854

Vol. I, pl.VIII, fig.3, p. 157: Missing; B3
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Cheirurus (Cyrtometopus) affinis Angelin, 1854

Vol. I, pl.XVI, fig.13, p. 157: CNI 11/11059; B3
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Cheirurus (Cyrtometopus) affinis Angelin, 1854

Vol. I, pl.XVI, fig.14, p. 157: Missing; B3
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Cheirurus (Cyrtometopus) aries Leuchtenberg, 1843

Vol. I, pl.VII, fig.19 a,b, p. 160: CNI 13/11059;
 C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk),
 Russia.

Cheirurus (Cyrtometopus) aries Leuchtenberg, 1843

Vol. I, pl.VII, fig.20, p. 160: Missing; C1
 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) aries Leuchtenberg, 1843

Vol. I, pl.VII, fig.21, p. 160: Missing; C1
 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) aries Leuchtenberg, 1843

Vol. I, pl.XVI, fig.16, p. 160: CNI 13/11059; C1;
 Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) aries Leuchtenberg, 1843

Vol. I, pl.XVI, fig.17, p. 160: CNI 14/11059; C1;
 Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) clavifrons Dalman, 1827

Vol. I, pl.VIII, fig.4, p. 153: Missing; B2-B3;
 Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) clavifrons Dalman, 1827

Vol. I, pl.VIII, fig.5, p. 153: Missing; B2-B3;
 Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) clavifrons Dalman, 1827

Vol. I, pl.VIII, fig.6, p. 153: Missing; B2-B3;
 Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) clavifrons Dalman, 1827

Vol. I, pl.XVI, fig.7 a,b, p. 153: NT; B3
 (=Valaste-Aluoja); Iswos (=Izvos at the river
 Volkov), Russia. Originally in the private
 collection of a Nikitin in Moscow.

Cheirurus (Cyrtometopus) clavifrons Dalman, 1827

Vol. I, pl.XVI, fig.8, p. 153: Missing; B3
 (=Valaste-Aluoja); Iswos (=Izvos at the river
 Volkov), Russia.

Cheirurus (Cyrtometopus) clavifrons Dalman, 1827

Vol. I, pl.XVI, fig.9, p. 153: Missing; B3;
 Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) clavifrons Dalman, 1827

Vol. I, pl.XVI, fig.10, p. 153: Missing; B3;
 Putilowschen Brüchen (=Putilovo quarries),
 Russia.

Cheirurus (Cyrtometopus) clavifrons Dalman, 1827

Vol. I, pl.XVI, fig.11, p. 153: Missing; B3;
 Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) clavifrons Dalman, 1827

Vol. I, pl.XVI, fig.12, p. 153: Missing; B3;
 Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Cyrtometopus) plautini Schmidt, 1881

Vol. I, pl.XII, fig.24 a,b,c, p. 159: CNI 12/11059;
 C1 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.
 Coll.: Plautin

Cheirurus (Cyrtometopus) plautini Schmidt, 1881

Vol. I, pl.XVI, fig.15, p. 159: CNI 12/11059; C1
 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.
 Coll.: Plautin

Cheirurus (Cyrtometopus) pseudohemicranium

Nieszkowski, 1859

Vol. I, pl.VIII, fig.13 a,b, p. 163: PIN 4248/100;
 D (=Johvi-Oandu); Kirche Mathias, Estland
 (=Madise Church), Estonia.

Cheirurus (Cyrtometopus) pseudohemicranium

Nieszkowski, 1859

Vol. I, pl.VIII, fig.14, p. 163: CNI 17/11059; D
 (=Johvi-Oandu); Kirche Mathias, Estland
 (=Madise Church), Estonia.

**Cheirurus (Cyrtometopus) pseudohemicranium
Nieszkowski, 1859**

Vol. I, pl.VIII, fig.16, p. 163: Missing; D
(=Johvi-Oandu); Dago (Gesch) (=Hiumaa),
Estonia.

**Cheirurus (Cyrtometopus) pseudohemicranium
Nieszkowski, 1859**

Vol. I, pl.XVI, fig.18, p. 163: PIN 4248/100; D
(D1) (=Johvi-Oandu); St. Mathias (=Madise),
Estonia.

**Cheirurus (Cyrtometopus) pseudohemicranium
Nieszkowski, 1859**

Vol. I, pl.XVI, fig.19, p. 163: Missing; D
(=Johvi-Oandu); Sammomä bei Rasick (=? near
Raasiku, Erratics), Estonia.

**Cheirurus (Cyrtometopus) pseudohemicranium
Nieszkowski, 1859**

Vol. I, pl.XVI, fig.21, p. 163: CNI 18/11059; C3
(D1) (=Idavere); Kavast (=Kavastu), Estonia.

**Cheirurus (Cyrtometopus) pseudohemicranium var.
dolichocephala Schmidt, 1881**

Vol. I, pl.VIII, fig.9 a,b, p. 164: CNI 15/11059;
C2 (=Kukruse); Kokka bei Baltischport (=Kokka
near Paldiski), Estonia.

**Cheirurus (Cyrtometopus) pseudohemicranium var.
dolichocephala Schmidt, 1881**

Vol. I, pl.VIII, fig.10, p. 164: CNI 15/11059; C2
(=Kukruse); Kokka bei Baltischport (=Kokka
near Paldiski), Estonia.

**Cheirurus (Cyrtometopus) pseudohemicranium var.
dolichocephala Schmidt, 1881**

Vol. I, pl.VIII, fig.15, p. 163: CNI 18/11059; C3
(D1) (=Idavere); Kawast bei Wesenberg
(=Kavastu near Rakvere), Estonia.

**Cheirurus (Cyrtometopus) pseudohemicranium var.
dolichocephala Schmidt, 1881**

Vol. I, pl.XI, fig.29, p. 164: CNI 19/11059; C2-
C3; Kokka bei Baltischport (=Kokka near
Paldiski), Estonia.

**Cheirurus (Cyrtometopus) pseudohemicranium var.
dolichocephala Schmidt, 1881**

Vol. I, pl.XVI, fig.20, p. 163: CNI 19/11059; C2
(=Kukruse); Kokka bei Baltiscport (=? near
Paldiski), Estonia.

Cheirurus (Cyrtometopus) rosenthali Schmidt, 1881

Vol. I, textfig.15 a,b,c, p. 236: CNI
15a=4248/405,15b,c=94/11059; D (=Johvi-
Oandu); a von St. Mathias, b und c von
Friedrichshof (a=Madise, b,c=Sau), Estonia.
Coll.: H.V.Rosenthal

**Cheirurus (Nieszkowskia) cephaloceros Nieszkowski,
1857**

Vol. I, pl.IX, fig.9, p. 186: CNI 44/11059; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

**Cheirurus (Nieszkowskia) cephaloceros Nieszkowski,
1857**

Vol. I, pl.IX, fig.10, p. 186: CNI 45/11059; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

**Cheirurus (Nieszkowskia) cephaloceros Nieszkowski,
1857**

Vol. I, pl.IX, fig.11, p. 186: CNI 46/11059; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

**Cheirurus (Nieszkowskia) cephaloceros Nieszkowski,
1857**

Vol. I, pl.IX, fig.12, p. 186: CNI 47/11059; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

**Cheirurus (Nieszkowskia) cephaloceros Nieszkowski,
1857**

Vol. I, pl.IX, fig.13, p. 186: CNI 48/11059; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

**Cheirurus (Nieszkowskia) cephaloceros Nieszkowski,
1857**

Vol. I, pl.IX, fig.14, p. 186: Missing; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

**Cheirurus (Nieszkowskia) cephaloceros Nieszkowski,
1857**

Vol. I, pl.IX, fig.15, p. 186: CNI
a=50/11059,b=51/11059; C2 (=Kukruse);
Kuckers (=Kukruse), Estonia.

**Cheirurus (Nieszkowskia) cephaloceros Nieszkowski,
1857**

Vol. I, pl.IX, fig.16, p. 186: Missing; C1
(=Aluoja-Uhaku); Odensholm (=Osmussaar),
Estonia.

**Cheirurus (Nieszkowskia) cephaloceros Nieszkowski,
1857**

Vol. I, pl.XI, fig.27, p. 186: Missing; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Nieszkowskia) cephaloceros Nieszkowski, 1857

Vol. I, pl.XVI, fig.36, p. 186: **CNI 52/11059; C2** (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Nieszkowskia) cephaloceros Nieszkowski, 1857

Vol. I, pl.XVI, fig.37, p. 186: **CNI 50/11059; (C2)**; Kuckers (=Kukruse), Estonia.

Cheirurus (Nieszkowskia) tumidus Angelin, 1854

Vol. I, pl.VIII, fig.20 a,b,c, p. 180: **CNI 32/11059; B3 oder C1**; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Nieszkowskia) tumidus Angelin, 1854

Vol. I, pl.VIII, fig.21, p. 180: **CNI 33/11059; B3 oder C1**; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Nieszkowskia) tumidus Angelin, 1854

Vol. I, pl.VIII, fig.22, p. 180: **CNI 33/11059; B3 oder C1**; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Nieszkowskia) tumidus Angelin, 1854

Vol. I, pl.XI, fig.28 a,b, p. 180: **CNI 35/11059; C1** (=Aluoja-Uhaku); Saborodje b.Gostilizy (=Gostilitsy), Russia.

Cheirurus (Nieszkowskia) tumidus Angelin, 1854

Vol. I, pl.XVI, fig.31, p. 180: **NT; C1** (=Aluoja-Uhaku); Pulkowa (=Pulkova), Russia. Coll.: Eichwald. Originally in the Museum of Paleontology & Stratigraphy, University of St. Petersburg.

Cheirurus (Nieszkowskia) tumidus Angelin, 1854

Vol. I, pl.XVI, fig.32, p. 180: **Missing; C1** (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Cheirurus (Nieszkowskia) tumidus Angelin, 1854

Vol. I, pl.XVI, fig.33, p. 180: **Missing; C1** (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Cheirurus (Nieszkowskia) tumidus Angelin, 1854

Vol. I, pl.XVI, fig.34, p. 180: **CNI 36/11059; B** (=Oeland Series); Ljapino bei Gostilizy (=Ljapino), Russia. Coll.: Plautin

Cheirurus (Nieszkowskia) tumidus Angelin, 1854

Vol. I, pl.XVI, fig.35, p. 180: **Missing; B** (=Oeland Series); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Nieszkowskia) tumidus gibbus Angelin, 1854

Vol. I, pl.VIII, fig.23 a,b, p. 180: **Missing; C1** (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Nieszkowskia) tumidus gibbus Angelin, 1854

Vol. I, pl.VIII, fig.24, p. 180: **CNI 34/11059; C1** (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Nieszkowskia) variolaris Linnarsson, 1869

Vol. I, pl.IX, fig.1 a,b, p. 183: **CNI 37/11059; C1** (=Aluoja-Uhaku); der Insel Rogö (=Pakri island, Rågö), Estonia.

Cheirurus (Nieszkowskia) variolaris Linnarsson, 1869

Vol. I, pl.IX, fig.2, p. 183: **PIN 4248/379; C2** (=Kukruse); Tolks bei Wesenberg (=Kohala near Rakver), Estonia.

Cheirurus (Nieszkowskia) variolaris Linnarsson, 1869

Vol. I, pl.IX, fig.3, p. 183: **PIN 4248/120; C2** (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Nieszkowskia) variolaris Linnarsson, 1869

Vol. I, pl.IX, fig.4, p. 183: **CNI 38/11059; C2** (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Nieszkowskia) variolaris Linnarsson, 1869

Vol. I, pl.IX, fig.5 a,b, p. 183: **CNI a=39/11059, b=40/11059; C2** (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Nieszkowskia) variolaris Linnarsson, 1869

Vol. I, pl.IX, fig.6, p. 183: **CNI 41/11059; C2** (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Nieszkowskia) variolaris Linnarsson, 1869

Vol. I, pl.IX, fig.7, p. 183: **PIN 4248/125; C2** (=Kukruse); Kuckers (=Kukruse), Estonia.

Cheirurus (Nieszkowskia) variolaris Linnarsson, 1869

Vol. I, pl.IX, fig.8, p. 183: **Missing; C2** (=Kukruse); Tolks (=Kohala), Estonia.

Cheirurus (Nieszkowskia) variolaris var. mutica Schmidt, 1881

Vol. I, pl.XI, fig.25, p. 183: **CNI 42/11059; C1** (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Estonia. Coll.: Plautin

Cheirurus (Nieszkowskia) variolaris var. mutica Schmidt, 1881

Vol. I, pl.XI, fig.26, p. 183: **CNI 43/11059; C1** (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Estonia. Coll.: Plautin

Cheirurus (*Pseudosphaerexochus*) conformis Angelin, 1854

Vol. I, pl.X, fig.5 a,b, p. 174: Missing; F2 (=Porkuni); Borkholm (=Porkuni, Quarry), Estonia.

Cheirurus (*Pseudosphaerexochus*) conformis Angelin, 1854

Vol. I, pl.X, fig.6 a,b, p. 174: CNI 25/11059; F1 (F1b) (=Nabala-Pirgu); Hohenholm auf Dago (=Kõrgessaare (Quarry) on Hiiumaa), Estonia.

Cheirurus (*Pseudosphaerexochus*) conformis var. Angelin, 1854

Vol. I, pl.X, fig.9, p. 174: CNI 27/11059; F1 (F1b) (=Nabala-Pirgu); Kurküll bei Wesenberg (=Küti near Rakvere), Estonia.

Cheirurus (*Pseudosphaerexochus*) conformis Angelin, 1854

Vol. I, pl.XVI, fig.28, p. 174: Missing; F2 (=Porkuni); Borkholm (=Porkuni), Estonia.

Cheirurus (*Pseudosphaerexochus*) conformis Angelin, 1854

Vol. I, pl.XVI, fig.29, p. 174: Missing; F1 (F1b) (=Nabala-Pirgu); Hohenholm (=Kõrgessaare quarry on Hiiumaa), Estonia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.X, fig.1a,b,c,d, p. 171: Missing; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.X, fig.2, p. 171: CNI 22/11059; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.X, fig.3, p. 171: CNI 23/11059; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.X, fig.4, p. 171: Missing; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.XVI, fig.22, p. 171: Missing; C1; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.XVI, fig.23, p. 171: CNI 24/11059; C1; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.XVI, fig.24, p. 171: Missing; C1; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.XVI, fig.25, p. 171: Missing; C1; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.XVI, fig.26, p. 171: CNI 23/11059; C1; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) hemicranium Kutorga, 1854

Vol. I, pl.XVI, fig.27, p. 171: Missing; C1; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (*Pseudosphaerexochus*) pahnschi Schmidt, 1881

Vol. I, pl.XI, fig.21 a,b, p. 177: CNI 28/11059; D (D2) (=Johvi-Oandu); Friedrichshof (=Saue), Estonia.

Cheirurus (*Pseudosphaerexochus*) roemeri Schmidt, 1881

Vol. I, pl.X, fig.8 a,b, p. 178: CNI 29/11059; F2 (=Porkuni); Borkholm (=Porkuni), Estonia.

Cheirurus (*Pseudosphaerexochus*) roemeri Schmidt, 1881

Vol. I, pl.XI, fig.22, p. 178: CNI 30/11059; F (F1c) (=Harju Series); Schwarzen in Estland (=Vardi, Erratics), Estonia.

Cheirurus (*Pseudosphaerexochus*) roemeri Schmidt, 1881

Vol. I, pl.XI, fig.24, p. 178: CNI 31/11059; F2 (=Porkuni); Borkholm (=Porkuni), Estonia.

Cheirurus (*Pseudosphaeroxochus*) conformis Angelin, 1854

Vol. I, pl.X, fig.7 a,b,c, p. 174: CNI c=26/11059; F1 (F1b) (=Nabala-Pirgu); Hohenholm auf Dago (=Kõrgessaare (Quarry) on Hiiumaa), Estonia.

Cheirurus (Sphaerocoryphe) cf. granulatus Angelin, 1854

Vol. I, pl.VIII, fig.17 a,b, p. 169: CNI 20/11059; F1 (F1c) (=Nabala-Pirgu); Schwarzen in Estland (Geschiebe) (=Vardi, Erratics), Estonia.

Cheirurus (Sphaerocoryphe) cf. granulatus Angelin, 1854

Vol. I, pl.VIII, fig.18, p. 169: Missing; F1 (=Nabala-Pirgu); Pallokülla auf Dago (=Paluküla on Hiumaa), Estonia.

Cheirurus (Sphaerocoryphe) cf. granulatus Angelin, 1854

Vol. I, pl.VIII, fig.19, p. 169: CNI 21/11059; F1 (F1c) (=Nabala-Pirgu); Schwarzen (=Vardi, Erratics), Estonia.

Cheirurus (Sphaerocoryphe) cf. granulatus Angelin, 1854

Vol. I, pl.XVI, fig.30, p. 169: Missing; F1 (F1b) (=Nabala-Pirgu); Kurküll (=Küti), Estonia.

Cheirurus (Sphaerocoryphe) cranium Kutorga, 1854

Vol. I, pl.VIII, fig.7, p. 166: NT; C1 (=Aluoja-Uhaku); Pulkowa (=Pulkova), Russia. Originally in the Museum of Paleontology & Stratigraphy, University of St. Petersburg.

Cheirurus (Sphaerocoryphe) cranium Kutorga, 1854

Vol. I, pl.VIII, fig.8, p. 166: PIN 4248/361; C1; Pawlowsk (=Pavlovsk), Russia.

Cheirurus (Sphaerocoryphe) hübneri Schmidt, 1881

Vol. I, pl.VIII, fig.11, p. 168: NT; C3 (D1) (=Idavere); Haljal (=Haljala), Estonia. Originally in the Petrowsk (now Timiryazev) Academy of Agricultural sciences, Moscow.

Cheirurus (Sphaerocoryphe) hübneri Schmidt, 1881

Vol. I, pl.VIII, fig.12 a,b, p. 168: Missing; C3 (D1) (=Idavere); Itfer im Kirchsp.Haljal, Estland (=Haljala), Estonia.

Cheirurus (Sphaerocoryphe) hübneri Schmidt, 1881

Vol. I, pl.XI, fig.30 a,b, p. 168: PIN 4248/106; C3 (=Idavere); Itfer (=Idavere), Estonia.

Cheirurus (Sphaerocoryphe) hübneri Schmidt, 1881

Vol. I, pl.XII, fig.27, p. 168: NT; C3 (D1) (=Idavere); Haljal (=Haljala, Parish), Estonia. Originally in the Petrowsk (now Timiryazev) Academy of Agricultural sciences, Moscow.

Cheirurus (Sphaerocoryphe) hübneri Schmidt, 1881

Vol. VI, pl.I, fig.6, p. 10: CNI 1/11155; C3 (=Idavere); Itfer (=Idavere), Estonia.

Crotalurus barrandei Volborth, 1858

Vol. VI, pl.I, fig.9, p. 15: PIN 4248/893; B3b-C1a (=Valaste-Aseri); Popowka bei Pawlowsk (=Popovka), Russia.

Crotalurus barrandei Volborth, 1858

Vol. VI, pl.I, fig.10, p. 15: PIN 4248/395; B3b-C1a (=Valaste-Aseri); Popowka bei Pawlowsk (=Popovka), Russia.

Crotalurus barrandei Volborth, 1858

Vol. VI, pl.I, fig.11, p. 15: PIN 4248/396; B3b-C1a (=Valaste-Aseri); Popowka bei Pawlowsk (=Popovka), Russia.

Cybele aff. bellatula Dalman, 1827

Vol. VI, pl.I, fig.15a,b,c, p. 17: Missing; B2b (=Langevoja-Hunderum); Wolchow bei Obuchowo (=Obuchovo), Russia.

Cybele affinis Schmidt, 1881

Vol. I, pl.XIII, fig.18, p. 216: CNI 78/11059; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cybele affinis Schmidt, 1881

Vol. I, pl.XIII, fig.19, p. 216: CNI 78/11059; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cybele bellatula Dalman, 1827

Vol. I, pl.XIII, fig.9, p. 203: CNI 59/11059; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Cybele bellatula Dalman, 1827

Vol. I, pl.XIII, fig.10, p. 203: Missing; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Cybele bellatula Dalman, 1827

Vol. I, pl.XIII, fig.11, p. 203: Missing; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Cybele bellatula Dalman, 1827

Vol. I, pl.XIII, fig.12, p. 203: CNI 60/11059; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Cybele bellatula Dalman, 1827

Vol. I, pl.XIII, fig.13, p. 203: CNI 61/11059; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Cybele bellatula Dalman, 1827

Vol. I, pl.XV, fig.1, p. 203: CNI 59/11059; B
 (=Oeland Series); Pawlowsk (=Pavlovsk), Russia.

Cybele bellatula Dalman, 1827

Vol. I, pl.XV, fig.2, p. 203: CNI 62/11059; B
 (=Oeland Series); Ljapino bei Gostilizy
 (=Ljapino), Russia. Coll.: Plautin

Cybele bellatula Dalman, 1827

Vol. I, pl.XV, fig.3, p. 203: CNI 63/11059; C1
 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
 Coll.: Plautin

Cybele bellatula Dalman, 1827

Vol. I, pl.XV, fig.4, p. 203: Missing; B3;
 Pawlowsk (=Pavlovsk), Russia.

Cybele bellatula Dalman, 1827

Vol. I, pl.XV, fig.5, p. 203: CNI 61/11059; B3
 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk),
 Russia.

Cybele bellatula Dalman, 1827

Vol. VI, pl.I, fig.13a,b, p. 17: CNI 2/11155; B2b
 (=Langevoja-Hunderum); Wolchow bei
 Obuchowo (=Obuchovo), Russia.

Cybele bellatula var. wöhrmanni Schmidt, 1881

Vol. VI, textfig.11,11a, p. 101: CNI 7/11155;
 B3b-C1a (=Valaste-Aseri); Archangelskoje am
 Wolchow (=Archangelskoje), Russia.

Cybele brevicauda Angelin, 1854

Vol. I, pl.XI, fig.23, p. 219: CNI 81/11059; F1
 (F1c) (=Nabala-Pirgu); Schwarzen in Estl
 (=Vardi, Erratics), Estonia.

Cybele brevicauda Angelin, 1854

Vol. I, pl.XIV, fig.7 a,b, p. 219: Missing; F (F1c)
 ; Wesenberg? (Oder Geschiebe) (=Rakvere or
 Erratics), Estonia.

Cybele brevicauda Angelin, 1854

Vol. I, pl.XIV, fig.8, p. 219: CNI 82/11059; F
 (F1c) (=Harju Series); Schwarzen (Geschiebe)
 (=Vardi, Erratics), Estonia.

Cybele brevicauda Angelin, 1854

Vol. I, pl.XIV, fig.9, p. 219: CNI 83/11059; F
 (F1c) (=Harju Series); Schwarzen (=Vardi,
 Erratics), Estonia.

Cybele brevicauda Angelin, 1854

Vol. I, pl.XIV, fig.10, p. 219: CNI 84/11059; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Cybele brevicauda Angelin, 1854

Vol. I, pl.XV, fig.15, p. 219: CNI 82/11059; F
 (F1c) (=Harju Series); Schwarzen (Geschiebe)
 (=Vardi, Erratics), Estonia.

Cybele brevicauda Angelin, 1854

Vol. I, pl.XV, fig.16, p. 219: Missing; (F1c) ;
 Hapsal (Geschiebe) (=Haapsalu, Erratics),
 Estonia.

Cybele brevicauda Angelin, 1854

Vol. I, pl.XV, fig.17, p. 219: CNI 84/11059; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Cybele coronata Schmidt, 1881

Vol. I, pl.XIII, fig.24, p. 213: Missing; (C2) ;
 Kuckers (=Kukruse), Estonia.

Cybele coronata Schmidt, 1881

Vol. I, pl.XIII, fig.25, p. 213: Missing; (C2) ;
 Kuckers (=Kukruse), Estonia.

Cybele coronata Schmidt, 1881

Vol. I, pl.XIII, fig.26, p. 213: CNI 74/11059;
 (C2) ; Kuckers (=Kukruse), Estonia.

Cybele coronata Schmidt, 1881

Vol. I, pl.XIII, fig.27, p. 213: CNI 75/11059;
 (C2) ; Kuckers (=Kukruse), Estonia.

Cybele coronata Schmidt, 1881

Vol. I, pl.XIV, fig.5, p. 209: CNI 76/11059; C1
 (C2) (=Aluoja-Uhaku); Kuckers (=Kukruse),
 Estonia.

Cybele coronata Schmidt, 1881

Vol. I, pl.XV, fig.10, p. 213: Missing; C2
 (=Kukruse); Kuckers (=Kukruse), Estonia.

Cybele grewingki Schmidt, 1881

Vol. I, pl.XIV, fig.1 a,b, p. 211: Missing; D
 (=Johvi-Oandu); Hapsal (Geschiebe) (=Haapsalu,
 Erratics), Estonia.

Cybele grewingki Schmidt, 1881

Vol. I, pl.XIV, fig.2, p. 211: CNI 72/11059; D
 (D1) (=Johvi-Oandu); Annia (=Anija), Estonia.

Cybele grewingki Schmidt, 1881

Vol. I, textfig.11 a,b, p. 211: CNI
 11a=4248/441,11b=73/11059; D1 (=Johvi); St.
 Mathias (=Madise), Estonia.

Cybele kutorgae Schmidt, 1881

Vol. I, pl.XV, fig.11, p. 217: CNI 79/11059; D
(D1) (=Johvi-Oandu); Perifer bei Jewe (=Peeri
near Jõhvi), Estonia.

Cybele kutorgae Schmidt, 1881

Vol. I, pl.XV, fig.12, p. 217: CNI 80/11059; D
(=Johvi-Oandu); Penningby bei Reval (=Peningi
near Tallinn), Estonia.

Cybele kutorgae Schmidt, 1881

Vol. I, pl.XV, fig.13, p. 217: Missing; D (=Johvi-
Oandu); Moloskowizy (=Molotkovici), Belarus.

Cybele kutorgae Schmidt, 1881

Vol. I, pl.XV, fig.14, p. 217: Missing; D (D2)
(=Johvi-Oandu); Sommerhusen (=Sômeru),
Estonia.

Cybele kutorgae Schmidt, 1881

Vol. I, pl.XVI, fig.39 a,b, p. 217: NT; D (=Johvi-
Oandu); Parizy bei Gatschina (=Parizy), Russia.
Originally in the collections of the
Mineralogischen gesellschaft, St. Petersburg

Cybele kutorgae Schmidt, 1881

Vol. VI, pl.I, fig.16, p. 21: CNI 4/11155; D2
(=Keila); Kegel (=Keila), Estonia.

Cybele kutorgae Schmidt, 1881

Vol. VI, pl.I, fig.17, p. 21: CNI 5/11155; C3
(=Idavere); Itfer (=Idavere), Estonia.

Cybele kutorgae Schmidt, 1881

Vol. VI, pl.I, fig.18, p. 21: CNI 6/11155; C3
(=Idavere); Pustomerscha unweit der station
Weimar an der baltischen Bahn (=Pustomersha),
Estonia.

Cybele kutorgae Schmidt, 1881

Vol. I, textfig.12 a,b, p. 217: Missing; D3? (D1);
Jewe (=Jõhvi), Estonia.

Cybele revaliensis Schmidt, 1881

Vol. I, pl.XIII, fig.20 a,b, p. 207: CNI 64/11059;
C1 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.

Cybele revaliensis Schmidt, 1881

Vol. I, pl.XIV, fig.6, p. 207: CNI 65/11059; C1
(=Aluoja-Uhaku); Reval (=Tallinn), Estonia.

Cybele revaliensis Schmidt, 1881

Vol. I, pl.XV, fig.6, p. 207: Missing; C1
(=Aluoja-Uhaku); Odensholm (=Osmussaar),
Estonia.

Cybele revaliensis Schmidt, 1881

Vol. I, pl.XV, fig.7, p. 207: Missing; C1
(=Aluoja-Uhaku); Rogö (=Rågö, one of the Pakri
islands), Estonia.

Cybele revaliensis Schmidt, 1881

Vol. I, pl.XVI, fig.40, p. 207: Missing; C1-C2;
Reval (=Tallinn), Estonia.

Cybele rex Nieszkowski, 1857

Vol. I, pl.XIII, fig.21, p. 209: Missing; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Cybele rex Nieszkowski, 1857

Vol. I, pl.XIII, fig.22, p. 209: CNI 66/11059; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Cybele rex Nieszkowski, 1857

Vol. I, pl.XIII, fig.23, p. 209: CNI 67/11059; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Cybele rex Nieszkowski, 1857

Vol. I, pl.XIV, fig.3, p. 209: CNI 68/11059; C1
(C2) (=Aluoja-Uhaku); Kuckers (=Kukruse),
Estonia.

Cybele rex Nieszkowski, 1857

Vol. I, pl.XIV, fig.4, p. 209: CNI 69/11059; C1
(C2) (=Aluoja-Uhaku); Kuckers (=Kukruse),
Estonia.

Cybele rex Nieszkowski, 1857

Vol. I, pl.XV, fig.8, p. 209: CNI 70/11059; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Cybele rex Nieszkowski, 1857

Vol. I, pl.XV, fig.9, p. 209: CNI 71/11059; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Cybele bellatula Dalman, 1827

Vol. VI, pl.I, fig.14a,b, p. 17: CNI 3/11155; B2b
(=Langevoja-Hunderum); Wolchow bei
Obuchowo (=Obuchovo), Russia.

Cybele wörthi Eichwald, 1840

Vol. I, pl.XIII, fig.14 a,b, p. 214: CNI 77/11059;
C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk),
Russia.

Cybele wörthi Eichwald, 1840

Vol. I, pl.XIII, fig.15, p. 214: Missing; C1
(=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cybele wörthi Eichwald, 1840

Vol. I, pl.XIII, fig.16, p. 214: Missing; C1
(=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cybele wörthi Eichwald, 1840

Vol. I, pl.XIII, fig.17, p. 214: **Missing; C1**
 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Cyphaspis planifrons Eichwald, 1861

Vol. IV, pl.IV, fig.40, p. 58: **PIN 4248/412; C2**
 (=Kukruse); Salla bei Erras (=Sala near Erra),
 Estonia.

Cyphaspis planifrons Eichwald, 1861

Vol. IV, pl.IV, fig.41,41a, p. 58: **PIN 4248/523;**
 C2 (=Kukruse); Salla bei Erras (=Sala near Erra),
 Estonia.

Cyphaspis planifrons Eichwald, 1861

Vol. IV, pl.IV, fig.42,42a, p. 58: **PIN 4248/827;**
 C2 (=Kukruse); Kuckers (=Kurkuse), Estonia.

Cyphaspis planifrons Eichwald, 1861

Vol. IV, pl.IV, fig.43, p. 58: **PIN 4248/825;** C2
 (=Kukruse); Kuckers (=Kurkuse), Estonia.

Cyphaspis sp.

Vol. IV, pl.IV, fig.44, p. 60: **PIN 4248/410;** C2
 (=Kukruse); Kuckers (=Kurkuse), Estonia.

Cyphaspis sp.

Vol. IV, pl.IV, fig.45,45a, p. 60: **Missing; E**
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Cyrtometopus primigenus var. lamanskii Schmidt, 1907

Vol. VI, pl.I, fig.3, p. 99: **CNI 28/11155;** B1b
 kalkigen Grünsand-Schichten (=Billingen); Luga
 bei Jamburg (=Luga), Russia.

Cyrtometopus primigenus var. lamanskii Schmidt, 1907

Vol. VI, textfig.10B,10Ba, p. 99: **Missing; B1b**
 (=Billingen); Popowka (=Popovka), Russia.

Cyrtometopus primigenus var. lamanskii Schmidt, 1907

Vol. VI, textfig.10C, p. 99: **Missing; B1b**
 (=Billingen); Jamburg (=Kingissepp), Russia.
 Coll.: F.Schmidt

Deiphon forbesi Barrande, 1852

Vol. VI, pl.I, fig.7, p. 13: **Missing; G3**
 (=Raikküla Stage, Llandover); Wahhoküll bei
 Piep (=Vahuküla near Piibe), Estonia.

Diaphanometopus volborthi Schmidt, 1881

Vol. I, pl.XII, fig.28a,b,c,d, p. 196: **CNI 58/11059;** B (=Oeland Series); Pawlowsk
 (=Pavlovsk), Russia.

Encrinurus cf.multisegmentatus Portlock, 1843

Vol. I, pl.XIV, fig.14, p. 227: **PIN 4248/164;** F
 (F1c) (=Harju Series); Piersal (=Piirsalu, Quarry),
 Estonia.

Encrinurus cf.multisegmentatus Portlock, 1843

Vol. I, pl.XIV, fig.15, p. 227: **CNI 85/11059;** F
 (F1c) (=Harju Series); Schwarzen (Geschiebe)
 (=Vardi, Erratics), Estonia.

Encrinurus cf.multisegmentatus Portlock, 1843

Vol. I, pl.XV, fig.19 a,b,c, p. 227: **Missing; F1**
 (=Nabala-Pirgu); Palloküll auf Dago (=Paluküla
 on Hiiumaa), Estonia.

Encrinurus multisegmentatus Portlock, 1843

Vol. I, pl.XV, fig.20, p. 227: **Missing; F1 (F1c)**
 (=Nabala-Pirgu); Schwarzen (Geschiebe)
 (=Vardi, Erratics), Estonia.

Encrinurus punctatus Wahlenberg, 1821

Vol. I, pl.XIV, fig.11 a,b,c, p. 225: **NT; J (J1)**
 (=Jaani Stage, Wenlock); Johannis auf Oesel
 (=Jaani on Saaremaa), Estonia. Originally in the
 Petrowsk (now Timiryazev) Academy of
 Agricultural sciences, Moscow.

Encrinurus punctatus Wahlenberg, 1821

Vol. I, pl.XIV, fig.12, p. 225: **Missing; (J1) ;**
 Johannis, Oesel (=Jaani on Saaremaa), Estonia.

Encrinurus punctatus Wahlenberg, 1821

Vol. I, pl.XIV, fig.13, p. 225: **Missing; (J1) ;**
 Johannis, Oesel (=Jaani on Saaremaa), Estonia.

Encrinurus punctatus Wahlenberg, 1821

Vol. I, pl.XV, fig.18, p. 225: **Missing; J (J1)**
 (=Jaani Stage, Wenlock); Johannis (=Jaani on
 Saaremaa), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.16, p. 229: **NT; E (=Rakvere);**
 Wesenberg (=Rakvere), Estonia. Coll.: Prof. von
 Seebach. Originally in the collections of the
 University of Göttingen.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.17, p. 229: **Missing; E**
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.18, p. 229: Missing; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.19, p. 229: Missing; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.20, p. 229: CNI 86/11059; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.22, p. 229: CNI 88/11059; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.23, p. 229: CNI 89/11059; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.24, p. 229: Missing; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.25, p. 229: Missing; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XIV, fig.26, p. 229: CNI 90/11059; E
 (=Rakvere); Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XV, fig.21, p. 229: CNI 91/11059; (E) ;
 Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XV, fig.22, p. 229: CNI 92/11059; (E) ;
 Wesenberg (=Rakvere), Estonia.

Encrinurus seebachi Schmidt, 1881

Vol. I, pl.XV, fig.23, p. 229: CNI 93/11059; (E) ;
 Wesenberg (=Rakvere), Estonia.

Harpes spasskii Eichwald, 1840

Vol. IV, pl.V, fig.3, p. 66: Missing; C1 (=Aluoja-Uhaku);

Harpes spasskii Eichwald, 1840

Vol. IV, pl.V, fig.4, p. 66: Missing; C1 (=Aluoja-Uhaku);

Harpes spasskii Eichwald, 1840

Vol. IV, pl.V, fig.5, p. 66: CNI 21/11110; C1
 (=Aluoja-Uhaku);

Harpes spasskii Eichwald, 1840

Vol. IV, pl.V, fig.6, p. 66: CNI 22/11110; C1
 (=Aluoja-Uhaku);

Harpes spasskii Eichwald, 1840

Vol. IV, pl.V, fig.7, p. 66: CNI 23/11110; C1
 tieferen Schichten des Echinospaeritenkalks
 (=Aluoja-Uhaku); Lapuchinka (=Lopuchinka),

Harpes spasskii Eichwald, 1840

Vol. IV, pl.V, fig.8, p. 66: NT; C1 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia. Coll.:
 Eichwald. **Original** of Eichwald 1860, pl. 52, fig.
 27. Originally in the Museum of Paleontology &
 Stratigraphy, University of St. Petersburg.

Harpes spasskii Eichwald, 1840

Vol. IV, pl.V, fig.9, p. 66: Missing; C1 (=Aluoja-Uhaku); Eberswalde bei Berlin, Germany. Coll.:
 Prof. Remelé. May be in the Berlin Museum.

Harpes wegeli Angelin, 1854

Vol. IV, pl.V, fig.10,10a, p. 69: CNI 24/11110;
 F1 (=Nabala-Pirgu); Schwarzen in Estland
 (=Vardi, Erratics), Estonia.

Harpes wegeli Angelin, 1854

Vol. IV, pl.V, fig.11, p. 69: CNI 25/11110; F1
 (F1c) (=Nabala-Pirgu); Schwarzen in Estland
 (=Vardi, Erratics), Estonia.

Harpes wegeli Angelin, 1854

Vol. IV, pl.V, fig.12,12a, p. 69: CNI 26/11110;
 F1 (F1c) (=Nabala-Pirgu); Nömmkull bei Hapsal
 (=Nömmküla), Estonia.

Harpes wegeli Angelin, 1854

Vol. IV, pl.V, fig.13, p. 69: CNI 27/11110; F1
 (F1c) (=Nabala-Pirgu); Schwarzen in Estland
 (=Vardi, Erratics), Estonia.

Harpes wegeli Angelin, 1854

Vol. IV, pl.V, fig.14, p. 69: CNI 28/11110; F1
 (F1c) (=Nabala-Pirgu); Schwarzen in Estland
 (=Vardi, Erratics), Estonia.

Harpes wegeli Angelin, 1854

Vol. IV, pl.V, fig.15, p. 69: CNI 29/11110; F1
 (F1c) (=Nabala-Pirgu); Schwarzen (=Vardi,
 Erratics), Estonia.

Harpes wegelini Angelin, 1854

Vol. IV, pl.V, fig.16, p. 69: CNI 30/11110; F1 (F1c) (=Nabala-Pirgu); Piersal in Estland (=Piirsalu, Quarry), Estonia.

Harpes wegelini Angelin, 1854

Vol. IV, pl.V, fig.17,17a, p. 69: CNI 31/11110; F1 (F1c) (=Nabala-Pirgu); Piersal in Estland (=Piirsalu, Quarry), Estonia.

Harpes wegelini Angelin, 1854

Vol. IV, pl.V, fig.18, p. 69: Missing; F1 Leptaenakalks (=Nabala-Pirgu); Dalarne, Sweden. Coll: G. Holm. May be in Naturhistoriska Riksmuseet, Stockholm.

Harpides plautini Schmidt, 1894

Vol. IV, pl.V, fig.1, p. 63: CNI 19/11110; B2 oberen glauconitkalkes; Ljapino bei Gostilizy (=Ljapino, Gostilitsy), Russia. Coll.: Plautin

Harpides plautini Schmidt, 1894

Vol. IV, pl.V, fig.2,2a, p. 63: CNI 20/11110; B2 Glauconitkalk; 2.Ljapino bei Gostilizy 2a.Papowka bei Pawlowsk (=Ljapino, Popovka,Pavlovsk), Russia. Coll.: Plautin

Illaenus ? roemer Volborth, 1864

Vol. III, pl.IX, fig.15 a-b, p. 125: CNI 95/11109; F1 (F1b) (=Nabala-Pirgu); Dagö, Kertel (=Kärdla on Hiumaa), Estonia. Coll.: Stacy

Illaenus (Bumastus) barriensis Murchison, 1839

Vol. III, pl.XI, fig.12 a-c, p. 164: NT; I (J1) (=Adavere Stage, Llandovery); Insel Oesel, St. Johannis (=Jaani on Saaremaa), Estonia. Coll.: Eichwald. Original of *Illaenus bouchardi* var. *minuta* of Eichwald 1860, p. 1484. Originally in the Museum of Paleontology & Stratigraphy, University of St. Petersburg.

Illaenus (Bumastus) barriensis Murchison, 1839

Vol. III, pl.XI, fig.13 a-b, p. 164: CNI 129/11109; I (J1) (=Adavere Stage, Llandovery); Oesel, St. Johannis (=Jaani on Saaremaa), Estonia.

Illaenus (Bumastus) barriensis Murchison, 1839

Vol. III, pl.XI, fig.14, p. 164: Missing; I (=Adavere Stage, Llandovery); Die Insel Moon, Koggova (=Koguva on the Muhu island), Estonia.

Illaenus (Bumastus) barriensis Murchison, 1839

Vol. III, pl.XI, fig.15, p. 164: CNI 130/11109; I (J1) (=Adavere Stage, Llandovery); Oesel, St. Johannis (=Jaani on Saaremaa), Estonia.

Illaenus (Bumastus) barriensis Murchison, 1839

Vol. III, pl.XI, fig.16, p. 164: CNI 131/11109; I (J1) (=Adavere Stage, Llandovery); Oesel, St. Johannis (=Jaani on Saaremaa), Estonia.

Illaenus angustifrons Holm, 1886

Vol. III, pl.IX, fig.1 a-e, p. 130: CNI 96/11109; F1 (F1b) (=Nabala-Pirgu); Lechts, Estland (=Lehtse), Estonia.

Illaenus angustifrons Holm, 1886

Vol. III, pl.IX, fig.2 a-d, p. 130: CNI 97/11109; F1 (F1b) (=Nabala-Pirgu); Lechts, Estland (=Lehtse), Estonia.

Illaenus angustifrons Holm, 1886

Vol. III, pl.IX, fig.3 a-b, p. 130: Missing; (F1c) ; Schwarzen (Geschiebe) (=Vardi, Erratics), Estonia. Coll.: Pansch

Illaenus angustifrons var. depressa Holm, 1886

Vol. III, pl.VIII, fig.14, p. 133: CNI 98/11109; F2 (=Porkuni); Nömküll, Estland (=Nömmküla, Ambla parish), Estonia. Coll.: Fr.Schmidt und Holm

Illaenus angustifrons var. depressa Holm, 1886

Vol. III, pl.VIII, fig.15, p. 133: Missing; F2 (=Porkuni); Schloss Borkholm, Estland (=Porkuni, Quarry), Estonia.

Illaenus angustifrons var. depressa Holm, 1886

Vol. III, pl.VIII, fig.16, p. 133: CNI 99/11109; F2 (=Porkuni); Nömküll, Estland (=Nömmküla, Ambla parish), Estonia. Coll.: Fr.Schmidt und Holm

Illaenus angustifrons var. depressa Holm, 1886

Vol. III, pl.VIII, fig.17, p. 133: CNI 100/11109; F2 (=Porkuni); Nömkull, Estland (=Nömmküla, Ambla parish), Estonia. Coll.: Fr.Schmidt und Holm

Illaenus angustifrons var. depressa Holm, 1886

Vol. III, pl.VIII, fig.18, p. 133: CNI 101/11109; F2 (=Porkuni); Nömkull, Estland (=Nömmküla, Ambla parish), Estonia. Coll.: Fr.Schmidt und Holm

Illaenus angustifrons var. depressa Holm, 1886

Vol. III, pl.VIII, fig.19, p. 133: CNI 102/11109; F2 (=Porkuni); Nömkull, Estland (=Nömmküla, Ambla parish), Estonia. Coll.: Fr.Schmidt und Holm

Illaeus angustifrons var. depressa Holm, 1886
Vol. III, pl.VIII, fig.20, p. 133: Missing; F2
(=Porkuni); Schloss Borkholm, Estland
(=Porkuni, Quarry), Estonia.

Illaeus angustifrons var. depressa Holm, 1886
Vol. III, pl.VIII, fig.21, p. 133: CNI 103/11109;
F2 (=Porkuni); Schloss Borkholm, Estland
(=Porkuni, Quarry), Estonia.

Illaeus angustifrons var. depressa Holm, 1886
Vol. III, pl.VIII, fig.22, p. 133: CNI 104/11109;
F2 (=Porkuni); Schloss Borkholm, Estland
(=Porkuni, Quarry), Estonia.

Illaeus ariensis Holm, 1886
Vol. III, pl.VII, fig.1 a-c, p. 80: CNI 28/11109;
C1a (=Aluoja-Aseri); Wesenberg, Karrol, Estland
(=Karula near Rakvere), Estonia.

Illaeus ariensis Holm, 1886
Vol. III, pl.VII, fig.2 a-b, p. 80: PIN 4248/324;
C1a (=Aluoja-Aseri); Karrol (=Karula near
Rakvere), Estonia.

Illaeus ariensis Holm, 1886
Vol. III, pl.VII, fig.3 a-c, p. 80: CNI 29/11109;
C1a (=Aluoja-Aseri); Karrol (=Karula near
Rakvere), Estonia.

Illaeus atavus Eichwald, 1858
Vol. III, pl.VII, fig.4 a-e, p. 135: NT; C1a
(=Aluoja-Aseri); Baltischport (=Paldiski),
Estonia. Coll.: Eichwald. Originally in the
Museum of Paleontology & Stratigraphy,
University of St. Petersburg.

Illaeus atavus Eichwald, 1858
Vol. III, pl.VII, fig.5, p. 135: PIN 4248/63; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaeus atavus Eichwald, 1858
Vol. III, pl.VII, fig.6, p. 135: PIN 4248/131; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaeus atavus Eichwald, 1858
Vol. III, pl.VII, fig.7, p. 135: CNI 105/11109; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaeus atavus Eichwald, 1858
Vol. III, pl.VII, fig.8, p. 135: CNI 105/11109; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaeus atavus Eichwald, 1858
Vol. III, pl.VII, fig.9, p. 135: CNI 106/11109; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaeus atavus Eichwald, 1858
Vol. III, pl.VII, fig.10, p. 135: CNI 107/11109;
C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy),
Russia. Coll.: Plautin

Illaeus atavus Eichwald, 1858
Vol. III, pl.VII, fig.11, p. 135: CNI 108/11109;
C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy),
Russia. Coll.: Plautin

Illaeus caecus Holm, 1886
Vol. III, pl.XI, fig.11 a-d, p. 162: CNI
128/11109; F1 (=Nabala-Pirgu); Palloküll auf der
Insel Dagö (=Paluküla on Hiiumaa), Estonia.

Illaeus centrotus Dalman, 1827
Vol. III, pl.X, fig.8 a-b, p. 142: CNI 110/11109;
B3a (=Hunderum-Valaste); Pawlowsk
(=Pavlovsk), Russia.

Illaeus centrotus Dalman, 1827
Vol. III, pl.X, fig.9, p. 142: CNI 111/11109; B3a
(=Hunderum-Valaste); Pawlowsk (=Pavlovsk),
Russia.

Illaeus chiron Holm, 1883
Vol. III, pl.XII, fig.13 a-b, p. 64: CNI 16/11109;
C1 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.

Illaeus chiron var. stacyi Holm, 1886
Vol. III, pl.VI, fig.12 a-c, p. 67: CNI 17/11109;
C1 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.
Coll.: Stacy.

Illaeus chudleighensis Holm, 1886
Vol. III, pl.III, fig.1 a-c, p. 101: CNI 54/11109;
C1 (C1a) (=Aluoja-Uhaku); Chudleigh, Estland
(=Voka), Estonia. Coll.: Fr.Schmidt

Illaeus chudleighensis Holm, 1886
Vol. III, pl.III, fig.3 a-c, p. 101: CNI 55/11109;
C1 (C1a) (=Aluoja-Uhaku); Chudleigh, Estland
(=Voka), Estonia. Coll.: Schmidt und Holm.

Illaeus chudleighensis Holm, 1886
Vol. III, pl.III, fig.4 a-b, p. 101: CNI 56/11109;
C1 (C1a) (=Aluoja-Uhaku); Chudleigh, Estland
(=Voka), Estonia.

Illaenus crassicauda Wahlenberg, 1821

Vol. III, pl.XII, fig.18, p. 72: CNI 1248/11109; C2 (=Kukruse); Kuckers (=Kukruse), Estonia. Coll.: Fr.Schmidt

Illaenus dalmani Volborth, 1863

Vol. III, pl.I, fig. 7 a-e, p. 93: CNI 42/11109; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia. Original of Volborth 1863, pl. 2, fig. 7-10

Illaenus dalmani Volborth, 1863

Vol. III, pl.I, fig.8, p. 93: CNI 43/11109; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Illaenus dalmani Volborth, 1863

Vol. III, pl.I, fig.9, p. 93: CNI 45/11109; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Illaenus dalmani Volborth, 1863

Vol. III, pl.I, fig.10, p. 93: CNI 44/11109; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Illaenus dalmani Volborth, 1863

Vol. III, pl.I, fig.11, p. 93: CNI 46/11109; C1 (=Aluoja-Uhaku); Chudleigh, Estland (=Voka), Estonia.

Illaenus dalmani Volborth, 1863

Vol. III, pl.I, fig.12, p. 93: CNI 47/11109; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Illaenus dalmani Volborth, 1863

Vol. III, pl.I, fig.13 a-c, p. 93: CNI a=48/11109, bc=49/11109; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia. Original of *Illaenus triodonturus* of Volborth 1863, p. 24

Illaenus dalmani Volborth, 1863

Vol. III, pl.I, fig.14, p. 93: Missing; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Illaenus esmarkii Schlotheim, 1826

Vol. III, pl.I, fig.1 a-b, p. 47: PSM 149/7; B3a (=Hunderum-Valaste); Wolchow, Iswos (=Izvos at the river Volkov), Russia.

Illaenus esmarkii Schlotheim, 1826

Vol. III, pl.I, fig.2 a-e, p. 47: Missing; B3a (=Hunderum-Valaste); Wolchow, Iswos (=Izvos at the river Volkov), Russia. Coll.: Fr.Schmidt

Illaenus esmarkii Schlotheim, 1826

Vol. III, pl.I, fig.3, p. 47: Missing; B3a (=Hunderum-Valaste); Wolchow, Iswos (=Izvos at the river Volkov), Russia. Coll.: Fr.Schmidt

Illaenus esmarkii Schlotheim, 1826

Vol. III, pl.I, fig.4, p. 47: PSM 149/8; B3a (=Hunderum-Valaste); Wolchow, Iswos (=Izvos at the river Volkov), Russia.

Illaenus esmarkii Schlotheim, 1826

Vol. III, pl.I, fig.5 a-b, p. 47: CNI 1/11109; B3a (=Hunderum-Valaste); Wolchow, Iswos (=Izvos at the river Volkov), Russia. Coll.: Fr.Schmidt

Illaenus esmarkii Schlotheim, 1826

Vol. III, pl.I, fig.6, p. 47: CNI 2/11109; B3a (=Hunderum-Valaste); Wolchow, Iswos (=Izvos at the river Volkov), Russia. Coll.: Fr.Schmidt

Illaenus intermedius Holm, 1886

Vol. III, pl.IV, fig.1 a-h, p. 69: CNI 18/11109; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia. Coll.: Plautin

Illaenus intermedius Holm, 1886

Vol. III, pl.IV, fig.2 a-b, p. 69: CNI 19/11109; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia. Coll.: Mickwitz

Illaenus jevensis Holm, 1886

Vol. III, pl.X, fig.1, p. 57: CNI 4/11109; D (D1) ; Coll.: Graf Keyserling

Illaenus jevensis Holm, 1886

Vol. III, pl.X, fig.2 a-b, p. 57: NT; D (=Johvi-Oandu); Wesenberg (=Rakvere), Estonia. Originally in the collections of the Gesellschaft für Naturforschung, Dorpat (Tartu) Estonia.

Illaenus jevensis Holm, 1886

Vol. III, pl.X, fig.3, p. 57: CNI 5/11109; D (D1) (=Johvi-Oandu); St. Mathias (=Madise), Estonia. Coll.: Fr.Schmidt

Illaenus jevensis Holm, 1886

Vol. III, pl.X, fig.4, p. 57: CNI 6/11109; D (D1) (=Johvi-Oandu); St. Mathias (=Madise), Estonia. Coll.: Fr.Schmidt & Holm

Illaenus jevensis Holm, 1886

Vol. III, pl.X, fig.5 a-b, p. 57: CNI 7/11109; D (D1) (=Johvi-Oandu); St. Mathias (=Madise), Estonia. Coll.: Fr.Schmidt

Illaenus jevensis Holm, 1886

Vol. III, pl.X, fig.6 a-b, p. 57: CNI 8/11109; D (D1) (=Johvi-Oandu); St. Mathias (=Madise), Estonia. Coll.: Fr.Schmidt

Illaenus jevensis Holm, 1886

Vol. III, pl.X, fig.7 a-b, p. 57: CNI 9/11109; D (D2) (=Johvi-Oandu); Friedrichshof (=Sauge), Estonia. Coll.: Holm

Illaenus ladogensis Holm, 1886

Vol. III, pl.III, fig.5 a-f, p. 113: CNI 78/11109; B3 (=Valaste-Aluoja); Iswos am Wolchow (=Izvos at the river Volkov), Russia. Coll.: Fr.Schmidt

Illaenus laticlavius Eichwald, 1860

Vol. III, pl.II, fig.11, p. 60: CNI 10/11109; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Illaenus laticlavius Eichwald, 1860

Vol. III, pl.II, fig.12 a-c, p. 60: Missing; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia. Original of Volborth 1863, pl. 2, fig. 1-4.

Illaenus laticlavius Eichwald, 1860

Vol. III, pl.II, fig.13 a-c, p. 60: Missing; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Illaenus laticlavius Eichwald, 1860

Vol. III, pl.II, fig.14, p. 60: CNI 11/11109; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Illaenus laticlavius Eichwald, 1860

Vol. III, pl.II, fig.15, p. 60: CNI 12/11109; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia. Original of Volborth 1863, pl. 1, fig. 4.

Illaenus laticlavius Eichwald, 1860

Vol. III, pl.II, fig.16, p. 60: CNI 13/11109; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Illaenus laticlavius Eichwald, 1860

Vol. III, pl.II, fig.17, p. 60: CNI 14/11109; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Illaenus laticlavius Eichwald, 1860

Vol. III, pl.II, fig.18 a-b, p. 60: CNI 15/11109; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.10 a-d, p. 146: Missing; C2 (=Kukruse); Erras (=Erra), Estonia. Coll.: Eichwald. Original of *Illaenus rudolphi* of Eichwald 1860, pl. 53, fig. 6a-c

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.11 a-b, p. 146: CNI 112/11109; D (D2) (=Johvi-Oandu); Kegel (=Keila), Estonia. Coll.: Fr.Schmidt & Holm

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.12, p. 146: CNI 113/11109; D (D2) (=Johvi-Oandu); Kegel (=Keila), Estonia. Coll.: Fr.Schmidt & Holm

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.13, p. 146: CNI 114/11109; D (D2) (=Johvi-Oandu); Kegel (=Keila), Estonia. Coll.: Fr.Schmidt & Holm

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.14, p. 146: CNI 115/11109; F1 (F1c) (=Nabala-Pirgu); Piersal (=Piirsalu), Estonia. Coll.: Fr.Schmidt & Holm

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.15 a-b, p. 146: CNI 116/11109; F1 (F1c) (=Nabala-Pirgu); Schwarzen in losen steinen (=Vardi, Erratics), Estonia.

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.16, p. 146: CNI 117/11109; F1 (F1c) (=Nabala-Pirgu); Schwarzen in losen steinen (=Vardi, Erratics), Estonia.

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.17, p. 146: CNI 118/11109; F1 (F1c) (=Nabala-Pirgu); Schwarzen (Geschiebe) (=Vardi, Erratics), Estonia.

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.18 a-b, p. 146: CNI 119/11109; (F1c) ; Schwarzen (Geschiebe) (=Vardi, Erratics), Estonia.

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.19, p. 146: CNI 120/11109; F1 (F1c) (=Nabala-Pirgu); Schwarzen (=Vardi, Erratics), Estonia.

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.20 a-c, p. 146: PIN 4248/380; F1 (F1c) (=Nabala-Pirgu); Schwarzen (Geschiebe) (=Vardi, Erratics), Estonia.

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.21, p. 146: Missing; F1 (F1c) (=Nabala-Pirgu); Neuenhof, Estland (=Uuemõisa), Estonia.

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.22, p. 146: Missing; F1
(=Nabala-Pirgu); Pühalep auf der Insel Dagö
(=Pühalepa on Hiumaa), Estonia.

Illaenus linnarssonii Holm, 1883

Vol. III, pl.X, fig.23, p. 146: PIN 4248/815; F1
(=Nabala-Pirgu); Palloküll auf der Insel Dagö
(=Paluküla on Hiumaa), Estonia. Original of
Illaenus roemeri of Volborth 1864, pl. 2, fig. 16.

Illaenus livonicus Holm, 1886

Vol. III, pl.XI, fig.4 a-b, p. 157: CNI 123/11109;
G oder H (H) ; Ober-Pahlen (=Põltsamaa),
Estonia.

Illaenus masckeai Holm, 1886

Vol. III, pl.XII, fig.1 a-b, p. 139: NT; F1
Lyckholmer Schicht; Königsberg (Geschiebe).
Coll.: Mascke. Originally in the collections of the
University of Göttingen.

Illaenus masckeai Holm, 1886

Vol. III, pl.XII, fig.2 a-b, p. 139: CNI 109/11109;
F1 (F1a) (=Nabala-Pirgu); Oddalem bei der
poststation Liwa, Estland (=Odulemma near
Liiva),. Coll.: G.Holm

Illaenus masckeai Holm, 1886

Vol. III, pl.XII, fig.3, p. 139: NT; F1 Lyckholmer
Schicht; Königsberg (Geschiebe). Coll.: Mascke.
Originally in the collections of the University of
Göttingen.

Illaenus masckeai Holm, 1886

Vol. III, pl.XII, fig.4, p. 139: PIN 4248/374; F1
(F1a) (=Nabala-Pirgu); Kirma, Estland (=Kernu,
=Saunja), Estonia. Coll.: Fr.Schmidt

Illaenus masckeai Holm, 1886

Vol. III, pl.XII, fig.5, p. 139: PIN 4248/373; F1
(=Nabala-Pirgu); Palloküll auf der Insel Dagö
(=Paluküla on Hiumaa), Estonia. Coll.:
Fr.Schmidt

Illaenus oblongatus var. exellens Holm, 1886

Vol. III, pl.VIII, fig.1 a-d, p. 120: CNI 79/11109;
C1 (=Aluoja-Uhaku); Ingermanland, Gostilizy
(=Gostilitsy), Russia. Coll.: Plautin

Illaenus oblongatus var. exellens Holm, 1886

Vol. III, pl.VIII, fig.2, p. 120: Missing; C1
(=Aluoja-Uhaku); Ingermanland, Gostilizy
(=Gostilitsy), Russia. Coll.: Plautin

Illaenus oblongatus var. exellens Holm, 1886

Vol. III, pl.VIII, fig.3d, p. 120: CNI
3d=81/11109,3a-c=80/11109?; C1a (=Aluoja-
Aseri); Die Insel Klein-Rög bei Baltischport
(=Väike-Pakri island), Estonia.

Illaenus oblongatus var. itferensis Holm, 1886

Vol. III, pl.VIII, fig.8, p. 117: CNI 86/11109; C3
(=Idavere); Itfer, Estland (=Idavere), Estonia.
Coll.: Fr.Schmidt

Illaenus oblongatus var. kuckersiana Holm, 1886

Vol. III, pl.VIII, fig.4 a-d, p. 121: CNI 82/11109;
C1a (C2) (=Aluoja-Aseri); Kuckers, Estland
(=Kukruse), Estonia.

Illaenus oblongatus var. kuckersiana Holm, 1886

Vol. III, pl.VIII, fig.5 a-b, p. 121: CNI 83/11109;
C2 (=Kukruse); Kuckers, Estland (=Kukruse),
Estonia.

Illaenus oblongatus var. kuckersiana Holm, 1886

Vol. III, pl.VIII, fig.6 a-b, p. 121: CNI
992/11109; C2 (=Kukruse); Erras, Estland
(=Erra), Estonia.

Illaenus oblongatus var. kuckersiana Holm, 1886

Vol. III, pl.VIII, fig.7, p. 121: CNI 84/11109; C2
(=Kukruse); Kuckers (=Kukruse), Estonia. Coll.:
Holm

Illaenus oblongatus var. kuckersiana Holm, 1886

Vol. III, pl.VIII, fig.9, p. 121: CNI 85/11109; C2
(=Kukruse); Kuckers, Estland (=Kukruse),
Estonia.

Illaenus oblongatus var. typica Angelin, 1854

Vol. III, pl.VIII, fig.10, p. 117: Missing; C1a
(=Aluoja-Aseri); Malla, Estland (=Malla),
Estonia. Coll.: G.Holm

Illaenus oblongatus var. typica Angelin, 1854

Vol. III, pl.VIII, fig.11, p. 117: CNI 87/11109;
C1a (=Aluoja-Aseri); Malla, Estland (=Malla),
Estonia. Coll.: G.Holm

Illaenus oblongatus var. typica Angelin, 1854

Vol. III, pl.VIII, fig.12 a-d, p. 117: Missing; C1a
(=Aluoja-Aseri); Karrol, Estland (=Karula),
Estonia. Coll.: Fr.Schmidt und Holm

Illaenus oblongatus var. typica Angelin, 1854

Vol. III, pl.VIII, fig.13 a-d, p. 117: CNI
88/11109; C1a (=Aluoja-Aseri); Malla, Estland
(=Malla), Estonia. Coll.: Schmidt und Holm

IIIaenus oculus Holm, 1886

Vol. III, pl.XII, fig.6 a-c, p. 98: CNI 50/11109; C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

IIIaenus oculus Holm, 1886

Vol. III, pl.XII, fig.7, p. 98: CNI 51/11109; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

IIIaenus oculus Holm, 1886

Vol. III, pl.XII, fig.8, p. 98: CNI 52/11109; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

IIIaenus oculus Holm, 1886

Vol. III, pl.XII, fig.9 a-b, p. 98: CNI 53/11109; C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

IIIaenus plautini Holm, 1886

Vol. III, pl.III, fig.7 a-b, p. 85: PIN 4248/51; C1 (=Aluoja-Uhaku); Ingermanland, Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

IIIaenus plautini Holm, 1886

Vol. III, pl.XII, fig.10, p. 85: PIN 4248/51; C1 (=Aluoja-Uhaku); Ingermanland, Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

IIIaenus proles Holm, 1886

Vol. III, pl.XI, fig.1 a-g, p. 154: CNI 121/11109; H (=Adavere Stage, Llandovery); Kattentack (=Päri), Estonia. Coll.: Stacy

IIIaenus proles Holm, 1886

Vol. III, pl.XI, fig.2, p. 154: Missing; H (=Adavere Stage, Llandovery); Kattentack (=Päri), Estonia.

IIIaenus proles Holm, 1886

Vol. III, pl.XI, fig.3, p. 154: CNI 122/11109; H (=Adavere Stage, Llandovery); Kattentack (=Päri), Estonia.

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.1, p. 87: CNI 32/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.2, p. 87: CNI 33/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.3, p. 87: CNI 34/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.4 a-b, p. 87: CNI 35/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.5 a-c, p. 87: CNI 36/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia. Coll.: Fr.Schmidt

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.6, p. 87: CNI 37/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.7 a-b, p. 87: CNI 38/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia. Coll.: Mickwitz

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.8 a-b, p. 87: CNI 39/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia. Coll.: Mickwitz

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.9, p. 87: CNI 40/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

IIIaenus revaliensis Holm, 1886

Vol. III, pl.II, fig.10, p. 87: CNI 41/11109; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

IIIaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.4, p. 125: CNI 89/11109; F1 (F1b) (=Nabala-Pirgu); Kurküll, Estland (=Küti), Estonia.

IIIaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.5, p. 125: Missing; F1 (F1a) (=Nabala-Pirgu); Kirna, Estland (=Kernu, Saunja), Estonia. Coll.: Rosenthal

IIIaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.6 a-b, p. 125: Missing; F1 (=Nabala-Pirgu); Sutlep, Estland (=Sutlepa), Estonia.

IIIaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.7 a-c, p. 125: CNI 90/11109; F1 (F1a) (=Nabala-Pirgu); Oddalem bei Lawa, Estland (=Odulemma near Liiva). Coll.: Fr.Schmidt & Holm

Illaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.8, p. 125: CNI 91/11109; (F1b); Dagö, Hohenholm (=Kõrgessaare on Hiiumaa, Quarry), Estonia. Original of Volborth, 1864, pl. 2, fig. 12-13.

Illaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.9 a-b, p. 125: CNI 92/11109; (F1c); Schwarzen (=Vardi, Erratics), Estonia. Coll.: Pansch

Illaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.10, p. 125: NT; F1 (F1b) (=Nabala-Pirgu); Dagö, Hohenholm (=Kõrgessaare on Hiiumaa, Quarry), Estonia. Originally in the collections of the Gesellschaft für Naturforschung, Dorpat (Tartu) Estonia.

Illaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.11 a-b, p. 125: CNI 93/11109; (F1c); Schwarzen (Geschiebe) (=Vardi, Erratics), Estonia. Coll.: Pansch

Illaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.12, p. 125: PIN 4248/587; F1 (=Nabala-Pirgu); Sutlep, Estland (=Sutlepa), Estonia. Original of Volborth, 1864, pl. 2, fig. 15.

Illaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.13, p. 125: PIN 4248/588; F1 (F1c) (=Nabala-Pirgu); Neuenhoff, Estland (=Uuemõisa), Estonia.

Illaenus roemeri Volborth, 1864

Vol. III, pl.IX, fig.14, p. 125: CNI 94/11109; F1 (F1a) (=Nabala-Pirgu); Oddalem (=Odulemma, near Liiva), Estonia. Coll.: Fr.Schmidt & Holm

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.1 a-f, p. 107: CNI 139/11109; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia.

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.2, p. 107: NT; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia. Originally in the collections of the University of Dorpat (Tartu), Estonia.

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.3, p. 107: CNI 63/11109; C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.4 a-e, p. 107: CNI 64/11109; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia.

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.5 a-b, p. 107: CNI 65/11109; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia. Coll.: Holm

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.6 a-b, p. 107: NT; C1 (=Aluoja-Uhaku); Ropscha (=Ropscha), Russia. Originally in the collections of the Bergakademie, St. Petersburg.

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.7 a-c, p. 107: CNI 66/11109; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia. Coll.: Plautin

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.8 a-b, p. 107: CNI 67/11109; C1; Reval (=Tallinn), Estonia.

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.9, p. 107: Missing; C1; Reval (=Tallinn), Estonia.

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.10 a-b, p. 107: NT; C1 (=Aluoja-Uhaku); Ontika (=Ontika), Estonia. Original of Nieszkowski, 1857, pl. 1, fig. 10-12. Originally in the collections of the University of Dorpat (Tartu), Estonia.

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.11, p. 107: CNI 68/11109; C1; Reval (=Tallinn), Estonia. Coll.: Fr.Schmidt und Holm

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.12, p. 107: CNI 69/11109; C1; Spitham (Geschiebe) (=Põõsaspea, Erratics), Estonia. Original of Volborth 1864, pl. 1, fig. 1-4.

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.13 a-b, p. 107: CNI 70/11109; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia.

Illaenus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.14, p. 107: CNI 71/11109; C1; Reval (=Tallinn), Estonia.

Illaeus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.15, p. 107: CNI 72/11109; C1;
Reval (=Tallinn), Estonia.

Illaeus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.16 a-b, p. 107: CNI 73/11109;
C1b (=Lasnamagi-Uhaku); Reval (=Tallinn),
Estonia. Coll.: Plautin

Illaeus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.17, p. 107: CNI 74/11109; C1b;
Reval (=Tallinn), Estonia. Coll.: Plautin

Illaeus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.18, p. 107: CNI 75/11109; C1b;
Reval (=Tallinn), Estonia.

Illaeus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.19, p. 107: CNI 76/11109; C1b
(=Lasnamagi-Uhaku); Chudleigh, Estland
(=Voka), Estonia.

Illaeus schmidti Nieszkowski, 1857

Vol. III, pl.V, fig.20, p. 107: CNI 77/11109; C1b
(=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia.
Coll.: Plautin

Illaeus sinuatus Holm, 1886

Vol. III, pl.IV, fig.3 a-g, p. 102: CNI 57/11109;
C1a (=Aluoja-Aseri); Reval (=Tallinn), Estonia.
Coll.: Stacy

Illaeus sinuatus Holm, 1886

Vol. III, pl.IV, fig.4 a-b, p. 102: CNI 58/11109;
C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy),
Russia. Coll.: Plautin

Illaeus sinuatus Holm, 1886

Vol. III, pl.IV, fig.5, p. 102: CNI 59/11109; C1
(=Aluoja-Uhaku); Wolchow, Dubowiki
(=Duboviki), Russia. Coll.: Fr.Schmidt

Illaeus sinuatus Holm, 1886

Vol. III, pl.IV, fig.6, p. 102: PSM 149/43; C1
(=Aluoja-Uhaku); Ropscka (=Ropscka), Russia.
Coll.: Eichwald. Original of Eichwald 1860, pl.
53, fig. 3, and Eichwald 1861, pl. 33, fig. 3.

Illaeus sinuatus Holm, 1886

Vol. III, pl.IV, fig.7, p. 102: CNI 60/11109; C1
(=Aluoja-Uhaku); Wolchow, Dubowiki
(=Duboviki at the river Volkhov), Russia. Coll.:
Fr.Schmidt

Illaeus sinuatus Holm, 1886

Vol. III, pl.IV, fig.8, p. 102: CNI 61/11109; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaeus sinuatus Holm, 1886

Vol. III, pl.IV, fig.9 a-b, p. 102: CNI 60/11109;
C1 (=Aluoja-Uhaku); Wolchow, Dubowiki
(=Duboviki), Russia. Coll.: Fr.Schmidt

Illaeus sinuatus Holm, 1886

Vol. III, pl.IV, fig.10 a-b, p. 102: CNI 62/11109;
C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy),
Russia. Coll.: Plautin

Illaeus sp.

Vol. III, pl.III, fig.2 a-f, p. ?: CNI 136/11109; C1
(=Aluoja-Uhaku); Peuthof, Estland (=Päite),
Estonia.

Illaeus sp.

Vol. III, pl.VII, fig.12 a-b.: CNI 137/11109; C1
(=Aluoja-Uhaku); Reval (=Tallinn), Estonia.

Illaeus sp.

Vol. III, pl.XII, fig.14, p. 170: CNI 134/11109; G
(=Llandovery); Insel Dago, Kallasto (=Kallaste
on Hiumaa), Estonia.

Illaeus sp.

Vol. III, pl.XII, fig.15, p. 171: CNI 135/11109; G
(=Llandovery); Dago, Kallasto (=Kallaste on
Hiiumaa), Estonia.

Illaeus sp.

Vol. III, pl.XII, fig.16 a-c, p. 169: CNI
132/11109; C2 (=Kukruse); Kuckers (=Kukruse),
Estonia. Coll.: Fr.Schmidt

Illaeus sp.

Vol. III, pl.XII, fig.17 a-b, p. 169: CNI
133/11109; C2 (=Kukruse); Kuckers (=Kukruse),
Estonia. Coll.: Fr.Schmidt

Illaeus sphaericus Holm, 1883

Vol. III, pl.I, fig.15 a-c, p. 54: CNI 3/11109; C2
(=Kukruse); Wrangelstein, Estland (=Maidla),
Estonia.

Illaeus sphaericus Holm, 1883

Vol. III, textfig.1, p. 55: Missing; C2-3
(=Kukruse-Idavere);

Illaenus sulcatus Lindström, 1885

Vol. VI, textfig.6, p. 51: CNI 17/11155; K;
Strande bei Karral auf Ösel (=Beach at Karala on
Saaremaa), Estonia.

Illaenus sulcifrons Holm, 1886

Vol. III, pl.III, fig.6 a-d, p. 82: NT; C1 (=Aluoja-Uhaku); Ingermanland, Popowka (=Popovka), Russia. Originally in the collections of the Bergakademie, St. Petersburg.

Illaenus sulcifrons Holm, 1886

Vol. III, pl.VIII, fig.23, p. 82: CNI 31/11109;
C1a (=Aluoja-Aseri); Korküll bei Asserien,
Estland (=Kôrkküla near Aseri), Estonia.

Illaenus sulcifrons Holm, 1886

Vol. III, pl.XII, fig.11 a-b, p. 82: CNI 30/11109;
C1a (=Aluoja-Aseri); Korküll bei Asserien,
Estland (=Kôrkküla near Aseri), Estonia. Coll.:
Fr.Schmidt & Holm

Illaenus sulcifrons Holm, 1886

Vol. III, pl.XII, fig.12 a-b, p. 82: CNI 31/11109;
C1a (=Aluoja-Aseri); Korküll bei Asserien,
Estland (=Kôrkküla near Aseri), Estonia. Coll.:
Fr.Schmidt

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.1 a-c, p. 74: Missing; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.2 a-c, p. 74: CNI 20/11109; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.3, p. 74: Missing; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.4, p. 74: CNI 21/11109; C1
(=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.5, p. 74: CNI 22/11109; C1
(=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.6 a-b, p. 74: CNI 23/11109;
C1a (=Aluoja-Aseri); Reval (=Tallinn), Estonia.

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.7, p. 74: CNI 24/11109; C1a
(=Aluoja-Aseri); Leppiko bei Leetz, Estland
(=Lepiku near Leetse), Estonia.

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.8, p. 74: NT; C1a (=Aluoja-Aseri); Reval (=Tallinn), Estonia. Originally in the Petrowsk (now Timiryazev) Academy of Agricultural sciences, Moscow.

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.9, p. 74: CNI 25/11109; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.10, p. 74: CNI 26/11109; C1;
Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Illaenus tauricornis Kutorga, 1848

Vol. III, pl.VI, fig.11 a-b, p. 74: CNI 27/11109;
C1; Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Illaenus triquetrus Volborth, 1863

Vol. III, pl.XI, fig.5 a-b, p. 159: CNI 124/11109;
C1?; Pawlowsk (=Pavlovsk), Russia.

Illaenus triquetrus Volborth, 1863

Vol. III, pl.XI, fig.6 a-b, p. 159: PSM 149/44;
C1?; Pulkowa (=Pulkova), Russia.

Illaenus triquetrus Volborth, 1863

Vol. III, pl.XI, fig.7 a-c, p. 159: CNI 125/11109;
C1?; Pawlowsk (=Pavlovsk), Russia.

Illaenus triquetrus Volborth, 1863

Vol. III, pl.XI, fig.8, p. 159: NT; C1?; Pulkowa
(=Pulkova), Russia. Originally in the collections
of the Mineralogischen gesellschaft, St.
Petersburg

Illaenus triquetrus Volborth, 1863

Vol. III, pl.XI, fig.9 a-b, p. 159: CNI 126/11109;
C1?; Pawlowsk (=Pavlovsk), Russia.

Illaenus triquetrus Volborth, 1863

Vol. III, pl.XI, fig.10 a-c, p. 159: CNI 127/11109;
C1?; Pulkowa (=Pulkova), Russia.

Isotelus (Brachyaspis) robustus Römer, 1861

Vol. V-II, pl.XI, fig.9, p. 93: CNI 118/11152?;
F2 (=Porkuni); Borkholm (=Porkuni), Estonia.

Isotelus (Brachyaspis) robustus Römer, 1861

Vol. V-II, pl.XI, fig.10, p. 93: CNI 119/11152?; F1b (F1c); Piersal (=Piirsalu), Estonia.

Isotelus (Brachyaspis) robustus Römer, 1861

Vol. V-II, pl.XI, fig.11, p. 93: NT; F1b (F1c); Rannaküll bei Hapsal (=Rannaküla near Haapsalu), Estonia. Originally in the collections of the Gesellschaft für Naturforschung, Dorpat (Tartu) Estonia.

Isotelus (Brachyaspis) robustus Römer, 1861

Vol. V-II, pl.XII, fig.3, p. 93: CNI 120/11152; F1b (F1c); Aus Schwarzen in Estland (=Vardi, Erratics), Estonia.

Isotelus (Brachyaspis) robustus Römer, 1861

Vol. V-II, pl.XII, fig.4, p. 93: CNI 121/11152; F1b (F1c); Aus Schwarzn in Estland (=Vardi, Erratics), Estonia.

Isotelus platyrhachis Steinhardt, 1874

Vol. V-II, pl.X, fig.13,13a, p. 91: CNI 114/11152; F1a; Neuenhof in Harrien (=Kose-Uuemõisa), Estonia.

Isotelus platyrhachis Steinhardt, 1874

Vol. V-II, pl.X, fig.14, p. 91: CNI 115/11152; F1a; Oddalem in Estland (=Odulemma), Estonia.

Isotelus platyrhachis Steinhardt, 1874

Vol. V-II, pl.X, fig.15, p. 91: CNI 116/11152; F1a; Oddalem in Estland (=Odulemma), Estonia.

Isotelus platyrhachis Steinhardt, 1874

Vol. V-II, pl.X, fig.16, p. 91: Missing; F1a; Oddalem in Estland (=Odulemma), Estonia.

Isotelus platyrhachis Steinhardt, 1874

Vol. V-II, pl.XI, fig.8, p. 91: CNI 117/11152?; F1a; Oddalem (=Odulemma), Estonia.

Isotelus remigium Eichwald, 1858

Vol. V-II, pl.X, fig.17,17a, p. 88: CNI 106/11152; E (=Rakvere); Wesenberg (=Rakvere), Estonia.

Isotelus remigium Eichwald, 1858

Vol. V-II, pl.XI, fig.1, p. 88: CNI 107/11152; E (=Rakvere); Worms (=Vormsi), Estonia. Coll.: Baron R.Ungern. Original of Eichwald 1860, pl. 54, fig. 4, and Eichwald 1861, pl. 33, fig. 4.

Isotelus remigium Eichwald, 1858

Vol. V-II, pl.XI, fig.2, p. 88: CNI 108/11152; E (=Rakvere); Wesenberg (=Rakvere), Estonia.

Isotelus remigium Eichwald, 1858

Vol. V-II, pl.XI, fig.3, p. 88: CNI 109/11152; E (=Rakvere); Forby unweit Reval (=Voore, not far from Tallin), Estonia.

Isotelus remigium Eichwald, 1858

Vol. V-II, pl.XI, fig.4, p. 88: CNI 110/11152; E (=Rakvere); Wesenberg (=Rakvere), Estonia.

Isotelus remigium Eichwald, 1858

Vol. V-II, pl.XI, fig.5, p. 88: CNI 111/11152; E (=Rakvere); Wesenberg (=Rakvere), Estonia.

Isotelus remigium Eichwald, 1858

Vol. V-II, pl.XI, fig.6, p. 88: CNI 112/11152; E (=Rakvere); Wesenberg (=Rakvere), Estonia.

Isotelus remigium Eichwald, 1858

Vol. V-II, pl.XI, fig.7, p. 88: CNI 113/11152; E (=Rakvere); Wesenberg (=Rakvere), Estonia.

Isotelus remigium Eichwald, 1858

Vol. V-II, textfig.53, p. 89: CNI 107/11152; E (=Rakvere); Worms (=Vormsi), Estonia. Coll.: Eichwald

Isotelus robustus Römer, 1861

Vol. V-II, textfig.54, p. 94: CNI 119/11152; F1b (F1c); Piersal (=Piirsalu), Estonia.

Isotelus robustus Römer, 1861

Vol. V-II, textfig.55, p. 94: CNI 119/11152; F1b (F1c); Piersal (=Piirsalu), Estonia.

Isotelus robustus Römer, 1861

Vol. V-II, textfig.56, p. 94: CNI 122/11152; F1b (F1c); Piersal (=Piirsalu), Estonia.

Isotelus robustus Römer, 1861

Vol. V-II, textfig.57, p. 95: Missing; F1b (F1c); Schwarzen (=Vardi, Erratics), Estonia.

Isotelus stacyi Schimdt, 1901

Vol. V-II, pl.IX, fig.8, p. 96: CNI 124/11152; B3B (B3gama) (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

Isotelus stacyi Schimdt, 1901

Vol. V-II, pl.IX, fig.9, p. 96: CNI 124/11152; B3b (B3gama) (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

Isotelus stacyi Schmidt, 1901

Vol. V-II, pl.IX, fig.10, p. 96: CNI 125/11152; B3b (B3gama) (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

Isotelus stacyi Schmidt, 1901

Vol. V-II, pl.IX, fig.7, p. 96: CNI 123/11152; B3b (B3gama) (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

Isotelus stacyi Schmidt, 1901

Vol. V-I, textfig.1, p. 27: Missing; B3b (=Valaste-Aluoja); Reval, Estland (=Tallinn), Estonia.

Isotelus stacyi Schmidt, 1901

Vol. V-I, textfig.2, p. 27: Missing; B3b (=Valaste-Aluoja); Reval, Estland (=Tallinn), Estonia.

Isotelus stacyi Schmidt, 1901

Vol. V-II, textfig.58, p. 97: Missing; B3b (=Valaste-Aluoja); Archangelskoje am Wolchow (=Archangelskoje), Russia. Coll.: Lamanski

Lichas (Arges) wesenbergensis Schmidt, 1885

Vol. II, pl.VI, fig.1, p. 44: Missing; E (=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Arges) wesenbergensis Schmidt, 1885

Vol. II, pl.VI, fig.2, p. 44: PIN 4248/189; E (=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Arges) wesenbergensis Schmidt, 1885

Vol. II, pl.VI, fig.3, p. 46: Missing; F1 (=Nabala-Pirgu); Kuiwajõrgi (=Kuivajõgi), Estonia.

Original of *Lichas laticeps* of Nieszkowski 1857, pl. 6, fig. 20.

Lichas (Arges) wesenbergensis Schmidt, 1885

Vol. II, pl.VI, fig.4, p. 46: CNI 6/11101; F1 (F1a) (=Nabala-Pirgu); Oddalem bei Lawa (=Odulemma near Liiva), Estonia.

Lichas (Ceratolichas) inexpectatus Schmidt, 1907

Vol. VI, pl.II, fig.12,12a, p. 40: CNI 29/11155; C2 (=Kukruse); Kuckers (=Kukruse), Estonia. Coll.: Dr.Gagel,1897

Lichas (Conolichas) aequiloba Steinhardt, 1874

Vol. II, pl.V, fig.4 a,b, p. 89: CNI 56/11101; D2 (=Keila); Kedder (=Kehra), Estonia.

Lichas (Conolichas) aequiloba Steinhardt, 1874

Vol. II, pl.V, fig.5, p. 89: CNI 57/11101; D2 (=Keila); Sommerhusen (=Sômeru), Estonia.

Lichas (Conolichas) aequiloba Steinhardt, 1874

Vol. II, pl.V, fig.6, p. 89: CNI 58/11101; D2 (=Keila); Kegel (=Keila), Estonia.

Lichas (Conolichas) aequiloba Steinhardt, 1874

Vol. II, pl.V, fig.7, p. 89: Missing; D2 (=Keila);

Lichas (Conolichas) aequiloba Steinhardt, 1874

Vol. II, pl.V, fig.8 a,b, p. 89: NT; D2 (=Keila); Parizy bei Gatschina (=Parizy Gatschina), Russia. Coll.: Bock. Originally in the collections of the Berginstitut, St. Petersburg.

Lichas (Conolichas) aequiloba Steinhardt, 1874

Vol. II, pl.V, fig.9, p. 89: CNI 59/11101; D2 (=Keila); Paesküll (=Pääsküla), Estonia.

Lichas (Conolichas) aequiloba Steinhardt, 1874

Vol. II, pl.V, fig.10, p. 89: CNI 181/11101; D2 (=Keila); Ristinna (=Ristna, cliff along the beach), Estonia.

Lichas (Conolichas) schmidti Dames, 1877

Vol. II, pl.IV, fig.36 a-c, p. 92: CNI 36/11101; D2 (=Keila); Paesküll (=Pääsküla), Estonia. Original of Dames 1877, pl. 13, fig. 6.

Lichas (Conolichas) schmidti Dames, 1877

Vol. II, pl.IV, fig.37, p. 92: CNI 61/11101; D2 (=Keila); Paesküll (=Pääsküla), Estonia.

Lichas (Conolichas) schmidti Dames, 1877

Vol. II, pl.IV, fig.38, p. 92: PIN 4248/248,249; D2 (=Keila); Friedrichshoff (=Saue), Estonia.

Lichas (Conolichas) triconicus Dames, 1877

Vol. II, pl.V, fig.1 a-b, p. 87: CNI 53/11101; C4 (C3) ; Itfer (=Idavere), Estonia.

Lichas (Conolichas) triconicus Dames, 1877

Vol. II, pl.V, fig.2, p. 87: CNI 54/11101; C4 (C3) ; Itfer (=Idavere), Estonia.

Lichas (Conolichas) triconicus Dames, 1877

Vol. II, pl.V, fig.3, p. 87: CNI 55/11101; C4 (C3) ; Itfer (=Idavere), Estonia.

Lichas (Conolichas) triconicus Dames, 1877

Vol. VI, pl.II, fig.10, p. 40: CNI 13/11155; C3 (=Idavere); Itfer (=Idavere), Estonia.

Lichas (Conolichas) triconicus Dames, 1877

Vol. VI, pl.II, fig.11, p. 40: CNI 14/11155; C3 (D1) (=Idavere); Allika, Zwischen Hark und Kegel (=Alliku), Estonia.

Lichas (Homolichas) angusta Beyrich, 1846

Vol. II, pl.IV, fig.18 a,b, p. 108: **Missing**; F (F1c) (=Harju Series); Shwarzen (=Vardi (Erratics)), Estonia.

Lichas (Homolichas) angusta Beyrich, 1846

Vol. II, pl.IV, fig.19, p. 108: **CNI 84/11101**; F (F1c) (=Harju Series); Schwarzen (=Vardi (Erratics)), Estonia.

Lichas (Homolichas) angusta Beyrich, 1846

Vol. II, pl.IV, fig.20, p. 108: **CNI 85/11101**; F (F1a) (=Harju Series); Oddalem bei Liwa (=Odulemma near Liiva, Quarry), Estonia.

Lichas (Homolichas) angusta Beyrich, 1846

Vol. II, pl.IV, fig.21, p. 108: **CNI 73/11101**; F (F1a) (=Harju Series); Oddalem bei Liwa (=Odulemma near Liiva, Quarry), Estonia.

Lichas (Homolichas) angusta Beyrich, 1846

Vol. II, pl.IV, fig.22, p. 108: **CNI 87/11101**; F (F1a) (=Harju Series); Oddalem bei Liwa (=Odulemma near Liiva, Quarry), Estonia.

Lichas (Homolichas) angusta Beyrich, 1846

Vol. II, pl.IV, fig.23, p. 108: **CNI 88/11101**; F (F1a) (=Harju Series); Oddalem bei Liwa (=Odulemma near Liiva, Quarry), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.24 a,b, p. 101: **CNI 70/11101**; D2 (=Keila); Kegel (=Keila), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.25, p. 101: **CNI 71/11101**; D2 (=Keila); Kegel (=Keila), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.26, p. 101: **CNI 72/11101**; D2 (=Keila); Kegel (=Keila), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.27, p. 101: **Missing**; D2 (=Keila); Kegel (=Keila), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.28, p. 101: **Missing**; D2 (=Keila);

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.29 a,b, p. 101: **CNI 86/11101**; D2 (=Keila); Ristninna (=Ristna, cliff along the beach), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.30, p. 101: **CNI 74/11101**; D2 (=Keila); Ristninna (=Ristna, cliff along the beach), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.31, p. 101: **Missing**; D2 (=Keila); Wait (=Vaida), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.32, p. 101: **CNI 75/11101**; D2 (=Keila); Friedrichshof (=Saue), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.33, p. 101: **CNI 76/11101**; D2 (=Keila); Kegel (=Keila), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.34 a,b, p. 101: **CNI 77/11101**; D2 (=Keila); Pasik (=Paasiku), Estonia.

Lichas (Homolichas) deflexa Angelin, 1854

Vol. II, pl.IV, fig.35, p. 101: **CNI 78/11101**; D2 (=Keila); Wait (=Vaida), Estonia.

Lichas (Homolichas) depressa Angelin, 1854

Vol. II, pl.IV, fig.1 a-d, p. 95: **CNI 62/11101**; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Homolichas) depressa Angelin, 1854

Vol. II, pl.IV, fig.2, p. 95: **CNI 63/11101**; C2 (=Kukruse); Erras (=Erra), Estonia.

Lichas (Homolichas) depressa Angelin, 1854

Vol. II, pl.IV, fig.3 a,b, p. 95: **CNI 64/11101**; C2 (=Kukruse); Spitham (Geschiebe) (=Pôôsaspea, Erratics), Estonia.

Lichas (Homolichas) depressa Angelin, 1854

Vol. II, pl.IV, fig.4, p. 95: **CNI 65/11101**; C2 (=Kukruse); Kokka bei Baltischport (=? near Paldiski), Estonia.

Lichas (Homolichas) depressa Angelin, 1854

Vol. II, pl.IV, fig.5, p. 95: **CNI 66/11101**; C2 (=Kukruse); Spitham (Geschiebe) (=Pôôsaspea, Erratics), Estonia.

Lichas (Homolichas) eichwaldi Nieszkowski, 1857

Vol. II, pl.IV, fig.10 a,b, p. 104: **PSM 149/14**; E (=Rakvere); Wesenberg (=Rakvere), Estonia.
Coll.: Eichwald

Lichas (Homolichas) eichwaldi Nieszkowski, 1857

Vol. II, pl.IV, fig.11, p. 104: **CNI 79/11101**; E (=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Homolichas) cichwaldi Nieszkowski, 1857
Vol. II, pl.IV, fig.12 a,b, p. 104: CNI 80/11101; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Homolichas) eichwaldi Nieszkowski, 1857
Vol. II, pl.IV, fig.13, p. 104: CNI 81/11101; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Homolichas) eichwaldi Nieszkowski, 1857
Vol. II, pl.IV, fig.14, p. 104: Missing; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Homolichas) eichwaldi Nieszkowski, 1857
Vol. II, pl.IV, fig.15, p. 104: CNI 82/11101; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Homolichas) eichwaldi Nieszkowski, 1857
Vol. II, pl.IV, fig.16, p. 104: Missing; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Homolichas) eichwaldi Nieszkowski, 1857
Vol. II, pl.IV, fig.17, p. 104: CNI 83/11101; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Homolichas) pahleni Schmidt, 1885
Vol. II, pl.IV, fig.6, p. 97: CNI 67/11101; D1
(=Johvi); Eisenbahndurchschnitt bei Nömmis
(=Exposure along the railway at Nõmmise near
Viru-Kabala), Estonia.

Lichas (Homolichas) pahleni Schmidt, 1885
Vol. II, pl.IV, fig.7 a,b, p. 97: CNI 68/11101; D1
(=Johvi); Kawast (=Kavastu), Estonia.

Lichas (Homolichas) pahleni Schmidt, 1885
Vol. II, pl.IV, fig.8, p. 97: CNI 69/11101; D1
(=Johvi); Nömmis bei Kappel (=Nõmmise near
Viru-Kabala), Estonia.

Lichas (Homolichas) pahleni Schmidt, 1885
Vol. II, pl.IV, fig.9, p. 97: NT; D1 (=Johvi);
Kuckers (=Kukruse), Estonia. Coll.: Berlin
Museum. Originally in Humboldt Museum für
Naturkunde, Berlin.

Lichas (Homolichas) pahleni Schmidt, 1885
Vol. VI, textfig.13, p. 102: CNI 15/11155; D
(=Johvi-Oandu); Chrewiza (=Molotkovici),
Belarus. Coll.: W.Lamanski.

Lichas (Homolichas) plautini Schmidt, 1885
Vol. II, pl.II, fig.17a,b, p. 75: CNI 36/11101; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Lichas (Homolichas) plautini Schmidt, 1885
Vol. II, pl.II, fig.18a,b,c, p. 75: CNI 37/11101;
C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy),
Russia. Coll.: Plautin

Lichas (Homolichas) plautini Schmidt, 1885
Vol. II, pl.II, fig.19, p. 75: Missing; C1 (=Aluoja-
Uhaku); Gostilizy (=Gostilitsy), Russia.

Lichas (Homolichas) plautini Schmidt, 1885
Vol. II, pl.II, fig.20, p. 75: CNI 38/11101; C1
(=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.
Coll.: Plautin

Lichas (Homolichas) plautini Schmidt, 1885
Vol. II, pl.II, fig.21, p. 75: Missing; C1 (=Aluoja-
Uhaku); Gostilizy (=Gostilitsy), Russia.

Lichas (Homolichas) plautini Schmidt, 1885
Vol. II, pl.II, fig.22a,b, p. 75: Missing; C1
(=Aluoja-Uhaku); Coll.: Plautin

Lichas (Homolichas) plautini Schmidt, 1885
Vol. II, pl.II, fig.23, p. 75: Missing; C1 (=Aluoja-
Uhaku); Coll.: Plautin. May be in Königsberg.

Lichas (Homolichas) plautini Schmidt, 1885
Vol. II, pl.II, fig.24, p. 75: Missing; C1 (=Aluoja-
Uhaku);

**Lichas (Hoplolichas) conicotuberculata Nieszkowski,
1859**
Vol. II, pl.III, fig.13 a,b,c, p. 82: PIN 4248/121;
C1-C2 (=Aseri-Kukruse); Reval (=Tallinn),
Estonia.

**Lichas (Hoplolichas) conicotuberculata Nieszkowski,
1859**
Vol. II, pl.III, fig.14, p. 82: CNI 44/11101; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

**Lichas (Hoplolichas) conicotuberculata Nieszkowski,
1859**
Vol. II, pl.III, fig.15 a,b, p. 82: CNI 45/11101; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

**Lichas (Hoplolichas) conicotuberculata Nieszkowski,
1859**
Vol. II, pl.III, fig.16, p. 82: Missing; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

**Lichas (Hoplolichas) conicotuberculata Nieszkowski,
1859**
Vol. II, pl.III, fig.17, p. 82: CNI 46/11101; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Hoplolichas) conicotuberculata Nieszkowski, 1859

Vol. II, pl.III, fig.18, p. 82: CNI 47/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Hoplolichas) conicotuberculata Nieszkowski, 1859

Vol. II, pl.III, fig.19, p. 82: PIN 4248/121; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Hoplolichas) conicotuberculata Nieszkowski, 1859

Vol. II, pl.III, fig.20, p. 82: CNI 48/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Hoplolichas) conicotuberculata Nieszkowski, 1859

Vol. II, pl.III, fig.21, p. 82: CNI 49/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Hoplolichas) conicotuberculata Nieszkowski, 1859

Vol. II, pl.III, fig.22 a,b, p. 82: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Hoplolichas) conicotuberculata Nieszkowski, 1859

Vol. II, pl.III, fig.23 a,b, p. 82: CNI 50/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Hoplolichas) conicotuberculata Nieszkowski, 1859

Vol. II, pl.III, fig.24, p. 82: CNI 51/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Hoplolichas) conicotuberculata Nieszkowski, 1859

Vol. II, pl.III, fig.25, p. 82: CNI 52/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Hoplolichas) furcifer Schmidt, 1885

Vol. II, pl.III, fig.6, p. 80: Missing; C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Lichas (Hoplolichas) furcifer Schmidt, 1885

Vol. II, pl.III, fig.7, p. 80: Missing; C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.

Lichas (Hoplolichas) furcifer Schmidt, 1885

Vol. II, pl.III, fig.8 a,b, p. 80: CNI 40/11101; C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia.

Lichas (Hoplolichas) furcifer Schmidt, 1885

Vol. II, pl.III, fig.9, p. 80: CNI 41/11101; C1; Gostilizy (=Gostilitsy), Russia.

Lichas (Hoplolichas) furcifer Schmidt, 1885

Vol. II, pl.III, fig.10, p. 80: CNI 42/11101; C1; Odensholm (Geschiebe) (=Osmussaar, Erratics),

Lichas (Hoplolichas) furcifer Schmidt, 1885

Vol. II, pl.III, fig.11, p. 80: Missing; C1; Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Lichas (Hoplolichas) furcifer Schmidt, 1885

Vol. II, pl.III, fig.12, p. 80: CNI 43/11101; C1; Gostilizy (=Gostilitsy), Russia.

Lichas (Hoplolichas) furcifer Schmidt, 1885

Vol. VI, pl.II, fig.9, p. 39: CNI 12/11155; C1a (=Aluoja-Aseri); Pulkowka (=Pulkovka), Russia.

Lichas (Hoplolichas) longispina Schmidt, 1885

Vol. II, pl.II, fig.25, p. 75: PIN 4248/441; C2 Brandschleifer (=Kukruse); Wannamois bei Tolks (=Vanamõisa near Kohala), Estonia.

Lichas (Hoplolichas) tricuspidata Beyrich, 1846

Vol. II, pl.II, fig.12, p. 69: NT; C1 (=Aluoja-Uhaku); Coll.: Berlin Museum. Originally in Humboldt Museum für Naturkunde, Berlin.

Lichas (Hoplolichas) tricuspidata Beyrich, 1846

Vol. II, pl.II, fig.13, p. 69: NT; C1 (=Aluoja-Uhaku); Coll.: Berlin Museum. Originally in Humboldt Museum für Naturkunde, Berlin.

Lichas (Hoplolichas) tricuspidata Beyrich, 1846

Vol. II, pl.II, fig.14, p. 69: CNI 35/11101; C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Lichas (Hoplolichas) tricuspidata Beyrich, 1846

Vol. II, pl.II, fig.15a,b, p. 69: PSM 149/6; C1 (=Aluoja-Uhaku); Odensholm (=Osmussaar), Estonia. Coll.: Eichwald

Lichas (Hoplolichas) tricuspidata Beyrich, 1846

Vol. II, pl.II, fig.16, p. 69: PIN 4248/222; C1 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia. Coll.: Mr. Stacy

Lichas (Leiolichas) illaenoides Nieszkowski, 1857

Vol. II, pl.III, fig.27 a-c, p. 46: PIN 4248/191; D2 (=Keila); Poll (=Pôlula), Estonia.

Lichas (Leiolichas) illaenoides Nieszkowski, 1857

Vol. II, pl.III, fig.28, p. 46: Missing; D2 (=Keila); Wesenberg (Geschiebe) (=Rakvere, Erratics), Estonia. Original of Nieszkowski 1857, pl. 3, fig. 3-5.

Lichas (Leiolichas) illaenoides Nieszkowski, 1857
Vol. II, pl.III, fig.29, p. 46: Missing; D2 (=Keila); Wesenberg (Geschiebe) (=Rakvere), Estonia.
Original of Nieszkowski 1857, pl. 3, fig. 3-5.

Lichas (Leiolichas) illaenoides Nieszkowski, 1857
Vol. II, pl.III, fig.30 a,b, p. 46: CNI 4/11101; D2 (=Keila); Poll (=Pôlula), Estonia.

Lichas (Leiolichas) illaenoides Nieszkowski, 1857
Vol. II, pl.III, fig.31, p. 46: CNI 5/11101; D2 (=Keila); Poll (=Pôlula), Estonia.

Lichas (Metopias) celorhin Angelin, 1854
Vol. II, pl.I, fig.4, p. 56: PIN 4248/449; B3 (=Valaste-Aluoja); Obuchowa am Wolchow (=Obuchova), Russia.

Lichas (Metopias) celorhin Angelin, 1854
Vol. II, pl.I, fig.5, p. 56: NT; B3 (=Valaste-Aluoja); Wolchow (=Volkhov river), Russia.
Originally in the collections of the Geologischen Comité, St. Petersburg.

Lichas (Metopias) celorhin Angelin, 1854
Vol. II, pl.I, fig.6, p. 56: CNI 14/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) celorhin Angelin, 1854
Vol. VI, pl.II, fig.5a,b,c, p. 29: PIN 4248/65; B2b (=Langevoja-Hunderum); Isows am Wolchow (=Izvos), Russia. Coll.: O.Knyrko

Lichas (Metopias) celorhin Angelin, 1854
Vol. VI, textfig.4, p. 30: PIN 4248/45; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia. Coll.: P.Knyrko

Lichas (Metopias) celorhin var. coniceps Angelin, 1854
Vol. II, pl.I, fig.7a,b, p. 56: CNI 15/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) celorhin var. coniceps Angelin, 1854
Vol. II, pl.I, fig.8, p. 57: CNI 16/11101; B2 Glauconitenkalk; Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) celorhin var. coniceps Angelin, 1854
Vol. II, pl.I, fig.9a-c, p. 58: PIN 4248/446; B2 Aus dem Glauconitenkalk; Iswos am Wolchow (=Izvos on Volkhov river), Russia.

Lichas (Metopias) hübneri Eichwald, 1843
Vol. II, pl.I, fig.13a,b, p. 65: CNI 29/11101; C1; Reval (=Tallinn), Estonia. Coll.: Eichwald.
Original of Eichwald 1843 pl.3, fig. 21-22.
designated as Holotype by Thomas & Holloway 1988, p. 214. (see references afterpart 3)

Lichas (Metopias) hübneri Eichwald, 1843
Vol. II, pl.I, fig.14a-d, p. 65: CNI 30/11101; C1 (=Aluoja-Uhaku); Reval (=Tallinn), Estonia.
Coll.: Pahlen

Lichas (Metopias) hübneri Eichwald, 1843
Vol. VI, pl.II, fig.6, p. 37: CNI 27/11155; C1b (=Lasnamagi-Uhaku); Palms (=Palmse), Estonia.

Lichas (Metopias) hübneri Eichwald, 1843
Vol. VI, pl.II, fig.7, p. 37: CNI 10/11155; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia.

Lichas (Metopias) kuckersianus Schmidt, 1885
Vol. II, pl.III, fig.1, p. 67: CNI 31/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Metopias) kuckersianus Schmidt, 1885
Vol. II, pl.III, fig.2, p. 67: CNI 32/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Metopias) kuckersianus Schmidt, 1885
Vol. II, pl.III, fig.3, p. 67: CNI 33/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Metopias) kuckersianus Schmidt, 1885
Vol. II, pl.III, fig.4, p. 67: CNI 34/11101; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Metopias) kuckersianus Schmidt, 1885
Vol. II, pl.III, fig.5, p. 67: PIN 4248/24; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Lichas (Metopias) kuckersianus Schmidt, 1885
Vol. VI, pl.II, fig.8, p. 38: CNI 11/11155; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia.
Coll.: O.Knyrko

Lichas (Metopias) pachyrhina var. longerostrata Schmidt, 1881

Vol. II, pl.I, fig.12a,b, p. 60: PIN 4248/213; B3 Aus dem Vaginatenkalk (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

Lichas (Metopias) platyrhinus Schmidt, 1907

Vol. VI, pl.II, fig.1, p. 34: PIN 4248/55; B3a (=Hunderum-Valaste); Isows am Wolchow (=Izvos), Russia. Coll.: O.Knyrko (?)

Lichas (Metopias) platyrhinus Schmidt, 1907
Vol. VI, pl.II, fig.2,2a,2b, p. 34: PIN 4248/58; B3a (=Hunderum-Valaste); Isows am Wolchow (=Izvos), Russia. Coll.: O.Knyrko (?)

Lichas (Metopias) platyrhinus Schmidt, 1907
Vol. VI, pl.II, fig.3,3a, p. 34: Missing; B3a (=Hunderum-Valaste); Isows am Wolchow (=Izvos), Russia. Coll.: O.Knyrko (?)

Lichas (Metopias) platyrhinus Schmidt, 1907
Vol. VI, pl.II, fig.4, p. 34: PIN 4248/4; B3a (=Hunderum-Valaste); Isows am Wolchow (=Izvos), Russia. Coll.: O.Knyrko (?)

Lichas (Metopias) platyrhinus Schmidt, 1907
Vol. VI, textfig.5, p. 34: PIN 4248/180; B3a (=Hunderum-Valaste); Iswos am Wolchow (=Izvos), Russia. Coll.: O.Knyrko

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.1a,b, p. 62: NT; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia. Coll.: Eichwald. Originally in the Museum of Paleontology & Stratigraphy, University of St. Petersburg.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.2, p. 62: CNI 18/11101; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.3, p. 62: CNI 19/11101; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.4, p. 62: CNI 20/11101; B3 (=Valaste-Aluoja); Reval (=Tallinn), Estonia. Coll.: Plautin

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.5a,b, p. 62: CNI 21/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.6, p. 62: CNI 22/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.7, p. 62: CNI 23/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.8, p. 62: CNI 24/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.9, p. 62: CNI 25/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.10a, p. 62: CNI 26/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.10b, p. 62: CNI 27/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. II, pl.II, fig.11a,b, p. 62: CNI 28/11101; B3 (=Valaste-Aluoja); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) verrucosus Eichwald, 1843
Vol. VI, pl.I, fig.22, p. 32: Missing; B2b (=Langevoja-Hunderum); Pawlowsk (=Pavlovsk), Russia.

Lichas (Metopias) verrucosus var. circumscripta Schmidt, 1885

Vol. VI, pl.I, fig.21, p. 32: CNI 9/11155; B2b (=Langevoja-Hunderum); Wolchow bei Obuchowo (=Volkhov), Russia. Coll.: O.Knyrko

Lichas (Metopias) verrucosus var. typica Schmidt, 1885

Vol. VI, pl.I, fig.20, p. 32: CNI 8/11155; B2b (=Langevoja-Hunderum); Wolchow (=Volkhov), Russia. Coll.: W.Lamanski

Lichas (Oncholichas) gotlandica Angelin, 1854
Vol. II, pl.VI, fig.21, p. 113: CNI 89/11101; (J1) ; Kerkau (=Kergu), Estonia.

Lichas (Oncholichas) ornata Angelin, 1854
Vol. II, pl.VI, fig.18 a,b, p. 109: NT; J (J1) (=Jaani Stage, Wenlock); Kerkau (=Kergu), Estonia. Originally in the collections of the Gesellschaft für Naturforschung, Dorpat (Tartu) Estonia.

Lichas (Oncholichas) ornata Angelin, 1854

Vol. II, pl.VI, fig.19, p. 109: Missing; J (J1)
(=Jaani Stage, Wenlock); Kerkau (=Kergu),
Estonia.

Lichas (Oncholichas) ornata Angelin, 1854

Vol. II, pl.VI, fig.20, p. 109: Missing; J (J1)
(=Jaani Stage, Wenlock); Kerkau (=Kergu),
Estonia.

Lichas (Platymetopus) dalecarlica Angelin, 1854

Vol. II, pl.VI, fig.11, p. 53: CNI 11/11101; F
(F1c) (=Harju Series); Schwarzen (=Vardi,
Erratics), Estonia.

Lichas (Platymetopus) dalecarlica Angelin, 1854

Vol. II, pl.VI, fig.12 a-c, p. 53: PIN 4248/23; F
Leptaenakalk (=Harju Series); Dalarna, Sweden.
Coll.: Holm

Lichas (Platymetopus) dalecarlica Angelin, 1854

Vol. II, pl.VI, fig.13, p. 53: CNI 12/11101; F
(F1c) (=Harju Series); Schwarzen (=Vardi,
Erratics), Estonia.

Lichas (Platymetopus) holmi Schmidt, 1885

Vol. II, pl.VI, fig.14 a,b, p. 54: Missing; E
(=Rakvere); Raggafeber bei Wesenberg (=Rägavere
near Rakvere), Estonia.

Lichas (Platymetopus) holmi Schmidt, 1885

Vol. II, pl.VI, fig.15, p. 54: PIN 4248/206; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Platymetopus) holmi Schmidt, 1885

Vol. II, pl.VI, fig.16, p. 54: CNI 13/11101; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Platymetopus) holmi Schmidt, 1885

Vol. II, pl.VI, fig.17, p. 54: Missing; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Lichas (Platymetopus) laevis Eichwald, 1854

Vol. II, pl.VI, fig.5 a-c, p. 49: Missing; F (F1a)
(=Harju Series); Neuenhof bei Kosch (=Kose-
Uuemõisa), Estonia.

Lichas (Platymetopus) laevis Eichwald, 1854

Vol. II, pl.VI, fig.6, p. 49: CNI 7/11101; F (F1a)
(=Harju Series); Oddalem bei Liwa (=Odulemma
near Liiva), Estonia.

Lichas (Platymetopus) laevis Eichwald, 1854

Vol. II, pl.VI, fig.7, p. 49: CNI 8/11101; F (F1a)
(=Harju Series); Oddalem bei Liwa (=Odulemma
near Liiva), Estonia.

Lichas (Platymetopus) laevis Eichwald, 1854

Vol. II, pl.VI, fig.8, p. 49: CNI 9/11101; F (F1a)
(=Harju Series); Oddalem bei Liwa (=Odulemma
near Liiva), Estonia.

Lichas (Platymetopus) laevis Eichwald, 1854

Vol. II, pl.VI, fig.9 a,b, p. 49: CNI 10/11101; F
(F1a) (=Harju Series); Neuenhof bei Kosch
(=Kose-Uuemõisa), Estonia.

Lichas (Platymetopus) laevis Eichwald, 1854

Vol. II, pl.VI, fig.10, p. 49: PIN 4248/201; F
(F1a) (=Harju Series); Oddalem bei Lawa
(=Odulemma near Liiva), Estonia.

Lichas (Platymetopus) lineatus Angelin, 1854

Vol. VI, pl.II, fig.14, p. 26: PIN 4248/67; F1a;
Sadjerw unweit Dorpat (=Saadjärv not far from
Tartu, Erratics), Estonia. Coll.: Baron E.von Toll.

Lichas (Platymetopus) lineatus Angelin, 1854

Vol. VI, textfig.3, p. 27: PIN 4248/44; F1
(=Nabala-Pirgu); Neuenhof bei Kosch (=Kose-
Uuemõisa), Estonia. Coll.: A.Mickwitz

Lichas (Platymetopus) lineatus Angelin, 1854

Vol. VI, textfig.12, p. 102: Missing; E
(=Rakvere); Paggar, Estonia. Coll.:
A.von.Schrenck.

Lichas cicatricosa Lovén, 1845

Vol. II, pl.V, fig.25 a-c, p. 122: CNI 102/11101;
F2 (=Porkuni); Borkholm (=Porkuni, Quarry),
Estonia.

Lichas cicatricosa Lovén, 1845

Vol. II, pl.V, fig.26, p. 122: CNI 103/11101; F2
(=Porkuni); Habbat (=Habaja), Estonia.

Lichas cicatricosa Lovén, 1845

Vol. VI, textfig.14,14a, p. 102: Missing; F2
Leptaenakalk; Gryssen in Dalarne, Sweden. Coll.:
G.Holm.

Lichas docens Schmidt, 1885

Vol. II, pl.V, fig.27 a-c, p. 121: Missing; F1
(F1b?) (=Nabala-Pirgu); Taps (=Tapa), Estonia.

Lichas hamata Schmidt, 1885

Vol. II, pl.VI, fig.22 a-c, p. 124: CNI 104/11101;
F1 (F1b) (=Nabala-Pirgu); Lyckholm
(=Lyckholm, Quarry), Estonia.

Lichas hamata Schmidt, 1885

Vol. II, pl.VI, fig.23, p. 124: Missing; F1 (F1b)
(=Nabala-Pirgu); Orrenhof (=Oru), Estonia.

Lichas hamata Schmidt, 1885

Vol. VI, pl.II, fig.13, p. 45: CNI 16/11155; F1
(F1b) (=Nabala-Pirgu); Hohenholm auf Dago
(=Kõrgessaare on Hiiumaa), Estonia. Coll.: Arvid
von Wahl

Lichas laxata M'Coy, 1846

Vol. II, pl.VI, fig.24, p. 125: CNI 105/11101; F1
(=Nabala-Pirgu); Neuenhof bei Kosch (=Kose-
Üuemöisa), Estonia.

Lichas margaritifer Nieszkowski, 1857

Vol. II, pl.V, fig.17, p. 118: Missing; F2
(=Porkuni); Borkholm (=Porkuni), Estonia.
Original of Nieszkowski 1857, pl. 1, fig. 15.

Lichas margaritifer Nieszkowski, 1857

Vol. II, pl.V, fig.18, p. 118: CNI 96/11101; F2
(=Porkuni); Borkholm (=Porkuni), Estonia.

Lichas margaritifer Nieszkowski, 1857

Vol. II, pl.V, fig.19, p. 118: CNI 97/11101; F2
(=Porkuni); Nömküll (=Nõmmküla, Ambla
parish), Estonia.

Lichas margaritifer Nieszkowski, 1857

Vol. II, pl.V, fig.20, p. 118: Missing; F2
(=Porkuni); Habbat (=Habaja), Estonia.

Lichas margaritifer Nieszkowski, 1857

Vol. II, pl.V, fig.21, p. 118: CNI 99/11101; F2
(=Porkuni); Borkholm (=Porkuni, Quarry),
Estonia.

Lichas margaritifer Nieszkowski, 1857

Vol. II, pl.V, fig.22, p. 118: CNI 100/11101; F2
(=Porkuni); Borkholm (=Porkuni, Quarry),
Estonia.

Lichas margaritifer Nieszkowski, 1857

Vol. II, pl.V, fig.23, p. 118: CNI 101/11101; F2
(=Porkuni); Habbat (=Habaja), Estonia.

Lichas margaritifer Nieszkowski, 1857

Vol. II, pl.V, fig.24, p. 118: Missing; F2
(=Porkuni); Habbat (=Habaja), Estonia.

Lichas pachyrhina Dalmann, 1827

Vol. II, pl.I, fig.10a-e, p. 59: CNI 17/11101; B3
Aus dem Vaginatenkalk (=Valaste-Aluoja); Der
Insel Rogö (=one of the Parki islands), Estonia.

Lichas pachyrhina Dalmann, 1827

Vol. II, pl.I, fig.11, p. 61: PIN 4248/172; B3 aus
dem Vaginatenkalk (=Valaste-Aluoja); der Insel
Rogö (=one of the Parki islands), Estonia.

Lichas sp.

Vol. II, pl.III, fig.26 a-d, p. 67: PSM 149/5; ?;
Coll.: Eichwald

Lichas sp.indet

Vol. II, pl.VI, fig.25, p. 127: NT; D1 (=Johvi); St.
Mathias (=Madise), Estonia. Originally in the
collections of the Gesellschaft für
Naturforschung, Dorpat (Tartu) Estonia.

Lichas st.mathiae Schmidt, 1885

Vol. II, pl.V, fig.11, p. 115: CNI 90/11101; D1
(=Johvi); St. Mathias (=Madise), Estonia.

Lichas st.mathiae Schmidt, 1885

Vol. II, pl.V, fig.12, p. 115: CNI 91/11101; D1
(=Johvi); Spitham (=Põõsaspea, beach exposure),
Estonia.

Lichas st.mathiae Schmidt, 1885

Vol. II, pl.V, fig.13 a,b, p. 115: CNI 92/11101;
D2 (=Keila); Kegel (=Keila), Estonia.

Lichas st.mathiae Schmidt, 1885

Vol. II, pl.V, fig.14, p. 115: CNI 93/11101;
D1&2? (D2); St. Mathias (=Madise), Estonia.

Lichas st.mathiae Schmidt, 1885

Vol. II, pl.V, fig.15 a,b, p. 115: CNI 94/11101;
D1&2?; St. Mathias (=Madise), Estonia.

Lichas st.mathiae Schmidt, 1885

Vol. II, pl.V, fig.16, p. 115: CNI 95/11101;
D1&2?; Haljal oder Friedrichshof (=Haljala or
Saua), Estonia.

Lingula cf. davisii M'Coy, 1846?

Vol. I, textfig.5, p. 17: Missing; B1
Glaucous sand (=Hunneberg-Billingen); Leetz bei
Baltischport (=Leetse), Estonia.

Megalaspis acuticauda Angelin, 1854

Vol. V-IV, pl.V, fig.1, p. 42: CNI 126/11154;
B2b (=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia.

Megalaspis acuticauda Angelin, 1854

Vol. V-IV, pl.V, fig.6, p. 42: CNI 43/11154; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Megalaspis acuticauda Angelin, 1854

Vol. V-IV, pl.V, fig.7, p. 42: CNI 44/11154;
B2b?; Iswos am Wolchow (=Izvos), Russia.

Megalaspis acuticauda Angelin, 1854

Vol. V-IV, pl.V, fig.8, p. 42: CNI 45/11154;
B2b?; Iswos am Wolchow (=Izvos), Russia.

Megalaspis acuticauda Angelin, 1854

Vol. V-IV, textfig.20, p. 44: CNI 46/11154; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Megalaspis acuticauda Angelin, 1854

Vol. V-IV, textfig.25, p. 47: CNI 55/11154; B2b-
B3a (=Langevoja-Valaste); Wolchow
(=Volkhov), Russia.

Megalaspis acuticauda var. centron Eichwald, 1843

Vol. V-IV, textfig.24, p. 46: CNI 54/11154; B2b
(=Langevoja-Hunderum); Lepiko bei Leetz
(=Lepiku near Leetse), Estonia.

Megalaspis acuticauda var. lamanskii Schmidt, 1906

Vol. V-IV, pl.VI, fig.1, p. 47: CNI 47/11154;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

Megalaspis acuticauda var. lamanskii Schmidt, 1906

Vol. V-IV, pl.VI, fig.2,2a, p. 47: CNI 48/11154;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

Megalaspis acuticauda var. lamanskii Schmidt, 1906

Vol. V-IV, textfig.27, p. 48: CNI 49/11154; B
(=Oeland Series); Wolchow (=Volkhov), Russia.

Megalaspis acuticauda var. obtusa Schmidt, 1906

Vol. V-IV, pl.V, fig.5, p. 46: CNI 41/11154; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Megalaspis acuticauda var. obtusa Schmidt, 1906

Vol. V-IV, textfig.26, p. 47: CNI 42/11154; B
(=Oeland Series); Wolchow (=Volkhov), Russia.

**Megalaspis acuticauda var. triangularis Schmidt,
1906**

Vol. V-IV, pl.VI, fig.3, p. 47: CNI 50/11154;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

**Megalaspis acuticauda var. triangularis Schmidt,
1906**

Vol. V-IV, pl.VI, fig.4,4a, p. 47: CNI 51/11154;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

**Megalaspis acuticauda var. triangularis Schmidt,
1906**

Vol. V-IV, pl.VI, fig.5, p. 47: CNI 52/11154;
B2b (=Langevoja-Hunderum); Wolchow
(=Volkhov), Russia.

**Megalaspis acuticauda var. triangularis Schmidt,
1906**

Vol. V-IV, pl.VI, fig.6, p. 47: CNI 53/11154;
B2b (=Langevoja-Hunderum); Wolchow
(=Volkhov), Russia.

Megalaspis acuticauda var. typica Angelin, 1854

Vol. V-IV, pl.V, fig.2, p. 46: CNI 35/11154; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Megalaspis acuticauda var. typica Angelin, 1854

Vol. V-IV, pl.V, fig.3, p. 46: CNI 36/11154; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Megalaspis acuticauda var. typica Angelin, 1854

Vol. V-IV, pl.V, fig.4, p. 46: CNI 37/11154; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Megalaspis acuticauda var. typica Angelin, 1854

Vol. V-IV, textfig.19, p. 43: CNI 38/11154; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Megalaspis acuticauda var. typica Angelin, 1854

Vol. V-IV, textfig.22, p. 45: CNI 39/11154; B2b
(=Langevoja-Hunderum); Obuchowo am
Wolchowo (=Obuchovo), Russia.

Megalaspis acuticauda var. typica Angelin, 1854

Vol. V-IV, textfig.23, p. 46: CNI 40/11154; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Megalaspis centaurus Dalman, 1827

Vol. V-IV, pl.VIII, fig.1, p. 54: Missing; B3b
(B3gama) Orthocerenkalk (=Valaste-Aluoja);
Reval (=Tallinn), Estonia.

Megalaspis centaurus Dalman, 1827

Vol. V-IV, pl.VIII, fig.2, p. 54: CNI 61/11154;
B3b (B3gama) Orthocerenkalk (=Valaste-
Aluoja); Reval (=Tallinn), Estonia.

Megalaspis centaurus Dalman, 1827

Vol. V-IV, pl.VIII, fig.3, p. 54: CNI 62/11154;
B3b (B3gama) (=Valaste-Aluoja); Reval
(=Tallinn), Estonia. Coll.: Stacy

Megalaspis centaurus Dalman, 1827

Vol. V-IV, pl.VIII, fig.4,4a, p. 54: CNI 63/11154;
B3b (=Valaste-Aluoja); Popowka bei Pawlowsk
(=Popovka), Russia.

Megalaspis centaurus Dalman, 1827

Vol. V-IV, pl.VIII, fig.5, p. 54: Missing; B3b
(B3gama) Orthocerenkalk (=Valaste-Aluoja);
Reval (=Tallinn), Estonia. Coll.: Stacy

Megalaspis centaurus Dalman, 1827

Vol. V-IV, textfig.30, p. 58: CNI 64/11154; B3b
(B3gama) (=Valaste-Aluoja); Reval (=Tallinn),
Estonia.

Megalaspis centaurus Dalman, 1827

Vol. V-IV, textfig.31, p. 58: CNI 65/11154; B3b
(B3gama) (=Valaste-Aluoja); Reval (=Tallinn),
Estonia.

Megalaspis centaurus var. rudis Angelin, 1854

Vol. V-IV, pl.VIII, fig.6, p. 60: CNI 66/11154;
B3b Orthocerenkalk (=Valaste-Aluoja); Kunda in
Estland (=Kunda), Estonia.

Megalaspis centaurus var. rudis Angelin, 1854

Vol. V-IV, textfig.32, p. 61: CNI 67/11154; B3b
(=Valaste-Aluoja); Kunda (=Kunda), Estonia.

Megalaspis extenuata Dalman, 1827

Vol. V-IV, pl.VII, fig.1, p. 49: CNI 56/11154;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

Megalaspis extenuata Dalman, 1827

Vol. V-IV, pl.VII, fig.2, p. 49: CNI 57/11154;
B2b (=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia. Coll.: O.Knyrko

Megalaspis extenuata Dalman, 1827

Vol. V-IV, pl.VII, fig.3, p. 49: Missing; B2b
(=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia. Coll.: O.Knyrko

Megalaspis extenuata Dalman, 1827

Vol. V-IV, textfig.28, p. 50: Missing; B2b
(=Langevoja-Hunderum); Obuchowo
(=Obuchovo), Russia.

Megalaspis gibba Schmidt, 1906

Vol. V-IV, pl.IV, fig.1,1a, p. 38: Missing; B2b
(=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia.

Megalaspis gibba Schmidt, 1906

Vol. V-IV, pl.IV, fig.2, p. 38: CNI 29/11154;
B2b (=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia.

Megalaspis gibba Schmidt, 1906

Vol. V-IV, pl.IV, fig.3,3a, p. 38: CNI 30/11154;
B2b (=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia.

Megalaspis gibba Schmidt, 1906

Vol. V-IV, pl.IV, fig.4, p. 38: CNI 31/11154;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

Megalaspis gibba Schmidt, 1906

Vol. V-IV, pl.IV, fig.5,5a, p. 38: CNI 32/11154;
B2b (=Langevoja-Hunderum); Gagarino am Sjas
(=Gagarino), Russia.

Megalaspis gibba Schmidt, 1906

Vol. V-IV, pl.IV, fig.6, p. 38: CNI 33/11154;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

Megalaspis gibba Schmidt, 1906

Vol. V-I, textfig.13, p. 41: Missing; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Megalaspis gibba Schmidt, 1906

Vol. V-IV, textfig.17, p. 38: CNI 34/11154; B2b
(=Langevoja-Hunderum); Sjas bei Gagarino
(=Gagarino), Russia.

Megalaspis gibba Schmidt, 1906

Vol. V-IV, textfig.18, p. 40: CNI 127/11154; B3a
(=Hunderum-Valaste); Isenhof in Estland
(=Purtse), Estonia.

Megalaspis gibba Schmidt, 1906

Vol. VI, textfig.10A, p. 85: Missing; B2b
(=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia. Coll.: O.Knyrko

Megalaspis heros Dalman, 1827

Vol. V-IV, pl.VII, fig.4,4a, p. 51: CNI 58/11154;
B3b (=Valaste-Aluoja); Pulkowka (=Pulkovka),
Russia. Coll.: Prof.J.Lahusen

Megalaspis heros Dalman, 1827

Vol. V-IV, pl.VII, fig.5, p. 51: Missing; B3b
(=Valaste-Aluoja); Tüllifer bei Kusal in Estland
(=Kuusalu parish, can not find like this in the
Kuusalu parish), Estonia.

Megalaspis heros Dalman, 1827

Vol. V-IV, pl.VII, fig.6, p. 51: **CNI 59/11154**; B3b (=Valaste-Aluoja); Obuchowo am Wolchow (=Obuchovo), Russia. Coll.: A.Mickwitz

Megalaspis heros Dalman, 1827

Vol. V-IV, pl.VII, fig.7, p. 51: **CNI 60/11154**; B3b Orthocerenkalk (=Valaste-Aluoja); Reval, Pernauschen Strasse (=Tallinn, Pärnu maantee (temporary exposure)), Estonia.

Megalaspis heros Dalman, 1827

Vol. V-I, textfig.15 a,b, p. 44: **Missing**; B3b (=Valaste-Aluoja); Pulkowo (=Pulkovka), Russia.

Megalaspis heros Dalman, 1827

Vol. V-I, textfig.16, p. 44: **Missing**; B3b (=Valaste-Aluoja); Tüllifer bei Kolk, Estland (=Can not find like this in the Kuusalu parish), Estonia.

Megalaspis heros Dalman, 1827

Vol. V-IV, textfig.29, p. 55: **Missing**; B3b (=Valaste-Aluoja); Kunda (=Kunda), Estonia.

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-IV, pl.III, fig.1,1a,1b, p. 31: **Missing**; B2b (=Langevoja-Hunderum); Popowka bei Pawlowsk (=Popovka), Russia.

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-IV, pl.III, fig.2, p. 31: **CNI 20/11154**; B2b (=Langevoja-Hunderum); Popowka bei Pawlowsk (=Popovka), Russia.

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-IV, pl.III, fig.3, p. 31: **CNI 21/11154**; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia.

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-IV, pl.III, fig.5,5a, p. 31: **CNI 22/11154**; B2b Glauconitkalk (=Langevoja-Hunderum); Peuthof in Estland (=Päite), Estonia.

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-IV, pl.III, fig.6,6a, p. 31: **CNI 23/11154**; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia.

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-IV, pl.III, fig.7, p. 31: **CNI 24/11154**; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia.

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-IV, pl.III, fig.8, p. 31: **NT**; B2b (=Langevoja-Hunderum); Dubowiki am Wolchow (=Duboviki), Russia. Originally in the collections of the Berginstitut, St. Petersburg.

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-I, textfig.12, p. 40: **Missing**; B2b (=Langevoja-Hunderum); Pawlowsk (=Pavlovsk), Russia.

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-IV, textfig.1, p. 4: **Missing**; B2b (=Langevoja-Hunderum);

Megalaspis hyorhina Leuchtenberg, 1843

Vol. V-IV, textfig.12 a, p. 32: **CNI 26/11154**; B2b (=Oeland Series); Obuchowo am Wolchow (=Obuchovo), Russia.

Megalaspis hyorhina var. kolenkoi Schmidt, 1906

Vol. V-IV, pl.II, fig.10, p. 32: **CNI 128/11154**; B2b (=Langevoja-Hunderum); Wolchow bei Iswos (=Izvos), Russia. Coll.: B.Kolenko

Megalaspis hyorhina var. kolenkoi Schmidt, 1906

Vol. V-IV, pl.III, fig.4, p. 32: **CNI 128/11154**; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia. Coll.: B.Kolenko

Megalaspis hyorhina var. mickwizzi Schmidt, 1906

Vol. V-IV, pl.III, fig.9, p. 33: **CNI 25/11154**; B2b (=Langevoja-Hunderum); Wassilkowo an der Lawa (=Vassilkovo), Russia.

Megalaspis hyorhina var. mickwizzi Schmidt, 1906

Vol. V-IV, textfig.11, p. 32: **Missing**; B2b (=Langevoja-Hunderum); Wassilkowo am der Lawa (=Vassilkovo), Russia.

Megalaspis hyorhina var. mickwizzi Schmidt, 1906

Vol. V-IV, textfig.14, p. 35: **Missing**; B2b (=Langevoja-Hunderum); Wassilkowo an der Lawa (=Vassilkovo), Russia.

Megalaspis hyorhina var. stacyi Schmidt, 1906

Vol. V-IV, pl.III, fig.10, p. 33: **Missing**; B2b (=Langevoja-Hunderum); Reval (=Tallinn), Estonia. Coll.: Stacy

Megalaspis hyorhina var. stacyi Schmidt, 1906

Vol. V-IV, pl.III, fig.11, p. 33: **Missing**; B2b (=Langevoja-Hunderum); Reval (=Tallinn), Estonia. Coll.: Stacy

Megalaspis hyorhina var. stacyi Schmidt, 1906

Vol. V-IV, textfig.9, p. 29: Missing; B2b
 (=Langevoja-Hunderum); Reval (=Tallinn),
 Estonia.

Megalaspis hyorhina var. stacyi Schmidt, 1906

Vol. V-IV, textfig.13, p. 35: CNI 27/11154; B2b
 (=Langevoja-Hunderum); Reval (=Tallinn),
 Estonia.

Megalaspis knyrkoi Schmidt, 1906

Vol. V-IV, textfig.16, p. 37: CNI 28/11154; BII
 gama; Obuchowo am Wolchow (=Obuchovo),
 Russia.

Megalaspis kolenkoi Schmidt, 1906

Vol. V-I, textfig.10, p. 39: Missing; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Megalaspis lawae Schmidt, 1906

Vol. V-IV, pl.I, fig.8, p. 20: Missing; B2a
 (=Billingen-Vääna); Lawa bei Wassilkowo
 (=Vassilkovo), Russia.

Megalaspis lawrowi Schmidt, 1906

Vol. V-IV, pl.VI, fig.7, p. 61: CNI 68/11154;
 B3b (=Valaste-Aluoja); Petrowschina bei
 Schlüsselburg (=Petrovschina), Russia.

Megalaspis lawrowi Schmidt, 1906

Vol. V-IV, textfig.33, p. 62: CNI 69/11154;
 ?C1a; Blyschtschina (=Bilshino), Russia.

Megalaspis limbata Boeck, 1838

Vol. V-IV, pl.I, fig.9, p. 17: CNI 8/11154; B2a
 (=Billingen-Vääna); Wolchow bei Iswos
 (=Izvos), Russia. Coll.: O.Knyrko

Megalaspis limbata Boeck, 1838

Vol. V-IV, pl.I, fig.10, p. 17: CNI 9/11154; B2a
 (=Billingen-Vääna); Leppiko bei Leetz (=Lepiku
 near Leetse), Estonia.

Megalaspis limbata Boeck, 1838

Vol. V-IV, pl.I, fig.11, p. 17: CNI 10/11154; B2a
 (=Billingen-Vääna); Leppiko bei Leetz (=Lepiku
 near Leetse), Estonia.

Megalaspis limbata Boeck, 1838

Vol. V-IV, textfig.4, p. 17: CNI 12/11154; B2a
 (=Billingen-Vääna); Nikolskoje am Wolchow
 (=Nikolskoje), Russia. Coll.: Lamanski

Megalaspis limbata Boeck, 1838

Vol. V-IV, textfig.5, p. 19: CNI 13/11154; B2a
 (=Billingen-Vääna); Nikolskoje am Wolchow
 (=Nikolskoje), Russia.

Megalaspis limbata var. elongata Schmidt, 1906

Vol. V-IV, pl.I, fig.12 a,b, p. 18: CNI 11/11154;
 3c beta Svartodden Mbr, Oslo (=Valaste-Aluoja);
 Christiania, Norway. Coll.: Dr.G.Holm

Megalaspis longicauda Leuchtenberg, 1843

Vol. V-I, textfig.14, p. 42: Missing; B3b
 (=Valaste-Aluoja);

Megalaspis mickwitzii Schmidt, 1906

Vol. V-I, textfig.11, p. 40: Missing; B2b
 (=Langevoja-Hunderum); Wassilkowo an der
 Lawa (=Vassilkovo), Russia.

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, pl.I, fig.1, p. 10: CNI 1/11154; B2a
 (=Billingen-Vääna); Leppiko bei Leetz in Estland
 (=Lepiku near Leetse), Estonia.

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, pl.I, fig.2, p. 10: Missing; B2a
 (=Billingen-Vääna); Odensholm (=Osmussaar),
 Estonia.

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, pl.I, fig.3, p. 10: Missing; B2a
 (=Billingen-Vääna); Odensholm (=Osmussaar),
 Estonia.

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, pl.I, fig.4, p. 10: Missing; B2a
 (=Billingen-Vääna); Odensholm (=Osmussaar),
 Estonia.

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, pl.II, fig.1, p. 10: CNI 2/11154; B2a
 (=Billingen-Vääna); Leppiko bei Leetz (=Lepiku
 near Leetse), Estonia.

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, pl.II, fig.2, p. 10: CNI 3/11154; B2a
 (=Billingen-Vääna); Slawänka (=Slavänka),
 Russia. Coll.: W.Lamanski

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, pl.II, fig.3, p. 10: CNI 4/11154; B2a
 (=Billingen-Vääna); Obuchowo am Wolchow
 (=Obuchovo), Russia.

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, pl.II, fig.4, p. 10: CNI 5/11154; B2a
 (=Billingen-Vääna); Nikolskoje (=Nikolskoe),
 Russia.

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, textfig.2, p. 13: CNI 6/11154; B2a
 (=Billingen-Vääna); Tosna bei Nikolskoje
 (=Nikolskoe), Russia.

Megalaspis planilimbata Angelin, 1851

Vol. V-IV, textfig.3, p. 14: CNI 7/11154; B2a
 (=Billingen-Vääna); Popowka (=Popovka),
 Russia. Coll.: Lamanski

Megalaspis planilimbata var. leuchtenbergi

Lamanski, 1905

Vol. V-IV, pl.II, fig.5, p. 15: CNI 1/222; B1b
 Grünsande (=Billingen); Popowka bei Pawlowsk
 (=Popovka), Russia. **Original** of Lamanski 1905,
 pl. 1, fig. 2,2a.

Megalaspis pogrebowi Lamanski, 1905

Vol. V-IV, textfig.15, p. 37: CNI 818/222; B1
 beta; Popowka bei Pawlowsk (=Popovka), Russia.

Megalaspis polyphemus Brögger, 1882

Vol. V-I, textfig.9, p. 39: **Missing**; B2b
 (=Langevoja-Hunderum); Iswos am Wolchow
 (=Izvos), Russia.

Megalaspis polyphemus var. knyrkoi Schmidt, 1906

Vol. V-IV, pl.II, fig.9, p. 29: CNI 18/11154; B2b
 (=Langevoja-Hunderum); Wolchow (=Volkhov),
 Russia. Coll.: O.Knyrko

Megalaspis polyphemus var. knyrkoi Schmidt, 1906

Vol. V-IV, textfig.10, p. 30: CNI 19/11154; B2b
 (=Langevoja-Hunderum); Obuchowo am
 Wolchow (=Obuchovo), Russia.

Megalaspis polyphemus var. lamanskii Schmidt, 1906

Vol. V-IV, pl.II, fig.7, p. 27: PSM 149/57; B2a
 (=Billingen-Vääna); Wolchow (=Volkhov),
 Russia. Coll.: W.Lamanski

Megalaspis polyphemus var. lamanskii Schmidt, 1906

Vol. V-IV, pl.II, fig.8, p. 27: CNI 17/11154; B2a
 (=Billingen-Vääna); Wolchow (=Volkhov),
 Russia. Coll.: O.Knyrko

Megalaspis polyphemus var. lamanskii Schmidt, 1906

Vol. V-IV, textfig.8, p. 29: **Missing**; B2a
 (=Billingen-Vääna); Wolchow (=Volkhov),
 Russia.

Megalaspis polyphemus var. minor Schmidt, 1906

Vol. V-IV, pl.I, fig.5, p. 25: CNI 125/11154; B2a
 (=Billingen-Vääna); Leppiko bei Leetz (=Lepiku
 near Leetse), Estonia.

Megalaspis polyphemus var. minor Schmidt, 1906

Vol. V-IV, pl.I, fig.6, p. 25: CNI 15/11154; B2a
 (=Billingen-Vääna); Wolchow (=Volkhov),
 Russia. Coll.: Lamanski

Megalaspis polyphemus var. minor Schmidt, 1906

Vol. V-IV, pl.I, fig.7a,7b, p. 25: CNI 16/11154;
 B2a; Brüchen von Putilowo (=Putilovo), Russia.
 Coll.: W.Lamanski

Megalaspis polyphemus var. minor Schmidt, 1906

Vol. V-IV, textfig.7, p. 26: CNI 15/11154; B2a
 (=Billingen-Vääna); Wolchow (=Volkhov),
 Russia.

Megalaspis polyphemus var. törnquisti Schmidt, 1906

Vol. V-IV, pl.II, fig.6, p. 23: CNI 14/11154; B2a
 Glaucnitkalk (=Billingen-Vääna); Tischer bei
 Reval (=Tiskre near Tallinn), Estonia. Coll.:
 A.Mickwitz

Megalaspis polyphemus var. törnquisti Schmidt, 1906

Vol. V-IV, textfig.6, p. 23: **Missing**; Unknown
 stratigraphic position; Vikarby, Dalarna, Sweden.,
 Sweden.

Menocephalus minutus Nieszkowski, 1857

Vol. IV, pl.IV, fig.46, p. 60: PIN 4248/524; C2
 (=Kukruse); Wannamois bei Tolks (=Vanamõisa
 near Kohala), Estonia.

Menocephalus minutus Nieszkowski, 1857

Vol. IV, pl.IV, fig.47, p. 60: PIN 4248/525; C2
 (=Kukruse); Salla bei Erras (=Sala near Erra),
 Estonia.

Menocephalus minutus Nieszkowski, 1857

Vol. IV, pl.IV, fig.48, p. 60: **Missing**; C2
 (=Kukruse); Salla bei Erras (=Sala near Erra),
 Estonia.

Menocephalus minutus Nieszkowski, 1857

Vol. IV, pl.IV, fig.49, p. 60: PIN 4248/141; C2
 (=Kukruse); Salla bei Erras (=Sala near Erra),
 Estonia. **Original** of Nieszkowski, 1857, pl. 1,
 fig. 7-8.

Nileus armadillo Dalman, 1827

Vol. V-III, pl.VIII, fig.12, p. 64: **Missing**; B2b
 (=Langevoja-Hunderum); Popowka bei
 Pawlowsk (=Popovka), Russia.

Nileus armadillo Dalman, 1827

Vol. V-III, pl.VIII, fig.13, p. 64: PIN 4248/926;
B2b (=Langevoja-Hunderum); Popowka bei
Pawlowsk (=Popovka), Russia.

Nileus armadillo Dalman, 1827

Vol. V-III, pl.VIII, fig.14, p. 64: PIN 4248/927;
B2b (=Langevoja-Hunderum); Popowka bei
Pawlowsk (=Popovka), Russia.

Nileus armadillo Dalman, 1827

Vol. V-III, pl.VIII, fig.15, p. 64: CNI 61/11153;
B3a-B3b; aus dem Norwegischen Ortocerenkalk
von Christiana (= Oslo), Norway. Coll.:
Prof.Holm.

Nileus armadillo Dalman, 1827

Vol. V-III, pl.VIII, fig.16, p. 64: CNI 62/11153;
B1b-B2a; Hunneberg am Westergötland
(=Västergötland), Coll.: G.V.Helmersen (1845)

Nileus armadillo Dalman, 1827

Vol. V-III, pl.VIII, fig.17,17a, p. 64: PIN
4248/928; B2b (=Langevoja-Hunderum);
Popowka (=Popovka), Russia.

Nileus armadillo Dalman, 1827

Vol. V-III, pl.VIII, fig.18, p. 64: PIN 4248/929;
B2b (=Langevoja-Hunderum); Popowka
(=Popovka), Russia.

Nileus armadillo Dalman, 1827

Vol. V-III, textfig.6, p. 66: Missing; B2b
(=Langevoja-Hunderum);

Niobe (Niobe) frontalis Dalman, 1827

Vol. V-II, pl.IX, fig.11,11a, p. 107: PIN
11=4248/93; B2b (=Langevoja-Hunderum);
Iswos aus Wolchow (=Izvos), Russia.

Niobe (Niobe) frontalis Dalman, 1827

Vol. V-II, pl.X, fig.8, p. 107: PIN 4248/97; B3b
untern Linsenschicht (=Valaste-Aluoja); Popowka
bei Pawlowsk (=Popovka), Russia. Coll.: Plautin

Niobe (Niobe) frontalis Dalman, 1827

Vol. V-II, textfig.61, p. 108: PIN 4248/20; B2b-
B3a (=Langevoja-Valaste); Iswos (=Izvos),
Russia.

Niobe (Niobe) frontalis Dalman, 1827

Vol. V-II, textfig.62, p. 108: PIN 4248/21; B2b-
B3a (=Langevoja-Valaste); Iswos (=Izvos),
Russia.

Niobe (Niobe) lindströmi Schmidt, 1901

Vol. V-II, pl.IX, fig.12, p. 105: PIN 4248/915;
B2a-b (=Billingen-Hunderum); Pawlowsk
(=Pavlovsk), Russia.

Niobe (Niobe) lindströmi Schmidt, 1901

Vol. V-II, pl.X, fig.1, p. 105: NT; B2a-b
(=Billingen-Hunderum); Putilow'schen Brüchen
(=Putilovo), Russia. Coll.: Herrn Swetschin.
Originally in the collections of the University of
Odessa.

Niobe (Niobe) lindströmi Schmidt, 1901

Vol. V-II, pl.X, fig.2, p. 105: NT; B2a-b
(=Billingen-Hunderum); Putilow'schen Brüchen
(=Putilovo), Russia. Coll.: Herrn Swetschin.
Originally in the collections of the University of
Odessa.

Niobe (Niobe) lindströmi Schmidt, 1901

Vol. V-II, pl.X, fig.3, p. 105: Missing; B2a-b
(=Billingen-Hunderum); Lawa bei Wassilkowo
(=Vassilkovo), Russia. Coll.: A.Mickwitz

Niobe (Niobe) lindströmi Schmidt, 1901

Vol. V-II, pl.X, fig.4, p. 105: Missing; B2a-b
(=Billingen-Hunderum); Lawa bei Wassilkowo
(=Vassilkovo), Russia. Coll.: A.Mickwitz

Niobe (Niobe) lindströmi Schmidt, 1901

Vol. V-II, pl.X, fig.7, p. 105: Missing; B2a-b
(=Billingen-Hunderum); Lawa bei Wassilkowo
(=Vassilkovo), Russia. Coll.: A.Mickwitz

Niobe (Niobe) lindströmi Schmidt, 1901

Vol. V-II, pl.XII, fig.1, p. 105: PIN 4248/42;
B2a-b (=Billingen-Hunderum); Putilow'schen
Brüchen bei Gornaja Scheldicka (=Gornaja
Scheldicka), Russia.

Niobe (Niobe) lindströmi Schmidt, 1901

Vol. V-II, pl.XII, fig.2, p. 105: PIN 4248/28;
B2a-b (=Billingen-Hunderum); Putilow'schen
Brüchen bei Gornaja Scheldicka (=Gornaja
Scheldicka), Russia.

Niobe (Niobella) laeviceps Dalman, 1827

Vol. V-II, pl.X, fig.5, p. 103: PIN 4248/911; B2c;
Popowka bei Pawlowsk (=Popovka), Russia.

Niobe (Niobella) laeviceps Dalman, 1827

Vol. V-II, pl.X, fig.6, p. 103: PIN 4248/911; B2c;
Popowka bei Pawlowsk (=Popovka), Russia.

Niobe (Niobella) laeviceps Dalman, 1827

Vol. V-II, textfig.59, p. 103: PIN 4248/39; B2a
 (=Billingen-Vääna); Oeland, Sweden, Sweden.

Niobe (Niobella) laeviceps Dalman, 1827

Vol. V-II, textfig.60, p. 104: PIN 4248/41; B2a
 (=Billingen-Vääna); Leppiko bei Leetz (=Lepiku
 near Leetse), Estonia.

Niobe frontalis Dalman, 1827

Vol. V-II, textfig.63, p. 108: PIN 4248/20; B2b-
 B3a (=Langevoja-Valaste); Iswos (=Izvos),
 Russia.

Niobe frontalis Dalman, 1827

Vol. V-II, textfig.64, p. 109: PIN 4248/21; B2b-
 B3a (=Langevoja-Valaste); Iswos (=Izvos),
 Russia.

Niobe volborthi Schmidt, 1906

Vol. VI, textfig.8,8a, p. 76: PIN 8a=4248/920;
 B2b?; Popowka bei Pawlowsk (=Popovka),
 Russia.

Niobe volborthi Schmidt, 1906

Vol. VI, textfig.15, p. 103: PIN 4248/919; B2b;
 Popowka bei Pawlowsk (=Popovka), Russia.

Ogygia dilatata var. panderi Schmidt, 1899

Vol. V-III, pl.VIII, fig.10,10a,10b, p. 59: CNI
 59/11153; B2b?; Kuckers (?) (=Kukruse),
 Estonia. Coll.: General Plautin

Ogygia dilatata var. plautini Schmidt, 1904

Vol. V-III, pl.VIII, fig.11, p. 62: CNI 60/11153;
 C1b-C2 (=Lasnamagi-Kukruse); Reval'schen
 Laaksberge (=Tallinn, Lasnamägi)), Estonia.
 Coll.: General Plautin

Onchometopus volborthi Schmidt, 1901

Vol. V-II, pl.X, fig.9,9a,9b, p. 82: PIN 4248/12;
 B2a-b (=Billingen-Hunderum); Iswos am
 Wolchow (=Izvos), Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-II, pl.X, fig.10, p. 82: PIN 4248/909; B2a-
 b (=Billingen-Hunderum); Pawlowsk
 (=Pavlovsk), Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-II, pl.X, fig.11, p. 82: PIN 4248/910; B2a-
 b (=Billingen-Hunderum); Pawlowsk
 (=Pavlovsk), Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-II, pl.X, fig.12, p. 82: Missing; B2a-b
 (=Billingen-Hunderum); Pawlowsk (=Pavlovsk),
 Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-I, textfig.3, p. 28: PIN 4248/12; B2b
 (=Valaste-Aluoja); Iswos am Wolchow (=Izvos),
 Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-I, textfig.4, p. 28: PIN 4248/910; B2b?;
 Pawlowsk (=Pavlovsk), Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-II, textfig.48, p. 82: PIN 4248/16; B2a
 (=Billingen-Vääna); Iswos (=Izvos), Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-II, textfig.49, p. 83: PIN 4248/16; B2a
 (=Billingen-Vääna); Iswos (=Izvos), Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-II, textfig.50, p. 84: PIN 4248/910; B2a
 (=Billingen-Vääna); Pawlowsk (=Pavlovsk),
 Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-II, textfig.51, p. 84: PIN 4248/14; B2a
 (=Billingen-Vääna); Iswos (=Izvos), Russia.

Onchometopus volborthi Schmidt, 1901

Vol. V-II, textfig.52, p. 85: Missing; B2a
 (=Billingen-Vääna); Iswos (=Izvos), Russia.

Phacops (Acaste) downingiae Murchison, 1839

Vol. I, pl.I, fig.2, p. 75: PIN 4248/300; K (K4);
 Ohhesaare pank auf Oesel (=Ohesaare Pank,
 Saaremaa), Estonia.

Phacops (Acaste) downingiae Murchison, 1839

Vol. I, pl.XI, fig.18, p. 75: PIN 4248/298; (K4);
 Ohhesare pank auf Oesel (=Ohesaare Pank,
 Saaremaa), Estonia.

Phacops (Chasmops) brevispina Schmidt, 1881

Vol. I, pl.XI, fig.12 a,b, p. 108: PIN 4248/74;
 (D1); Ristininha b. Wichterpal in Estl. (=Ristna
 near Vihterpalu), Estonia.

**Phacops (Chasmops) bucculenta var. emarginata
 Angelin, 1854**

Vol. I, pl.III, fig.1a,b,c,d, p. 105: Missing; D (D1)
 (=Johvi-Oandu); Haljal (=Haljala, Parish),
 Estonia.

Phacops (Chasmops) bucculenta var. emarginata

Angelin, 1854

Vol. I, pl.III, fig.2, p. 105: PIN 4248/71; D (D1)
 (=Johvi-Oandu); Altenhof im Haljalsch. Kirschsp.
 Estland ((=Haljala, Parish), Estonia.

Phacops (Chasmops) bucculenta var. emarginata

Angelin, 1854

Vol. I, pl.III, fig.3, p. 105: NT; D (=Johvi-
 Oandu); Kuckers (=Kukruse), Estonia. Coll.:
 Berlin Museum. Originally in Humboldt Museum
 für Naturkunde, Berlin.

Phacops (Chasmops) bucculenta var. emarginata

Angelin, 1854

Vol. I, pl.III, fig.4a,b, p. 105: PIN 4248/72; D
 (D2) (=Johvi-Oandu); Kegel (=Keila), Estonia.

Phacops (Chasmops) bucculenta var. emarginata

Angelin, 1854

Vol. I, pl.X, fig.16, p. 105: NT; D (=Johvi-
 Oandu); Kuckers (=Kukruse), Estonia. Coll.:
 Berlin Museum. Originally in Humboldt Museum
 für Naturkunde, Berlin

Phacops (Chasmops) eichwaldi Schmidt, 1881

Vol. I, pl.IV, fig.4, p. 117: PIN 4248/84; F (F1c)
 (=Harju Series); Schwarzen in Estland (Gesch.)
 (=Vardi, Erratics), Estonia.

Phacops (Chasmops) eichwaldi Schmidt, 1881

Vol. I, pl.V, fig.8a,b,c, p. 117: NT, possibly PSM
 1/2733 (Presently at Tartu, Jaanusson Pers. com.
 1997); F (=Harju Series); Dago (Geschiebe)
 (=Hiiuma, Erratics), Estonia. Coll.: Eichwald.
 Originally in the Museum of Paleontology &
 Stratigraphy, University of St. Petersburg.

Phacops (Chasmops) eichwaldi Schmidt, 1881

Vol. I, pl.V, fig.9, p. 117: PIN 4248/104,
 According to Jaanusson (Pers. com. 1997): IGT
 Tr 2102 (University of Tartu); F (F1b) (=Harju
 Series); Hohenholm auf Dago (=Kõrgessaare on
 Hiiumaa), Estonia. Original of Öpik 1937, pl. 9,
 fig. 1.

Phacops (Chasmops) eichwaldi Schmidt, 1881

Vol. I, pl.V, fig.10, p. 117: PIN 4248/138; F
 (F1b) (=Nabala-Pirgu); Lyckholm (=Lyckholm,
 Quarry), Estonia.

Phacops (Chasmops) eichwaldi Schmidt, 1881

Vol. I, pl.V, fig.16, p. 117: PIN 4248/170; F
 (F1b) (=Harju Series); Lyckholm (=Lyckholm),
 Estonia.

Phacops (Chasmops) eichwaldi Schmidt, 1881

Vol. I, pl.X, fig.21, p. 117: PIN 4248/83; F1
 (=Nabala-Pirgu); Turwaste bei Piersal in Estland
 (=Turvaste near Piirsalu), Estonia.

Phacops (Chasmops) eichwaldi Schmidt, 1881

Vol. I, pl.X, fig.22 a,b,c.: NT; ?; Berlin
 (Geschiebe), Germany. Coll.: Berlin Museum.
 Originally in Humboldt Museum für Naturkunde,
 Berlin.

Phacops (Chasmops) ingrica Schmidt, 1881

Vol. I, pl.II, fig.16, p. 95: Missing; C1
 Echinospaeritenkalk (?); Pawlowsk (=Pavlovsk),
 Russia.

Phacops (Chasmops) ingrica Schmidt, 1881

Vol. I, pl.XII, fig.22, p. 95: Missing; C (=Aluoja-
 Idavere); Pawlowsk (=Pavlovsk), Russia.

Phacops (Chasmops) macroura Angelin, 1851

Vol. I, pl.III, fig.10a,b, p. 109: Missing; D;
 Segerstad auf Oeland (Geschiebe), Sweden. May
 be in Naturhistoriska Riksmuseet, Stockholm..

Phacops (Chasmops) macroura Angelin, 1851

Vol. I, pl.IV, fig.8, p. 114: Missing; D;
 N.Kunzendorf in Schlesien (Geschiebe),. Coll.:
 Breslau Museum. May be in the Museum of the
 University of Wroclaw, Poland.

Phacops (Chasmops) macroura Angelin, 1851

Vol. I, pl.IV, fig.9, p. 114: Missing; D; Oeland,
 Sweden. May be in Naturhistoriska Riksmuseet,
 Stockholm..

Phacops (Chasmops) macroura Angelin, 1851

Vol. I, pl.X, fig.19, p. 114: Missing; D; Oeland
 (Geschiebe), Sweden. May be in Naturhistoriska
 Riksmuseet, Stockholm..

Phacops (Chasmops) marginata Schmidt, 1881

Vol. I, pl.III, fig.5a,b,c, p. 104: Missing; D (D1)
 (=Johvi-Oandu); Nömmis bei der Stat.Kappel an
 d.Balt.Bahn (=Nömmise near Viru-Kabala),
 Estonia. Coll.: Pahlen

Phacops (Chasmops) marginata Schmidt, 1881

Vol. I, pl.III, fig.6, p. 104: PIN 4248/2; D (D1)
 (=Johvi-Oandu); Nömmis bei Kappel (=Nömmise
 near Viru-Kabala), Estonia. Coll.: Pahlen

Phacops (Chasmops) marginata Schmidt, 1881

Vol. I, pl.III, fig.7a,b,c, p. 104: PIN 4248/19,
possibly PIN 4248/617 (Jaanusson, Pers. com.
1997); D (=Johvi-Oandu); Poll im Jacobischenen
kirchsp.Estlands, Estonia.

Phacops (Chasmops) marginata Schmidt, 1881

Vol. I, pl.X, fig.15, p. 104: PIN 4248/70; D
(=Johvi-Oandu); Kuckers in Estland (=Kukruse),
Estonia.

Phacops (Chasmops) marginata Schmidt, 1881

Vol. I, pl.XI, fig.14, p. 104: PIN 4248/70; D1;
Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) marginata Schmidt, 1881

Vol. I, pl.XI, fig.15, p. 104: PIN 4248/70; D1;
Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) marginata Schmidt, 1881

Vol. I, pl.XV, fig.31, p. 104: Missing, possibly
PIN 4248/2 (Jaanusson Pers. com. 1997); D (D1)
(=Johvi-Oandu); Nömmis bei Kappel (=Nömmise
near Viru-Kabala), Estonia. Coll.: Pahlen

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.III, fig.11a,b, p. 112: NT; D; Berlin
(Gesch.), Germany. Coll.: Berlin Museum.
Originally in Humboldt Museum für Naturkunde,
Berlin.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.IV, fig.1a,b,c, p. 112: PIN 4248/77; D
(D2) (=Johvi-Oandu); aus dem Steinbruch bei
Kegel (=Quarry at Keila), Estonia.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.IV, fig.2, p. 112: PIN 4248/3; D (D2)
(=Johvi-Oandu); Rosenhagen bei Reval (=Lehmja
close to Tallinn), Estonia. Coll.: Pahlen

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.IV, fig.3, p. 112: Missing; D (D2) ; N.-
Ende d.Insel Oeland, Sweden. May be in
Naturhistoriska Riksmuseet, Stockholm..

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.IV, fig.5, p. 112: PIN 4248/79; D (D1)
(=Johvi-Oandu); Kawast bei Wesenberg
(=Kavastu near Rakvere), Estonia.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.IV, fig.6, p. 112: Missing; D (D2)
(=Johvi-Oandu); Kegel (=Keila), Estonia.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.IV, fig.7, p. 112: Missing; D (D1)
(=Johvi-Oandu); Kircke St. Mathias, Dorpat
(=Madise church), Estonia.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.X, fig.17, p. 112: PIN 4248/370; D¹
(D2) (=Johvi-Oandu); Kegel (=Keila), Estonia.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.X, fig.18, p. 112: Missing; D (D2)
(=Johvi-Oandu); St. Mathias in Estland
(=Madise), Estonia.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.XI, fig.13, p. 112: Missing; (D1) ; Jewe
(=Jöhvi), Estonia.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.XV, fig.34, p. 112: PIN 4248/112; D
(D2) (=Johvi-Oandu); Kegel (=Keila), Estonia.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, pl.XV, fig.35, p. 112: Missing; D (D1)
(=Johvi-Oandu); St. Mathias (=Madise), Estonia.

Phacops (Chasmops) maxima Schmidt, 1881

Vol. I, textfig.14, p. 235: PIN 4248/364; D (D1)
(=Johvi-Oandu); Spitham (=Pôôsaspea), Estonia.

Phacops (Chasmops) mutica Schmidt, 1881

Vol. I, pl.III, fig.8a,b, p. 109: NT; D (D1)
(=Johvi-Oandu); Haljal (=Haljala) (Parish),
Estonia. Originally in the Petrowsk (now
Timiryazev) Academy of Agricultural sciences,
Moscow.

Phacops (Chasmops) mutica Schmidt, 1881

Vol. I, pl.III, fig.9a,b,c, p. 109: Missing; D (D2)
(=Johvi-Oandu); Sommerhusen bei Wesenberg
(=Sômeru at Rakvere), Estonia.

Phacops (Chasmops) mutica Schmidt, 1881

Vol. I, pl.XI, fig.11 a,b, p. 109: Missing; (D2) ;
Sommerhusen in Estland (=Sômeru), Estonia.

Phacops (Chasmops) mutica Schmidt, 1881

Vol. VI, textfig.1, p. 6: Missing; D2 (=Keila);
Poll in Estland, Estonia.

Phacops (Chasmops) mutica Schmidt, 1881

Vol. VI, textfig.2, p. 6: PIN 4248/371; D2
(=Keila); Kegel (=Keila), Estonia. Coll.:
F.Schmidt

Phacops (Chasmops) nasuta Schmidt, 1881

Vol. I, pl.XI, fig.5, p. 96: Missing; C1; Dubowiki a. Wolchow (=Duboviki at the river Volkhov), Russia.

Phacops (Chasmops) nasuta Schmidt, 1881

Vol. I, pl.XI, fig.6, p. 96: PIN 4248/3; C1; Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Phacops (Chasmops) nasuta Schmidt, 1881

Vol. I, pl.XII, fig.23 a,b,c, p. 96: Missing; C1 (=Aluoja-Uhaku); Dubowiki am Wolchow (=Duboviki at the river Volkhov), Russia.

Phacops (Chasmops) nasuta Schmidt, 1881

Vol. I, pl.XV, fig.27, p. 96: PIN 4248/90; C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Phacops (Chasmops) nasuta Schmidt, 1881

Vol. I, pl.XV, fig.28, p. 96: Missing, possibly PIN 4248/1 ? (Jaanusson Pers. com. 1997); C1 (=Aluoja-Uhaku); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.1a,b, p. 99: PIN 4248/5; C2 (=Kukruse); Laaksberg bei Reval (=Lansnamägi, Tallin), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.2, p. 99: PIN 4248/65; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.3, p. 99: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.4, p. 99: PIN 4248/18; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.5, p. 99: Missing; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.6, p. 99: PIN 4248/166; C?; Reval (=Tallinn), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.7, p. 99: PIN 4248/166; C1-C2;

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.8, p. 99: Missing; C1-C2 (C2); Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.9, p. 99: Missing; C1-C2;

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.10, p. 99: Missing; C1-C2;

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.11, p. 99: PIN 4248/66; C1-C2 (C2); Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.12, p. 99: PIN 4248/66; C1-C2 (C2); Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.II, fig.13, p. 99: PIN 4248/66; C1-C2 (C2); Kuckers (=Kukruse), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.XI, fig.16, p. 102: PIN 4248/69; (C3); Itfer (=Idavere), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.XV, fig.30, p. 102: PIN 4248/68; C3 (=Idavere); Itfer (=Idavere), Estonia.

Phacops (Chasmops) odini var. itferensis Eichwald, 1840

Vol. I, pl.XV, fig.32, p. 102: PIN 4248/69; C3 (=Idavere); Itfer (=Idavere), Estonia.

Phacops (Chasmops) praecurrens Schmidt, 1881

Vol. I, pl.II, fig.14, p. 98: PIN 4248/61; C1 (C1b) (=Aluoja-Uhaku); Leetz bei Baltischport (=Leetse), Estonia.

Phacops (Chasmops) praecurrens Schmidt, 1881

Vol. I, pl.II, fig.15, p. 98: PIN 4248/60; C1 (C1b) (=Aluoja-Uhaku); Leetz bei Baltischport (=Leetse), Estonia.

Phacops (Chasmops) praecurrens Schmidt, 1881
Vol. I, pl.II, fig.17, p. 98: PIN 4248/62; C1 (C1b)
(=Aluoja-Uhaku); Leetz (=Leetse), Estonia.

Phacops (Chasmops) praecurrens Schmidt, 1881
Vol. I, pl.XV, fig.29, p. 98: PIN 4248/62; C1
(=Aluoja-Uhaku); Leetz bei Baltischport
(=Leetse), Estonia.

Phacops (Chasmops) wenjukowi Schmidt, 1881
Vol. I, pl.XV, fig.33 a,b,c, p. 110: PIN 4248/76;
D (=Johvi-Oandu); Kaesal bei Kegel (=Käesalu
near Keila), Estonia.

Phacops (Chasmops) wenjukowi Schmidt, 1881
Vol. VI, pl.I, fig.2, p. 6: Missing; D1 (=Johvi);
Spitham (=Põõsaspea), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.IV, fig.10, p. 115: NT, possibly PSM
149/1 (presently in Tartu, Jaanusson, Pers. com.
1997); E (=Rakvere); Dagden (Gesch.)
(=Dagda)., Coll.: Eichwald. Originally in the
Museum of Paleontology & Stratigraphy,
University of St. Petersburg

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.IV, fig.11 a,b, p. 115: PIN 4248/81; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.IV, fig.12, p. 115: Missing; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.V, fig.1, p. 115: PIN 4248/212; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.V, fig.2, p. 115: PIN 4248/80; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.V, fig.3, p. 115: Missing; E (=Rakvere);
Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.V, fig.4 a,b, p. 115: PIN 4248/177; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.V, fig.5 a,b, p. 115: PIN 4248/82; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.V, fig.6, p. 115: Missing; E (=Rakvere);
Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.V, fig.7, p. 115: Missing, possibly PIN
4248/212 (Jaanusson Pers. com. 1997); E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wesenbergensis Schmidt, 1881
Vol. I, pl.X, fig.20, p. 115: PIN 4248/82; (E);
Wesenberg (=Rakvere), Estonia.

Phacops (Chasmops) wrangeli Schmidt, 1881
Vol. I, pl.XI, fig.10 a,b, p. 107: PIN 4248/73;
(C3); Itfer in Estland (=Idavere), Estonia.

Phacops (Pterygometopus) exilis Eichwald, 1858
Vol. I, pl.I, fig.18 a,b, p. 86: PIN 4248/935; C1
Echinospaeritenkalk; Pawlowsk (=Pavlovsk),
Russia.

Phacops (Pterygometopus) exilis Eichwald, 1858
Vol. I, pl.I, fig.19 a,b, p. 86: PIN 4248/9; C2
(=Kukruse); Kuckers in Estland (=Kukruse),
Estonia.

Phacops (Pterygometopus) exilis Eichwald, 1858
Vol. I, pl.I, fig.20, p. 86: PIN 4248/615; C2
(=Kukruse); Kuckers in Estland (=Kukruse),
Estonia.

Phacops (Pterygometopus) exilis Eichwald, 1858
Vol. I, pl.I, fig.21, p. 86: PIN 4248/53; C2
(=Kukruse); Kuckers in Estland (=Kukruse),
Estonia.

Phacops (Pterygometopus) exilis Eichwald, 1858
Vol. I, pl.XII, fig.13, p. 86: PIN 4248/9; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Phacops (Pterygometopus) kegelensis Schmidt, 1881
Vol. I, pl.XI, fig.8, p. 91: PIN 4248/342; (D2);
Kegel (=Keila), Estonia.

Phacops (Pterygometopus) kegelensis Schmidt, 1881
Vol. I, pl.XII, fig.19, p. 91: PIN 4248/342; (D2);
Kegel (=Keila), Estonia.

Phacops (Pterygometopus) kegelensis Schmidt, 1881
Vol. I, pl.XV, fig.24, p. 91: Missing; D (=Johvi-
Oandu); Keinis auf Dago (=Käina on Hiiumaa),
Estonia.

Phacops (Pterygometopus) kegelensis Schmidt, 1881
Vol. I, pl.XV, fig.25, p. 91: PIN 4248/342; D
(D2) (=Johvi-Oandu); Kegel (=Keila), Estonia.

Phacops (Pterygometopus) kuckersiana Schmidt, 1881
Vol. I, pl.V, fig.11 a,b,c, p. 90: Missing; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Phacops (Pterygometopus) kuckersiana Schmidt, 1881
Vol. I, pl.V, fig.12, p. 90: PIN 4248/123; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Phacops (Pterygometopus) kuckersiana Schmidt, 1881
Vol. I, pl.V, fig.13, p. 90: PIN 4248/613; C2
(=Kukruse); Kuckers (=Kukruse), Estonia.

Phacops (Pterygometopus) kuckersiana Schmidt, 1881
Vol. I, pl.XI, fig.7, p. 90: Missing; (C2) ; Kuckers
(=Kukruse), Estonia.

Phacops (Pterygometopus) kuckersiana Schmidt, 1881
Vol. I, pl.XII, fig.16, p. 90: PIN 4248/612; C2
(=Kukruse); Reval (=Tallinn), Estonia.

Phacops (Pterygometopus) kuckersiana Schmidt, 1881
Vol. I, pl.XII, fig.17, p. 90: PIN 4248/611; (C2) ;
Kuckers (=Kukruse), Estonia.

Phacops (Pterygometopus) kuckersiana Schmidt, 1881
Vol. I, pl.XII, fig.18, p. 90: PIN 4248/123; (C2) ;
Kuckers (=Kukruse), Estonia.

Phacops (Pterygometopus) laevigata Schmidt, 1881
Vol. I, pl.I, fig.22 a,b,c, p. 88: PIN 4248/59; D
(D2) (=Johvi-Oandu); aus einem Steinbruch bei
Kegel (=Quarry at Keila), Estonia.

Phacops (Pterygometopus) laevigata Schmidt, 1881
Vol. I, pl.X, fig.13, p. 88: PIN 4248/335; D (D2)
(=Johvi-Oandu); Sommerhusen bei Wesenberg
(=Sômeru near Rakvere), Estonia.

Phacops (Pterygometopus) laevigata Schmidt, 1881
Vol. I, pl.X, fig.14, p. 88: PIN 4248/335; D (D2)
(=Johvi-Oandu); Sommerhusen bei Wesenberg
(=Sômeru near Rakvere), Estonia.

Phacops (Pterygometopus) laevigata Schmidt, 1881
Vol. I, pl.XII, fig.14, p. 88: PIN 4248/336; D
(D2) (=Johvi-Oandu); Kegel (=Keila), Estonia.

Phacops (Pterygometopus) laevigata Schmidt, 1881
Vol. I, pl.XII, fig.15, p. 88: PIN 4248/59; D (D2)
(=Johvi-Oandu); Kegel (=Keila), Estonia.

Phacops (Pterygometopus) laevigata Schmidt, 1881
Vol. I, pl.XV, fig.26, p. 88: Missing; D (D2)
(=Johvi-Oandu); Kegel (=Keila), Estonia.

Phacops (Pterygometopus) laevigata Schmidt, 1881
Vol. I, textfig.13, p. 235: Missing; D (D2)
(=Johvi-Oandu); Kedder (=Kehra), Estonia.

Phacops (Pterygometopus) nieszkowskii Schmidt, 1881
Vol. I, pl.V, fig.14a,b,c, p. 92: PIN
b=4248/414,C=4248/56; E (=Rakvere);
Wesenberg (=Rakvere), Estonia.

Phacops (Pterygometopus) nieszkowskii Schmidt, 1881
Vol. I, pl.V, fig.15, p. 92: PIN 4248/413, possibly
PIN 4248/15 (Jaanusson Pers. com. 1997); E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Phacops (Pterygometopus) nieszkowskii Schmidt, 1881
Vol. I, pl.XI, fig.9, p. 92: Missing; (E) ;
Wesenberg (=Rakvere), Estonia.

Phacops (Pterygometopus) nieszkowskii Schmidt, 1881
Vol. I, pl.XII, fig.20, p. 92: PIN 4248/57; (E) ;
Wesenberg (=Rakvere), Estonia.

Phacops (Pterygometopus) nieszkowskii Schmidt, 1881
Vol. I, pl.XII, fig.21, p. 92: Missing; (E) ;
Wesenberg (=Rakvere), Estonia.

Phacops (Pterygometopus) panderi Schmidt, 1881
Vol. I, pl.I, fig.15 a,b,c,d, p. 84: PIN 4248/316;
C1 Echinospaeritenkalk; Pawlowsk (=Pavlovsk),
Russia.

Phacops (Pterygometopus) panderi Schmidt, 1881
Vol. I, pl.I, fig.16, p. 84: PIN 4248/151; C1
Echinospaeritenkalk; Pawlowsk (=Pavlovsk),
Russia.

Phacops (Pterygometopus) panderi Schmidt, 1881
Vol. I, pl.I, fig.17, p. 84: Missing; C1
Echinosphaeritenkalk; Pawlowsk (=Pavlovsk),
Russia.

Phacops (Pterygometopus) panderi Schmidt, 1881
Vol. I, pl.XII, fig.10, p. 84: PIN 4248/337,
possibly PIN 4248/332 (Jaanusson Pers. com.
1997); C1 (=Aluoja-Uhaku); Pawlowsk
(=Pavlovsk), Russia.

Phacops (Pterygometopus) panderi Schmidt, 1881
Vol. I, pl.XII, fig.11, p. 84: PIN 4248/343; C1
(=Aluoja-Uhaku); Lapuchinka (=Lopuchinka),
Russia.

Phacops (Pterygometopus) panderi Schmidt, 1881
Vol. I, pl.XII, fig.12, p. 84: PIN 4248/152; C1
(=Aluoja-Uhaku); Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.I, fig.3 a,b,c, p. 77: PIN 4248/688; B2-B3
Orthocerkalk; Husbyfjöl in Ostgothland (=Östergötland), Sweden. (According to Jaanusson & Ramsköld 1993, this specimen is in the Swedish Museum of Natural History, Stockholm, Sweden, with number RM Ar 18074)

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.I, fig.4, p. 77: PIN 4248/332; B2-B3
Glauconitkalk; Iswos am Wolchow (=Izvos at river Volkov), Russia.

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.I, fig.5, p. 77: Missing, possibly PIN 4248/116 (Jaanusson, Pers. com. 1997); B2-B3
Glauconitkalk; Iswos am Wolchow (=Izvos at river Volkov), Russia.

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.I, fig.6, p. 77: Missing; B2-B3;
Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.I, fig.8, p. 77: PIN 4248/333; B2-B3
Glauconitkalk; Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.XI, fig.1, p. 80: PIN 4248/688; B2-B3
Orthocerkalk; Husbyfjöl in Ostgothland (=Östergötland), Sweden. (According to Jaanusson & Ramsköld 1993, this specimen is in the Swedish Museum of Natural History, Stockholm, Sweden, with number RM Ar 18074)

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.XII, fig.1 a,b, p. 77: PIN 4248/98; B2-B3;

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.XII, fig.2, p. 77: PIN 4248/99; B2-B3;

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.XII, fig.4, p. 77: PIN 4248/49; B3
(=Valaste-Aluoja); Rogö (=One of the Pakri islands), Estonia.

Phacops (Pterygometopus) sclerops Dalman, 1827
Vol. I, pl.XII, fig.5, p. 77: PIN 4248/335; B2-B3;
Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) sclerops var. angulata Schmidt, 1881
Vol. I, pl.I, fig.7, p. 77: PIN 4248/331; B2-B3
Glauconitkalk; Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) sclerops var. angulata Schmidt, 1881
Vol. I, pl.XI, fig.2, p. 80: PIN 4248/331; B2-B3
Glauconitkalk; Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) trigonocephala Schmidt, 1881
Vol. I, pl.I, fig.9, p. 81: PIN 4248/122; B3
Vaginatenkalk; Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) trigonocephala Schmidt, 1881
Vol. I, pl.I, fig.10, p. 81: PIN 4248/122; B3
Vaginatenkalk; Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) trigonocephala Schmidt, 1881
Vol. I, pl.I, fig.11, p. 81: Missing; B3
Vaginatenkalk; Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) trigonocephala Schmidt, 1881
Vol. I, pl.I, fig.12, p. 81: PIN 4248/334; B2-B3
Vaginatenkalk; Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) trigonocephala Schmidt, 1881
Vol. I, pl.I, fig.13, p. 81: Missing; B2-B3
Vaginatenkalk; Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) trigonocephala Schmidt, 1881

Vol. I, pl.I, fig.14, p. 81: **Missing; B2-B3**
Vaginatenkalk; Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) trigonocephala Schmidt, 1881

Vol. I, pl.XII, fig.6 a,b, p. 81: **PIN 4248/334; B3;**

Phacops (Pterygometopus) trigonocephala Schmidt, 1881

Vol. I, pl.XII, fig.7, p. 81: **Missing; B3;**

Phacops (Pterygometopus) trigonocephala Schmidt, 1881

Vol. I, pl.XII, fig.8, p. 81: **PIN 4248/304; B3;**
Pawlowsk (=Pavlovsk), Russia.

Phacops (Pterygometopus) trigonocephala var. estonica Schmidt, 1881

Vol. I, pl.XI, fig.3, p. 83: **PIN 4248/50**, possibly
PSM 1/11059 (Jaanusson, Pers. com. 1997); B3
Vaginatenkalk; Reval (=Tallinn), Estonia.

Phacops (Pterygometopus) trigonocephala var. estonica Schmidt, 1881

Vol. I, pl.XII, fig.9 a,b, p. 81: **PIN 4248/113; B3**
(=Valaste-Aluoja); Rogö (=One of the Pakri islands), Estonia.

Phacops (Pterygometopus) trigonocephala var. genuina Schmidt, 1881

Vol. I, pl.XI, fig.4, p. 83: **PIN 4248/94; B3;**
Nömmewesk bei Palms (=Nömmevaski near Palmse), Estonia. Coll.: Pahlen

Phacops elegans Boeck, 1838

Vol. I, pl.I, fig.1, p. 72: **Missing; G3** (=Raikküla Stage, Llandovery); Wahhoküll im Kirchsp.Maria Magdalena, Estlands (=Vahuküla, Koeruparish), Estonia.

Phacops elegans Boeck, 1838

Vol. I, pl.X, fig.10, p. 72: **PIN 4248/22; G3**
(=Raikküla Stage, Llandovery); Wahhoküll bei Piep in Estland (=Vahuküla near Piibe), Estonia.

Phacops elegans Boeck, 1838

Vol. I, pl.X, fig.11 a,b, p. 72: **Missing; G3**
(=Raikküla Stage, Llandovery); Wahhoküll bei Piep in Estland (=Vahuküla near Piibe), Estonia.

Phacops elegans Boeck, 1838

Vol. I, pl.X, fig.12, p. 72: **PIN 4248/111; (G3)** ;
Wahhoküll bei Piep in Estland (=Vahuküla near Piibe), Estonia.

Phacops elegans Boeck, 1838

Vol. I, pl.XI, fig.17, p. 72: **Missing; (G3)** ;
Wahhoküll bei Piep in Estland (=Vahuküla near Rakvere), Estonia.

Phacops elliptifrons Esmark, 1833

Vol. VI, pl.I, fig.1, p. 1: **PIN 4248/47; J (J1)**
(=Jaani Stage, Wenlock); St. Johannis auf Ösel (=Jaani on Saaremaa), Estonia.

Proetus cf. verrucosus Lindström, 1885

Vol. IV, pl.IV, fig.10, p. 45: **Missing; I**
(=Adavere Stage, Llandovery); Koggowa auf Mohn (=Koguva on the island of Muhu), Estonia.

Proetus cf. verrucosus Lindström, 1885

Vol. IV, pl.IV, fig.11, p. 45: **Missing; I**
(=Adavere Stage, Llandovery); Koggowa auf Mohn (=Koguva on the island of Muhu), Estonia.

Proetus concinnus var. osiliensis Schmidt, 1894

Vol. IV, pl.IV, fig.1,1a, p. 41: **PIN 4248/492; J (J1)**
(=Jaani Stage, Wenlock); St. Johannis (=Jaani on Saaremaa), Estonia.

Proetus concinnus var. osiliensis Schmidt, 1894

Vol. IV, pl.IV, fig.2, p. 41: **PIN 4248/493; J (J1)**
(=Jaani Stage, Wenlock); St. Johannis (=Jaani on Saaremaa), Estonia.

Proetus concinnus var. osiliensis Schmidt, 1894

Vol. IV, pl.IV, fig.3, p. 41: **PIN 4248/494; J (J1)**
(=Jaani Stage, Wenlock); St. Johannis (=Jaani on Saaremaa), Estonia.

Proetus concinnus var. osiliensis Schmidt, 1894

Vol. IV, pl.IV, fig.4, p. 41: **PIN 4248/495; J (J1)**
(=Jaani Stage, Wenlock); St. Johannis (=Jaani on Saaremaa), Estonia.

Proetus concinnus var. osiliensis Schmidt, 1894

Vol. IV, pl.IV, fig.5, p. 41: **Missing; J (J1)**
(=Jaani Stage, Wenlock); St. Johannis (=Jaani on Saaremaa), Estonia.

Proetus concinnus var. osiliensis Schmidt, 1894

Vol. IV, pl.IV, fig.6, p. 41: **Missing; J (J1)**
(=Jaani Stage, Wenlock); St. Johannis (=Jaani on Saaremaa), Estonia.

Proetus concinnus var. osiliensis Schmidt, 1894

Vol. IV, pl.IV, fig.7, p. 41: **PIN 4248/497; J (J1)**
(=Jaani Stage, Wenlock); St. Johannis (=Jaani on Saaremaa), Estonia.

Proetus concinnus var. osiliensis Schmidt, 1894

Vol. IV, pl.IV, fig.8,8a, p. 41: PIN 8a=4248/423; J (J1) (=Jaani Stage, Wenlock); St. Johannis (=Jaani on Saaremaa), Estonia.

Proetus concinnus var. osiliensis Schmidt, 1894

Vol. IV, pl.IV, fig.9, p. 41: PIN 4248/499; J (J1) (=Jaani Stage, Wenlock); Kerkau (=Kergu), Estonia.

Proetus conspersus Angelin, 1854

Vol. IV, pl.IV, fig.12, p. 45: PIN 4248/502; K (K3b); Fuss des Kaugatoma pank (=Lowermost Kaugatuma Pank), Estonia.

Proetus conspersus Angelin, 1854

Vol. IV, pl.IV, fig.13, p. 46: PIN 4248/132; K (K3b); Fuss des Kaugatoma pank (=Lowermost Kaugatuma Pank), Estonia.

Proetus conspersus Angelin, 1854

Vol. IV, pl.IV, fig.14, p. 46: PIN 4248/504; K (K3b); Kaugatoma pank (=Kaugatuma Pank on Saaremaa), Estonia.

Proetus conspersus Angelin, 1854

Vol. IV, pl.IV, fig.15, p. 46: PIN 4248/823; K (K3b); Kattripank (=Katri Pank on Saaremaa), Estonia. Original of *Proetus pulcher* of Nieszkowski 1857, pl. 3, fig. 12-13.

Proetus conspersus Angelin, 1854

Vol. IV, pl.IV, fig.16,16a, p. 46: PIN 4248/137; K (K3b); Kaugatomapank (=Kaugatuma Pank on Saaremaa), Estonia.

Proetus conspersus Angelin, 1854

Vol. IV, pl.IV, fig.17, p. 46: PIN 4248/133; K (K3b); Kaugatomapank (=Kaugatuma Pank on Saaremaa), Estonia.

Proetus conspersus Angelin, 1854

Vol. IV, pl.IV, fig.18, p. 46: PIN 4248/134; K (K3b); Kaugatomapank (=Kaugatuma Pank on Saaremaa), Estonia.

Proetus conspersus Angelin, 1854

Vol. IV, pl.IV, fig.19, p. 46: PIN 4248/508; K (K4); Ohhesaar (=Ohessaare pank on Saaremaa), Estonia.

Proetus conspersus Angelin, 1854

Vol. IV, pl.IV, fig.20, p. 46: PIN 4248/509; K (K3b); Kaugatoma (=Kaugatuma pank on Saaremaa), Estonia.

Proetus distans cf. Lindström, 1885

Vol. IV, pl.IV, fig.23, p. 51: PIN 4248/513; G3 (=Raikküla Stage, Llandovery); Wahhoküll bei Piep (=Vahuküla near Piibe), Estonia.

Proetus kertelensis Schmidt, 1894

Vol. IV, pl.IV, fig.37, p. 56: PIN 4248/40; F1 (F1b) (=Nabala-Pirgu); Kertel auf Dago (=Kärdla on Hiumaa), Estonia.

Proetus planedorsatus Schmidt, 1894

Vol. IV, pl.IV, fig.21, p. 49: PIN 4248/824; G1 (=Juuru Stage, Llandovery); Kallasto auf Dago (=Kallaste on Hiumaa), Estonia.

Proetus planedorsatus Schmidt, 1894

Vol. IV, pl.IV, fig.22, p. 49: Missing; G1 (F2) (=Juuru Stage, Llandovery); Herküll (=Härgla), Estonia.

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.26, p. 52: PIN 4248/135; F2 (=Porkuni); Borkholm (=Porkuni, Quarry), Estonia. Original of Nieszkowski, 1857, pl. 3, fig. 1-2.

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.27, p. 52: PIN 4248/514; F2 (=Porkuni); Borkholm (=Porkuni, Quarry), Estonia.

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.28, p. 53: PIN 4248/515; F2 (=Porkuni); Borkholm (=Porkuni, Quarry), Estonia.

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.29, p. 52: PIN 4248/516; F2 (=Porkuni); Borkholm (=Porkuni, Quarry), Estonia.

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.30, p. 52: Missing; F2 (=Porkuni);

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.31, p. 52: PIN 4248/517; F2 (=Porkuni); Borkholm (=Porkuni, Quarry), Estonia.

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.32, p. 52: PIN 4248/517; F2 (=Porkuni);

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.33, p. 52: PIN 4248/319; F2
(=Porkuni); Borkholm (=Porkuni, Quarry),
Estonia.

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.34, p. 52: PIN 4248/136; F2
(=Porkuni); Borkholm (=Porkuni, Quarry),
Estonia.

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.35, p. 52: PIN 4248/520; F2
(=Porkuni); Borkholm (=Porkuni, Quarry),
Estonia.

Proetus ramisulcatus Nieszkowski, 1857

Vol. IV, pl.IV, fig.36, p. 52: PIN 4248/826; F2
(F1c) (=Porkuni); Schwarzen (=Vardi, Erratics),
Estonia.

Proetus sp.

Vol. IV, pl.IV, fig.24, p. 51: PIN 4248/521; G3
(F2) (=Raikküla Stage, Llandovery); Wahhoküll
bei Piep (=Vahuküla near Piibe), Estonia.

Proetus sp.

Vol. IV, pl.IV, fig.25, p. 51: Missing; G1 (F2)
(=Juuru Stage, Llandovery); Herküll (=Härgla),
Estonia.

Proetus wesenbergensis Schmidt, 1894

Vol. IV, pl.IV, fig.38, p. 57: PIN 4248/409; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Proetus wesenbergensis Schmidt, 1894

Vol. IV, pl.IV, fig.39, p. 57: Missing; E
(=Rakvere); Wesenberg (=Rakvere), Estonia.

Proetus wöhrmanni Schmidt, 1907

Vol. VI, pl.I, fig.12, p. 61: PIN 4248/53; B2b
(=Langevoja-Hunderum); Popowka (=Popovka),
Russia.

Proetus wöhrmanni Schmidt, 1907

Vol. VI, pl.III, fig.10, p. 61: PIN 4248/78; B2b
(=Langevoja-Hunderum); Gornaja Scheldicha am
Ladoga (=Gornaja Scheldicha), Russia. Coll.:
Dr.C.V.Wöhrmann 1898.

Pseudasaphus ? mickwitzii Schmidt, 1904

Vol. V-III, pl.I, fig.11, p. 11: CNI 11/11153; B2a
Glauconitkalk (=Billingen-Vääna); Leppiko bei
Leetz (=Lepiku near Leetse), Estonia. Coll.:
Ingenieur A.Mickwitz

Pseudasaphus ? mickwitzii Schmidt, 1904

Vol. V-III, pl.I, fig.12, p. 11: CNI 12/11153; B2a
Glauconitkalk (=Billingen-Vääna); Leppiko bei
Leetz (=Lepiku near Leetse), Estonia. Coll.:
Ingenieur A.Mickwitz

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.1, p. 6: CNI 1/11153; B3b
Vagenatenkalk (=Valaste-Aluoja); Reval
(=Tallinn), Estonia. Coll.: Baron
Rud.Ungernsternberg. Original of Eichwald
1860, pl. 53, fig. 2, and Eichwald 1861, pl. 32,
fig. 2.

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.2,2a, p. 6: CNI 2/11153; B3b
(=Valaste-Aluoja); Laaksberge bei Reval
(=Tallin, Lasnamägi), Estonia. Coll.: Stacy

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.3, p. 6: CNI 3/11153; B3b?;

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.4, p. 6: CNI 4/11153; B3b?
Vaginatenkalk; Reval (=Tallinn), Estonia. Coll.:
A.Mickwitz

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.5, p. 6: CNI 5/11153; B3b?
Reval (=Tallinn), Estonia. Coll.: Stacy

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.6, p. 6: CNI 6/11153; B3b?
Reval (=Tallinn), Estonia.

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.7,7a, p. 6: CNI 7/11153; B3b
Kalksandstein (=Valaste-Aluoja); Insel Rogö
(=Rågö, one of the Pakri islands), Estonia.

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.8, p. 6: CNI 8/11153; B3b?
Reval (=Tallinn), Estonia.

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.9, p. 6: NT; B3b (=Valaste-
Aluoja). Originally in the collections of the
University of Dorpat (Tartu), Estonia.

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, pl.I, fig.10, p. 6: Missing; B3b
(=Valaste-Aluoja); Reval (=Tallinn), Estonia.

Pseudasaphus globifrons Eichwald, 1858

Vol. V-III, textfig.1, p. 9: CNI 9/11153; B3b
(=Valaste-Aluoja); Reval (=Tallinn), Estonia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-II, pl.V, fig.12, p. 59 V-IIIP.12: Missing; C1-C2; Pawlowsk (=Pavlovsk), Russia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.II, fig.1,1 a-b, p. 12: Missing; C1b (=Lasnamagi-Uhaku); Laaksberge bei Reval (=Tallin, Lasnamägi), Estonia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.II, fig.4, p. 12: CNI 14/11153; C1a (=Aluoja-Aseri); Dubowiki am Wolchow (=Duboviki), Russia. Coll.: Prof.Lahusen.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.II, fig.5, p. 12: CNI 15/11153; C2 (=Kukruse); Kosse bei Baltischport (Can not find "Kosse" on any map), Estonia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.II, fig.6, p. 12: CNI 16/11153; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.1,1a, p. 12: CNI 17/11153; C1a (=Aluoja-Aseri); Katlino bei Pawlowsk (=Katlino), Russia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.2, p. 12: CNI 18/11153; C1a (=Aluoja-Aseri); Gostilizy (=Gostilitzy), Russia. Coll.: Plautin

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.3, p. 12: CNI 19/11153; C1a (=Aluoja-Aseri); Baltischport (=Paldiski), Estonia. Coll.: Ingenieur A.Mickwitz

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.4, p. 12: NT; C1b (=Lasnamagi-Uhaku); Tischer bei Reval (=Tiskre near Tallin), Estonia. Coll.: Baron Fr.Rosen (1857). Originally in the collections of the University of Dorpat (Tartu), Estonia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.5, p. 12: CNI 20/11153; C1a (=Aluoja-Aseri); Pawlowsk, wahrscheinlich Katlino (=Katlino), Russia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.6, p. 12: CNI 21/11153; C1a (=Aluoja-Aseri); Katlino (=Katlino), Russia. Coll.: Plautin

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.7, p. 12: CNI 22/11153; C1a (=Aluoja-Aseri); Katlino (=Katlino), Russia. Coll.: Plautin

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.8, p. 12: NT; C1b (=Lasnamagi-Uhaku); Odensholm (=Osmussaar), Estonia. Originally in the collections of the University of Dorpat (Tartu), Estonia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.10, p. 12: CNI 24/11153; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.11, p. 12: CNI 25/11153; C2 (=Kukruse); Kuckers (=Kukruse), Estonia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, pl.III, fig.12, p. 12: NT; C2 (=Kukruse); Wesenberg (=Rakvere), Estonia. Coll.: Prof.Ramann. Originally in the Forstakademie Eberswalde, Berlin.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, textfig.2, p. 16: CNI 10/11153; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia.

Pseudasaphus tecticaudatus Steinhardt, 1874

Vol. V-III, textfig.3, p. 16: Missing; C1b (=Lasnamagi-Uhaku); Reval (=Tallinn), Estonia. Coll.: Plautin

Pseudasaphus tecticaudatus var. praecurrens

Schmidt, 1904

Vol. V-III, pl.II, fig.2,2a, p. 18: NT; C1a (=Aluoja-Aseri); Glint bei Peuthof (=Cliff at the Päite), Estonia. Coll.: N.V.Seidlitz. Originally in the collections of the Gesellschaft für Naturforschung, Dorpat (Tartu) Estonia

Pseudasaphus tecticaudatus var. praecurrens

Schmidt, 1904

Vol. V-III, pl.II, fig.3, p. 18: NT; B3b-C1a (=Valaste-Aseri); Archangelskoje am Wolchow (=Archangelskoje), Russia. Coll.: W.Lamanski. Originally in the Museum of Paleontology & Stratigraphy, University of St. Petersburg.

Pseudasaphus tecticaudatus var. praecurrens

Schmidt, 1904

Vol. V-III, pl.III, fig.9, p. 18: CNI 23/11153; B3b-C1a (=Valaste-Aseri); Archangelskoje am Wolchow (=Archangelskoje), Russia.

Ptychopyge angustifrons Dalman, 1827

Vol. V-III, pl.V, fig.4,4a, p. 34: CNI 40/11153;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

Ptychopyge angustifrons Dalman, 1827

Vol. V-III, pl.V, fig.5, p. 34: NT; B3a
(=Hunderum-Valaste); Simonkowa am Wolchow
(=Simonkovo), Russia. Coll.: W.Lamanski.
Originally in the Museum of Paleontology &
Stratigraphy, University of St. Petersburg.

Ptychopyge angustifrons Dalman, 1827

Vol. V-III, pl.V, fig.7, p. 34: CNI 42/11153; B2b
(=Langevoja-Hunderum); den Steinbrüchen von
Iswos am Wolchow (=Izvos), Russia.

Ptychopyge angustifrons Dalman, 1827

Vol. V-III, pl.V, fig.8, p. 34: CNI 43/11153; B2b
(=Langevoja-Hunderum); Obuchow am Wolchow
(=Obuchovo), Russia.

Ptychopyge angustifrons Dalman, 1827

Vol. V-III, pl.V, fig.9, p. 34: PIN 4248/26; B2b
(=Langevoja-Hunderum); Obuchow am Wolchow
(=Obuchovo), Russia.

Ptychopyge angustifrons Dalman, 1827

Vol. V-III, pl.V, fig.10, p. 34: Missing; B2b
(=Langevoja-Hunderum); Putilow'schen Brüchen
(=Putilovo), Russia.

Ptychopyge angustifrons Dalman, 1827

Vol. VI, textfig.9, p. 79: PIN 4248/47; B2b
(=Langevoja-Hunderum); Iswos am Welchow
(=Izvos), Russia. Coll.: Knyrko

**Ptychopyge angustifrons var. gladiifera Schmidt,
1904**

Vol. V-III, pl.V, fig.6, p. 38: CNI 41/11153; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VII, fig.8, p. 45: PIN 4248/35; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VIII, fig.1, p. 45: CNI 46/11153;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VIII, fig.2, p. 45: CNI 47/11153;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VIII, fig.3, p. 45: Missing; B2b
Orthocerenkalk (=Langevoja-Hunderum); Kungs
Norby, Oestergotland (=Kungs Norrby), Sweden.
Coll.: Lindström. Original of Lindström 1901,
pl.6, fig. 37-39. May be in Naturhistoriska
Riksmuseet, Stockholm..

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VIII, fig.4, p. 45: Missing; B2b
Orhocerenkalk (=Langevoja-Hunderum); Kungs
Norby, Oestergotland (=Kungs Norrby), Sweden.
Coll.: Lindström Original of Lindström 1901,
pl.6, fig. 37-39.

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VIII, fig.5, p. 45: CNI 48/11153;
B2b (=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia.

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VIII, fig.6, p. 45: CNI 49/11153;
B2b (=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia.

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VIII, fig.7, p. 45: PIN 4248/54;
B2b (=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia.

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VIII, fig.8, p. 45: PIN 4248/33;
B2b (=Langevoja-Hunderum); Putilow'schen
Brüchen bei Gornaja Scheldicha (=Gornaja
Scheldicha), Russia.

Ptychopyge cincta Brögger, 1886

Vol. V-III, pl.VIII, fig.9, p. 45: PIN 4248/34;
B2b (=Langevoja-Hunderum); Iswos am
Wolchow (=Izvos), Russia.

Ptychopyge excavato-zonata Angelin, 1854

Vol. V-I, textfig.5, p. 30: Missing; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Ptychopyge knyrkoi Schmidt, 1904

Vol. V-III, pl.VII, fig.1,1b, p. 53: CNI 54/11153;
B2b (=Langevoja-Hunderum); Obuchow von
Wolchow (=Obuchovo), Russia.

Ptychopyge kuckersiana Schmidt, 1898

Vol. V-I, textfig.8, p. 32: Missing; C1a (=Aluoja-Aseri); Kuckers (=Kukruse), Estonia.

Ptychopyge lawrowi Schmidt, 1904

Vol. V-I, textfig.7, p. 31: Missing; C1a (=Aluoja-Aseri); Gostilizy (=Gostilitsy), Russia. Coll.: Plautin

Ptychopyge limbata Angelin, 1854

Vol. VI, pl.III, fig.16,16a, p. 80: CNI 25/11155; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia.

Ptychopyge limbata Angelin, 1854

Vol. V-I, textfig.6, p. 31: Missing; B2a (=Billingen-Vääna); Leppiko, Baltischport (=Paldiski), Estonia.

Ptychopyge limbata Angelin, 1854

Vol. VI, textfig.10,10a, p. 81: PIN 4248/46; B2b (=Langevoja-Hunderum); Wolchow (=Volkhov), Russia. Coll.: Lamanski

Ptychopyge pahleni Schmidt, 1904

Vol. V-III, pl.VI, fig.9,9a, p. 55: CNI 55/11153; B2a Glauconitkalk (=Billingen-Vääna); Leppiko bei Leetz (=Lepiku near Leetse), Estonia.

Ptychopyge pahleni Schmidt, 1904

Vol. V-III, pl.VI, fig.10, p. 55: CNI 56/11153; B2a?; Leppiko bei Leetz (=Lepiku near Leetse), Estonia.

Ptychopyge pahleni Schmidt, 1904

Vol. V-III, pl.VI, fig.11, p. 55: PIN 4248/15; B2a untern Glauconitkalk (=Billingen-Vääna); Reval, Laaksberge (=Tallinn, Lasnamägi), Estonia.

Ptychopyge pahleni Schmidt, 1904

Vol. V-III, pl.VII, fig.7, p. 55: CNI 58/11153; B2a (=Billingen-Vääna); Leppiko bei Leetz (=Lepiku near Leetse), Estonia.

Ptychopyge plautini Schmidt, 1904

Vol. V-III, pl.VII, fig.3,3a, p. 49: PIN 4248/11; B2b Glauconitkalk (=Langevoja-Hunderum); Joa Weske bei Palms (=Joa Veski at Palmse), Estonia. Coll.: Baron A.Pahlen

Ptychopyge plautini Schmidt, 1904

Vol. V-III, pl.VII, fig.4,4a, p. 49: CNI 51/11153; B2a (=Billingen-Vääna); Gornaja Scheldicha (=Gornaja Scheldicha), Russia. Coll.: General Plautin

Ptychopyge plautini Schmidt, 1904

Vol. V-III, pl.VII, fig.5, p. 49: PIN 4248/110; B2b (=Langevoja-Hunderum); Iswos am Wolchow (=Izvos), Russia. Coll.: General Plautin

Ptychopyge plautini Schmidt, 1904

Vol. V-III, pl.VII, fig.6, p. 49: CNI 52/11153; B2b Glauconitkalk (=Langevoja-Hunderum); Carroll (=Karula), Estonia. Coll.: A.V.Wahl

Ptychopyge plautini Schmidt, 1904

Vol. VI, pl.III, fig.15, p. 80: Missing; B2b (=Langevoja-Hunderum); Baltischport (=Paldiski), Estonia. Coll.: Lamanski

Ptychopyge sp.

Vol. V-III, pl.V, fig.11, p. 45: PIN 4248/924; B1b Grünsande (=Billingen); Popowka bei Pawlowsk (=Popovka), Russia.

Ptychopyge truncata Nieszkowski, 1859

Vol. V-III, pl.VI, fig.1, p. 39: NT; B2b Glauconitkalk (=Langevoja-Hunderum); Isenhof'schen Bach bei Luggensusen (=Purtse river at Lüganuse), Estonia. Original of Nieszkowski, 1859, pl. 1, fig. 1. Originally in the collections of the Gesellschaft für Naturforschung, Dorpat (Tartu) Estonia.

Ptychopyge truncata Nieszkowski, 1859

Vol. V-III, pl.VI, fig.2, p. 39: CNI 44/11153; B2b Glauconitkalk (=Langevoja-Hunderum); Reval (=Tallinn), Estonia. Coll.: Consul Stacy

Ptychopyge truncata Nieszkowski, 1859

Vol. V-III, pl.VI, fig.3, p. 39: CNI 45/11153; B2b (=Langevoja-Hunderum); Reval (=Tallinn), Estonia.

Ptychopyge truncata Nieszkowski, 1859

Vol. V-III, pl.VI, fig.4, p. 39: PIN 4248/538; B2b Glauconitkalk (=Langevoja-Hunderum); Reval (=Tallinn), Estonia.

Ptychopyge truncata var. bröggeri Schmidt, 1904

Vol. V-III, pl.VI, fig.5,5a, p. 42: PIN 4248/29; B2b (=Langevoja-Hunderum); Obuchowo am Wolchow (=Obuchovo), Russia.

Ptychopyge truncata var. bröggeri Schmidt, 1904

Vol. V-III, pl.VI, fig.6,6a,6b, p. 42: PIN 4248/30; B2b (=Langevoja-Hunderum); Obuchowo am Wolchow (=Obuchovo), Russia.

Ptychopyge truncata var. bröggeri Schmidt, 1904
Vol. V-III, pl.VI, fig.7, p. 42: PIN 4248/31; B2b
(=Langevoja-Hunderum); Iswos am Wolchow
(=Izvos), Russia.

Ptychopyge truncata var. bröggeri Schmidt, 1904
Vol. V-III, pl.VI, fig.8, p. 42: Missing; B2b
(=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia.

Ptychopyge truncata var. bröggeri Schmidt, 1904
Vol. V-III, textfig.5,5a, p. 44: CNI 50/11153;
B2b (=Langevoja-Hunderum); Obuchowo am
Wolchow (=Obuchovo), Russia.

Ptychopyge wöhrmanni Schmidt, 1904
Vol. V-III, pl.VII, fig.2,2a, p. 52: CNI 53/11153;
B2b (=Langevoja-Hunderum); Obuchow von
Wolchow (=Obuchovo), Russia.

Remopleurides emarginatus Törnquist, 1885
Vol. IV, pl.VI, fig.37,37a, p. 89: PIN 4248/444;
F1 (F1a) (=Nabala-Pirgu); Oddalem bei Liwa
(=Odulemma near Liiva), Estonia.

Remopleurides emarginatus Törnquist, 1885
Vol. IV, pl.VI, fig.38, p. 89: PIN 4248/445; F1
(F1a) (=Nabala-Pirgu); Kirna (=Kernu), Estonia.

Remopleurides nanus Leuchtenberg, 1843
Vol. IV, pl.VI, fig.34,34a, p. 88: PIN 4248/866;
C1 (=Aluoja-Uhaku); Pawlowsk (=Pavlovsk),
Russia.

Remopleurides nanus Leuchtenberg, 1843
Vol. IV, pl.VI, fig.35,35b, p. 88: PIN
35=4248/865,35b=4248/37; C1,B2-B3
35:C1,35b:B2-B3; Pawlowsk (=Pavlovsk),
Russia. Coll.: Plautin

Remopleurides nanus var. elongata Schmidt, 1894
Vol. IV, pl.VI, fig.36,36a-b, p. 89: PIN
36,36a=4248/440; C2 (=Kukruse); Kuckers
(=Kukruse), Estonia.

Sphaerexochus angustifrons Angelin, 1854
Vol. I, pl.IX, fig.17 a,b, p. 189: CNI 53/11059; F
(=Harju Series); Palloküll auf Dago (=Paluküla,
Hiiumaa), Estonia.

Sphaerexochus angustifrons Angelin, 1854
Vol. I, pl.XVI, fig.38, p. 189: CNI 53/11059; F1
(=Nabala-Pirgu); Pallokülla auf Dago (=Paluküla
on Hiiumaa), Estonia.

Stylolithen

Vol. I, textfig.6, p. 33: Missing; D2 Jeweschen
Schicht (=Keila); Jewe über Kuckers, Estonia.

Trinucleus seticornis Hisinger, 1840

Vol. IV, pl.V, fig.19,19a, p. 71: Missing; F1
(F1a) (=Nabala-Pirgu); Estland, Estonia.

Trinucleus seticornis Hisinger, 1840

Vol. IV, pl.V, fig.20, p. 71: Missing; F1 (F1a)
(=Nabala-Pirgu); Jõmper in Estland (=Jõepere),
Estonia.

Trinucleus seticornis Hisinger, 1840

Vol. IV, pl.V, fig.21, p. 71: PIN 4248/425; F1
(F1a) (=Nabala-Pirgu); Jõmper in Estland
(=Jõepere), Estonia.

Trinucleus seticornis Hisinger, 1840

Vol. IV, pl.V, fig.22, p. 71: PIN 4248/426; F1
(F1a) (=Nabala-Pirgu); Jõmper in Estland
(=Jõepere), Estonia.

PART 2

List of taxa according to volume (part), plate and figure reference.

The present corresponding museum catalogue number is given for future reference.

"Missing" denotes specimens probably lost during the reorganisation of the Karpinsky Museum, St. Petersburg.

"NT" denotes specimens which might well be in museums in Estonia, Germany, Poland, Russia and Sweden. (see Part 1).

* designates a type specimen from a pre-Schmidt publication (see Part 1 for details).

Vol. I, pl.I, fig.1, p. 72: <i>Phacops elegans</i> Boeck, 1838	Missing
Vol. I, pl.I, fig.2, p. 75: <i>Phacops (Acaste) downingiae</i> Murchison, 1839	PIN 4248/300
Vol. I, pl.I, fig.3 a,b,c, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	PIN 4248/688
According to Jaanusson & Ramsköld 1993:	RM Ar 18074
Vol. I, pl.I, fig.4, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	PIN 4248/332
Vol. I, pl.I, fig.5, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	Missing
According to Jaanusson (pers.com.):	PIN 4248/116
Vol. I, pl.I, fig.6, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	Missing
Vol. I, pl.I, fig.7, p. 77: <i>Phacops (Pterygometopus) sclerops</i> var. <i>angulata</i> Schmidt, 1881	PIN 4248/331
Vol. I, pl.I, fig.8, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	PIN 4248/333
Vol. I, pl.I, fig.9, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> Schmidt, 1881	PIN 4248/122
Vol. I, pl.I, fig.10, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> Schmidt, 1881	PIN 4248/122
Vol. I, pl.I, fig.11, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> Schmidt, 1881	Missing
Vol. I, pl.I, fig.12, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> Schmidt, 1881	PIN 4248/334
Vol. I, pl.I, fig.13, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> Schmidt, 1881	Missing
Vol. I, pl.I, fig.14, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> Schmidt, 1881	Missing
Vol. I, pl.I, fig.15 a,b,c,d, p. 84: <i>Phacops (Pterygometopus) panderi</i> Schmidt, 1881	PIN 4248/316
Vol. I, pl.I, fig.16, p. 84: <i>Phacops (Pterygometopus) panderi</i> Schmidt, 1881	PIN 4248/151
Vol. I, pl.I, fig.17, p. 84: <i>Phacops (Pterygometopus) panderi</i> Schmidt, 1881	Missing
Vol. I, pl.I, fig.18 a,b, p. 86: <i>Phacops (Pterygometopus) exilis</i> Eichwald, 1858	PIN 4248/935
Vol. I, pl.I, fig.19 a,b, p. 86: <i>Phacops (Pterygometopus) exilis</i> Eichwald, 1858	PIN 4248/9
Vol. I, pl.I, fig.20, p. 86: <i>Phacops (Pterygometopus) exilis</i> Eichwald, 1858	PIN 4248/615
Vol. I, pl.I, fig.21, p. 86: <i>Phacops (Pterygometopus) exilis</i> Eichwald, 1858	PIN 4248/53
Vol. I, pl.I, fig.22 a,b,c, p. 88: <i>Phacops (Pterygometopus) laevigata</i> Schmidt, 1881	PIN 4248/59
Vol. I, pl.II, fig.1a,b, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/5
Vol. I, pl.II, fig.2, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/65
Vol. I, pl.II, fig.3, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	Missing
Vol. I, pl.II, fig.4, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/18
Vol. I, pl.II, fig.5, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	Missing
Vol. I, pl.II, fig.6, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/166
Vol. I, pl.II, fig.7, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/166
Vol. I, pl.II, fig.8, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	Missing
Vol. I, pl.II, fig.9, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	Missing
Vol. I, pl.II, fig.10, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	Missing
Vol. I, pl.II, fig.11, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/66
Vol. I, pl.II, fig.12, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/66
Vol. I, pl.II, fig.13, p. 99: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/66
Vol. I, pl.II, fig.14, p. 98: <i>Phacops (Chasmops) praecurrents</i> Schmidt, 1881	PIN 4248/61
Vol. I, pl.II, fig.15, p. 98: <i>Phacops (Chasmops) praecurrents</i> Schmidt, 1881	PIN 4248/60
Vol. I, pl.II, fig.16, p. 95: <i>Phacops (Chasmops) ingrata</i> Schmidt, 1881	Missing
Vol. I, pl.II, fig.17, p. 98: <i>Phacops (Chasmops) praecurrents</i> Schmidt, 1881	PIN 4248/62
Vol. I, pl.III, fig.1a,b,c,d, p. 105: <i>Phacops (Chasmops) bucculenta</i> var. <i>emarginata</i> Angelin, 1854	Missing
Vol. I, pl.III, fig.2, p. 105: <i>Phacops (Chasmops) bucculenta</i> var. <i>emarginata</i> Angelin, 1854	PIN 4248/71
Vol. I, pl.III, fig.3, p. 105: <i>Phacops (Chasmops) bucculenta</i> var. <i>emarginata</i> Angelin, 1854	NT
Vol. I, pl.III, fig.4a,b, p. 105: <i>Phacops (Chasmops) bucculenta</i> var. <i>emarginata</i> Angelin, 1854	PIN 4248/72
Vol. I, pl.III, fig.5a,b,c, p. 104: <i>Phacops (Chasmops) marginata</i> Schmidt, 1881	Missing
Vol. I, pl.III, fig.6, p. 104: <i>Phacops (Chasmops) marginata</i> Schmidt, 1881	PIN 4248/2

Vol. I, pl.III, fig.7a,b,c, p. 104: <i>Phacops (Chasmops) marginata</i> Schmidt, 1881	PIN 4248/19
Vol. I, pl.III, fig.8a,b, p. 109: <i>Phacops (Chasmops) mutica</i> Schmidt, 1881	NT
Vol. I, pl.III, fig.9a,b,c, p. 109: <i>Phacops (Chasmops) mutica</i> Schmidt, 1881	Missing
Vol. I, pl.III, fig.10a,b, p. 109: <i>Phacops (Chasmops) macroura</i> Angelin, 1851	NT
According to Jaanusson (pers.com.)	PSM 149/1
Vol. I, pl.III, fig.11a,b, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	NT
Vol. I, pl.IV, fig.1a,b,c, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	PIN 4248/77
Vol. I, pl.IV, fig.2, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	PIN 4248/3
Vol. I, pl.IV, fig.3, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	NT
Vol. I, pl.IV, fig.4, p. 117: <i>Phacops (Chasmops) eichwaldi</i> Schmidt, 1881	PIN 4248/84
Vol. I, pl.IV, fig.5, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	PIN 4248/79
Vol. I, pl.IV, fig.6, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	Missing
Vol. I, pl.IV, fig.7, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	Missing
Vol. I, pl.IV, fig.8, p. 114: <i>Phacops (Chasmops) macroura</i> Angelin, 1851	NT
Vol. I, pl.IV, fig.9, p. 114: <i>Phacops (Chasmops) macroura</i> Angelin, 1851	NT
Vol. I, pl.IV, fig.10, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	NT
Vol. I, pl.IV, fig.11 a,b, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	PIN 4248/81
Vol. I, pl.IV, fig.12, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	Missing
Vol. I, pl.V, fig.1, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	PIN 4248/212
Vol. I, pl.V, fig.2, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	PIN 4248/80
Vol. I, pl.V, fig.3, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	Missing
Vol. I, pl.V, fig.4 a,b, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	PIN 4248/177
Vol. I, pl.V, fig.5 a,b, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	PIN 4248/82
Vol. I, pl.V, fig.6, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	Missing
Vol. I, pl.V, fig.7, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	Missing
According to Jaanusson (pers.com.)	PIN 4248/212 ?
Vol. I, pl.V, fig.8a,b,c, p. 117: <i>Phacops (Chasmops) eichwaldi</i> Schmidt, 1881	NT
According to Jaanusson (pers.com.)	PSM 1/2733
Vol. I, pl.V, fig.9, p. 117: <i>Phacops (Chasmops) eichwaldi</i> Schmidt, 1881	PIN 4248/104
According to Jaanusson (pers.com.)	IGT Tr 2102 (Univ. Tartu?)
Vol. I, pl.V, fig.10, p. 117: <i>Phacops (Chasmops) eichwaldi</i> Schmidt, 1881	PIN 4248/138
Vol. I, pl.V, fig.11 a,b,c, p. 90: <i>Phacops (Pterygometopus) kuckersiana</i> Schmidt, 1881	Missing
Vol. I, pl.V, fig.12, p. 90: <i>Phacops (Pterygometopus) kuckersiana</i> Schmidt, 1881	PIN 4248/123
Vol. I, pl.V, fig.13, p. 90: <i>Phacops (Pterygometopus) kuckersiana</i> Schmidt, 1881	PIN 4248/613
Vol. I, pl.V, fig.14a,b,c, p. 92: <i>Phacops (Pterygometopus) nieszkowskii</i> Schmidt, 1881	a = Missing b = PIN 4248/414 c = PIN 4248/56
Vol. I, pl.V, fig.15, p. 92: <i>Phacops (Pterygometopus) nieszkowskii</i> Schmidt, 1881	PIN 4248/413
Vol. I, pl.V, fig.16, p. 117: <i>Phacops (Chasmops) eichwaldi</i> Schmidt, 1881	PIN 4248/170
Vol. I, pl.VI, fig.1a,b, p. 135: <i>Cheirurus (Cheirurus) ingricus</i> Schmidt, 1881	PSM 149/2
Vol. I, pl.VI, fig.2, p. 135: <i>Cheirurus (Cheirurus) ingricus</i> Schmidt, 1881	NT
Vol. I, pl.VI, fig.3 a,b, p. 133: <i>Cheirurus (Cheirurus) ornatus</i> Dalman, 1827	Missing
Vol. I, pl.VI, fig.4 a,b, p. 133: <i>Cheirurus (Cheirurus) ornatus</i> Dalman, 1827	PIN 4248/340
Vol. I, pl.VI, fig.5 a,b, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	Missing
Vol. I, pl.VI, fig.6 a,b, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	PIN 4248/3
Vol. I, pl.VI, fig.7, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	Missing
Vol. I, pl.VI, fig.8, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	PIN 4248/347
Vol. I, pl.VI, fig.9, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	Missing
Vol. I, pl.VI, fig.10, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	PIN 4248/86
Vol. I, pl.VI, fig.11 a,b, p. 146: <i>Cheirurus (Cheirurus) gladiator</i> Eichwald, 1858	PIN 4248/89
Vol. I, pl.VI, fig.12, p. 146: <i>Cheirurus (Cheirurus) gladiator</i> Eichwald, 1858	Missing
Vol. I, pl.VI, fig.13, p. 146: <i>Cheirurus (Cheirurus) gladiator</i> Eichwald, 1858	NT
Vol. I, pl.VI, fig.14, p. 146: <i>Cheirurus (Cheirurus) gladiator</i> Eichwald, 1858	PIN 4248/88
Vol. I, pl.VI, fig.15, p. 146: <i>Cheirurus (Cheirurus) gladiator</i> Eichwald, 1858	CNI 869/11059
Vol. I, pl.VI, fig.16 a,b, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	Missing
Vol. I, pl.VI, fig.17, p. 146: <i>Cheirurus (Cheirurus) gladiator</i> Eichwald, 1858	NT

Vol. I, pl.VII, fig.1 a,b,c, p. 143: <i>Cheirurus (Cheirurus) macrophthalmus</i> Kutorga, 1854	CNI 6/11059
Vol. I, pl.VII, fig.2, p. 143: <i>Cheirurus (Cheirurus) macrophthalmus</i> Kutorga, 1854	Missing
Vol. I, pl.VII, fig.3 a,b, p. 143: <i>Cheirurus (Cheirurus) macrophthalmus</i> Kutorga, 1854	Missing
Vol. I, pl.VII, fig.4, p. 143: <i>Cheirurus (Cheirurus) macrophthalmus</i> Kutorga, 1854	NT
Vol. I, pl.VII, fig.5, p. 143: <i>Cheirurus (Cheirurus) macrophthalmus</i> Kutorga, 1854	Missing
Vol. I, pl.VII, fig.6, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	Missing
Vol. I, pl.VII, fig.7, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	Missing
Vol. I, pl.VII, fig.8, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	CNI 8/11059
Vol. I, pl.VII, fig.9, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	CNI 9/11059
Vol. I, pl.VII, fig.10, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	PIN 4248/94
Vol. I, pl.VII, fig.11, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	PIN 4248/94
Vol. I, pl.VII, fig.12, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	PIN 4248/94
Vol. I, pl.VII, fig.13, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	CNI 10/11059
Vol. I, pl.VII, fig.14, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	Missing
Vol. I, pl.VII, fig.15, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	Missing
Vol. I, pl.VII, fig.16, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	Missing
Vol. I, pl.VII, fig.17, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	PIN 4248/96
Vol. I, pl.VII, fig.18 a,b, p. 151: <i>Cheirurus (Cheirurus) cf. glaber</i> Angelin, 1854	PSM 149/3,4
Vol. I, pl.VII, fig.19 a,b, p. 160: <i>Cheirurus (Cyrtometopus) aries</i> Leuchtenberg, 1843	CNI 13/11059
Vol. I, pl.VII, fig.20, p. 160: <i>Cheirurus (Cyrtometopus) aries</i> Leuchtenberg, 1843	Missing
Vol. I, pl.VII, fig.21, p. 160: <i>Cheirurus (Cyrtometopus) aries</i> Leuchtenberg, 1843	Missing
Vol. I, pl.VII, fig.22, p. 157: <i>Cheirurus (Cyrtometopus) affinis</i> Angelin, 1854	Missing
Vol. I, pl.VIII, fig.1, p. 157: <i>Cheirurus (Cyrtometopus) affinis</i> Angelin, 1854	Missing
Vol. I, pl.VIII, fig.2, p. 157: <i>Cheirurus (Cyrtometopus) affinis</i> Angelin, 1854	Missing
Vol. I, pl.VIII, fig.3, p. 157: <i>Cheirurus (Cyrtometopus) affinis</i> Angelin, 1854	Missing
Vol. I, pl.VIII, fig.4, p. 153: <i>Cheirurus (Cyrtometopus) clavifrons</i> Dalman, 1827	Missing
Vol. I, pl.VIII, fig.5, p. 153: <i>Cheirurus (Cyrtometopus) clavifrons</i> Dalman, 1827	Missing
Vol. I, pl.VIII, fig.6, p. 153: <i>Cheirurus (Cyrtometopus) clavifrons</i> Dalman, 1827	Missing
Vol. I, pl.VIII, fig.7, p. 166: <i>Cheirurus (Sphaerocoryphe) cranium</i> Kutorga, 1854	NT
Vol. I, pl.VIII, fig.8, p. 166: <i>Cheirurus (Sphaerocoryphe) cranium</i> Kutorga, 1854	PIN 4248/361
Vol. I, pl.VIII, fig.9 a,b, p. 164: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> var. <i>dolichocephala</i> Schmidt, 1881	CNI 15/11059
Vol. I, pl.VIII, fig.10, p. 164: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> var. <i>dolichocephala</i> Schmidt, 1881	CNI 15/11059
Vol. I, pl.VIII, fig.11, p. 168: <i>Cheirurus (Sphaerocoryphe) hübneri</i> Schmidt, 1881	NT
Vol. I, pl.VIII, fig.12 a,b, p. 168: <i>Cheirurus (Sphaerocoryphe) hübneri</i> Schmidt, 1881	Missing
Vol. I, pl.VIII, fig.13 a,b, p. 163: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> Nieszkowski, 1859	PIN 4248/100
Vol. I, pl.VIII, fig.14, p. 163: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> Nieszkowski, 1859	CNI 17/11059
Vol. I, pl.VIII, fig.15, p. 163: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> var. <i>dolichocephala</i> Schmidt, 1881	CNI 18/11059
Vol. I, pl.VIII, fig.16, p. 163: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> Nieszkowski, 1859	Missing
Vol. I, pl.VIII, fig.17 a,b, p. 169: <i>Cheirurus (Sphaerocoryphe) cf. granulatus</i> Angelin, 1854	CNI 20/11059
Vol. I, pl.VIII, fig.18, p. 169: <i>Cheirurus (Sphaerocoryphe) cf. granulatus</i> Angelin, 1854	Missing
Vol. I, pl.VIII, fig.19, p. 169: <i>Cheirurus (Sphaerocoryphe) cf. granulatus</i> Angelin, 1854	CNI 21/11059
Vol. I, pl.VIII, fig.20 a,b,c, p. 180: <i>Cheirurus (Nieszkowskia) tumidus</i> Angelin, 1854	CNI 32/11059
Vol. I, pl.VIII, fig.21, p. 180: <i>Cheirurus (Nieszkowskia) tumidus</i> Angelin, 1854	CNI 33/11059
Vol. I, pl.VIII, fig.22, p. 180: <i>Cheirurus (Nieszkowskia) tumidus</i> Angelin, 1854	CNI 33/11059
Vol. I, pl.VIII, fig.23 a,b, p. 180: <i>Cheirurus (Nieszkowskia) tumidus gibbus</i> Angelin, 1854	Missing
Vol. I, pl.VIII, fig.24, p. 180: <i>Cheirurus (Nieszkowskia) tumidus gibbus</i> Angelin, 1854	CNI 34/11059
Vol. I, pl.IX, fig.1 a,b, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> Linnarsson, 1869	CNI 37/11059
Vol. I, pl.IX, fig.2, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> Linnarsson, 1869	PIN 4248/379
Vol. I, pl.IX, fig.3, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> Linnarsson, 1869	PIN 4248/120
Vol. I, pl.IX, fig.4, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> Linnarsson, 1869	CNI 38/11059
Vol. I, pl.IX, fig.5 a,b, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> Linnarsson, 1869	a = CNI 39/11059, b = CNI 40/11059

Vol. I, pl.IX, fig.6, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> Linnarsson, 1869	CNI 41/11059
Vol. I, pl.IX, fig.7, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> Linnarsson, 1869	PIN 4248/125
Vol. I, pl.IX, fig.8, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> Linnarsson, 1869	Missing
Vol. I, pl.IX, fig.9, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	CNI 44/11059
Vol. I, pl.IX, fig.10, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	CNI 45/11059
Vol. I, pl.IX, fig.11, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	CNI 46/11059
Vol. I, pl.IX, fig.12, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	CNI 47/11059
Vol. I, pl.IX, fig.13, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	CNI 48/11059
Vol. I, pl.IX, fig.14, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	Missing
Vol. I, pl.IX, fig.15 a,b, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	a = CNI 50/11059, b = CNI 51/11059
Vol. I, pl.IX, fig.16, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	Missing
Vol. I, pl.IX, fig.17 a,b, p. 189: <i>Sphaerexochus angustifrons</i> Angelin, 1854	CNI 53/11059
Vol. I, pl.X, fig.1a,b,c,d, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	Missing
Vol. I, pl.X, fig.2, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	CNI 22/11059
Vol. I, pl.X, fig.3, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	CNI 23/11059
Vol. I, pl.X, fig.4, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	Missing
Vol. I, pl.X, fig.5 a,b, p. 174: <i>Cheirurus (Pseudosphaerexochus) conformis</i> Angelin, 1854	Missing
Vol. I, pl.X, fig.6 a,b, p. 174: <i>Cheirurus (Pseudosphaerexochus) conformis</i> Angelin, 1854	CNI 25/11059
Vol. I, pl.X, fig.7 a,b,c, p. 174: <i>Cheirurus (Pseudosphaerexochus) conformis</i> Angelin, 1854	a,b = Missing c = CNI 26/11059
Vol. I, pl.X, fig.8 a,b, p. 178: <i>Cheirurus (Pseudosphaerexochus) roemerii</i> Schmidt, 1881	CNI 29/11059
Vol. I, pl.X, fig.9, p. 174: <i>Cheirurus (Pseudosphaerexochus) conformis</i> var. Angelin, 1854	CNI 27/11059
Vol. I, pl.X, fig.10, p. 72: <i>Phacops elegans</i> Boeck, 1838	PIN 4248/22
Vol. I, pl.X, fig.11 a,b, p. 72: <i>Phacops elegans</i> Boeck, 1838	Missing
Vol. I, pl.X, fig.12, p. 72: <i>Phacops elegans</i> Boeck, 1838	PIN 4248/111
Vol. I, pl.X, fig.13, p. 88: <i>Phacops (Pterygometopus) laevigata</i> Schmidt, 1881	PIN 4248/335
Vol. I, pl.X, fig.14, p. 88: <i>Phacops (Pterygometopus) laevigata</i> Schmidt, 1881	PIN 4248/335
Vol. I, pl.X, fig.15, p. 104: <i>Phacops (Chasmops) marginata</i> Schmidt, 1881	PIN 4248/70
Vol. I, pl.X, fig.16, p. 105: <i>Phacops (Chasmops) bucculenta</i> var. <i>emarginata</i> Angelin, 1854	NT
Vol. I, pl.X, fig.17, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	PIN 4248/370
Vol. I, pl.X, fig.18, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	Missing
Vol. I, pl.X, fig.19, p. 114: <i>Phacops (Chasmops) macroura</i> Angelin, 1851	NT
Vol. I, pl.X, fig.20, p. 115: <i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	PIN 4248/82
Vol. I, pl.X, fig.21, p. 117: <i>Phacops (Chasmops) eichwaldi</i> Schmidt, 1881	PIN 4248/83
Vol. I, pl.X, fig.22 a,b,c,: <i>Phacops (Chasmops) eichwaldi</i> Schmidt, 1881	NT
Vol. I, pl.XI, fig.1, p. 80: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	PIN 4248/688
According to Jaanusson & Ramsköld 1993:	RM Ar 18074
Vol. I, pl.XI, fig.2, p. 80: <i>Phacops (Pterygometopus) sclerops</i> var. <i>angulata</i> Schmidt, 1881	PIN 4248/331
Vol. I, pl.XI, fig.3, p. 83: <i>Phacops (Pterygometopus) trigonocephala</i> var. <i>estonica</i> Schmidt, 1881	PIN 4248/50
According to Jaanusson (pers.com.)	PSM 1/11059
Vol. I, pl.XI, fig.4, p. 83: <i>Phacops (Pterygometopus) trigonocephala</i> var. <i>genuina</i> Schmidt, 1881	PIN 4248/94
Vol. I, pl.XI, fig.5, p. 96: <i>Phacops (Chasmops) nasuta</i> Schmidt, 1881	Missing
Vol. I, pl.XI, fig.6, p. 96: <i>Phacops (Chasmops) nasuta</i> Schmidt, 1881	PIN 4248/3
Vol. I, pl.XI, fig.7, p. 90: <i>Phacops (Pterygometopus) kuckersiana</i> Schmidt, 1881	Missing
Vol. I, pl.XI, fig.8, p. 91: <i>Phacops (Pterygometopus) kegelensis</i> Schmidt, 1881	PIN 4248/342
Vol. I, pl.XI, fig.9, p. 92: <i>Phacops (Pterygometopus) nieszkowskii</i> Schmidt, 1881	Missing
Vol. I, pl.XI, fig.10 a,b, p. 107: <i>Phacops (Chasmops) wrangeli</i> Schmidt, 1881	PIN 4248/73
Vol. I, pl.XI, fig.11 a,b, p. 109: <i>Phacops (Chasmops) mutica</i> Schmidt, 1881	Missing
Vol. I, pl.XI, fig.12 a,b, p. 108: <i>Phacops (Chasmops) brevispina</i> Schmidt, 1881	PIN 4248/74
Vol. I, pl.XI, fig.13, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	Missing
Vol. I, pl.XI, fig.14, p. 104: <i>Phacops (Chasmops) marginata</i> Schmidt, 1881	PIN 4248/70
Vol. I, pl.XI, fig.15, p. 104: <i>Phacops (Chasmops) marginata</i> Schmidt, 1881	PIN 4248/70
Vol. I, pl.XI, fig.16, p. 102: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/69
Vol. I, pl.XI, fig.17, p. 72: <i>Phacops elegans</i> Boeck, 1838	Missing
Vol. I, pl.XI, fig.18, p. 75: <i>Phacops (Acaste) downingiae</i> Murchison, 1839	PIN 4248/298

Vol. I, pl.XI, fig.19, p. 146: <i>Cheirurus (Cheirurus) gladiator</i> Eichwald, 1858	Missing
Vol. I, pl.XI, fig.20, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	Missing
Vol. I, pl.XI, fig.21 a,b, p. 177: <i>Cheirurus (Pseudosphaerexochus) pahnschi</i> Schmidt, 1881	CNI 28/11059
Vol. I, pl.XI, fig.22, p. 178: <i>Cheirurus (Pseudosphaerexochus) roemeri</i> Schmidt, 1881	CNI 30/11059
Vol. I, pl.XI, fig.23, p. 219: <i>Cybele brevicauda</i> Angelin, 1854	CNI 81/11059
Vol. I, pl.XI, fig.24, p. 178: <i>Cheirurus (Pseudosphaerexochus) roemeri</i> Schmidt, 1881	CNI 31/11059
Vol. I, pl.XI, fig.25, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> var. <i>mutica</i> Schmidt, 1881	CNI 42/11059
Vol. I, pl.XI, fig.26, p. 183: <i>Cheirurus (Nieszkowskia) variolaris</i> var. <i>mutica</i> Schmidt, 1881	CNI 43/11059
Vol. I, pl.XI, fig.27, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	Missing
Vol. I, pl.XI, fig.28 a,b, p. 180: <i>Cheirurus (Nieszkowskia) tumidus</i> Angelin, 1854	CNI 35/11059
Vol. I, pl.XI, fig.29, p. 164: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> var. <i>dolichocephala</i> Schmidt, 1881	CNI 19/11059
Vol. I, pl.XI, fig.30 a,b, p. 168: <i>Cheirurus (Sphaerocoryphe) hübneri</i> Schmidt, 1881	PIN 4248/106
Vol. I, pl.XII, fig.1 a,b, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	PIN 4248/98
Vol. I, pl.XII, fig.2, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	PIN 4248/99
Vol. I, pl.XII, fig.3, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	PIN 4248/99
Vol. I, pl.XII, fig.4, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	PIN 4248/49
Vol. I, pl.XII, fig.5, p. 77: <i>Phacops (Pterygometopus) sclerops</i> Dalman, 1827	PIN 4248/335
Vol. I, pl.XII, fig.6 a,b, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> Schmidt, 1881	PIN 4248/334
Vol. I, pl.XII, fig.7, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> Schmidt, 1881	Missing
Vol. I, pl.XII, fig.8, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> Schmidt, 1881	PIN 4248/304
Vol. I, pl.XII, fig.9 a,b, p. 81: <i>Phacops (Pterygometopus) trigonocephala</i> var. <i>estonica</i> Schmidt, 1881	PIN 4248/113
Vol. I, pl.XII, fig.10, p. 84: <i>Phacops (Pterygometopus) panderi</i> Schmidt, 1881	PIN 4248/337
According to Jaanusson (pers.com)	PIN 4248/332
Vol. I, pl.XII, fig.11, p. 84: <i>Phacops (Pterygometopus) panderi</i> Schmidt, 1881	PIN 4248/343
Vol. I, pl.XII, fig.12, p. 84: <i>Phacops (Pterygometopus) panderi</i> Schmidt, 1881	PIN 4248/152
Vol. I, pl.XII, fig.13, p. 86: <i>Phacops (Pterygometopus) exilis</i> Eichwald, 1858	PIN 4248/9
Vol. I, pl.XII, fig.14, p. 88: <i>Phacops (Pterygometopus) laevigata</i> Schmidt, 1881	PIN 4248/336
Vol. I, pl.XII, fig.15, p. 88: <i>Phacops (Pterygometopus) laevigata</i> Schmidt, 1881	PIN 4248/59
Vol. I, pl.XII, fig.16, p. 90: <i>Phacops (Pterygometopus) kuckersiana</i> Schmidt, 1881	PIN 4248/612
Vol. I, pl.XII, fig.17, p. 90: <i>Phacops (Pterygometopus) kuckersiana</i> Schmidt, 1881	PIN 4248/611
Vol. I, pl.XII, fig.18, p. 90: <i>Phacops (Pterygometopus) kuckersiana</i> Schmidt, 1881	PIN 4248/123
Vol. I, pl.XII, fig.19, p. 91: <i>Phacops (Pterygometopus) kegelensis</i> Schmidt, 1881	PIN 4248/342
Vol. I, pl.XII, fig.20, p. 92: <i>Phacops (Pterygometopus) nieszkowskii</i> Schmidt, 1881	PIN 4248/57
Vol. I, pl.XII, fig.21, p. 92: <i>Phacops (Pterygometopus) nieszkowskii</i> Schmidt, 1881	Missing
Vol. I, pl.XII, fig.22, p. 95: <i>Phacops (Chasmops) ingrata</i> Schmidt, 1881	Missing
Vol. I, pl.XII, fig.23 a,b,c, p. 96: <i>Phacops (Chasmops) nasuta</i> Schmidt, 1881	Missing
Vol. I, pl.XII, fig.24 a,b,c, p. 159: <i>Cheirurus (Cyrtometopus) plautini</i> Schmidt, 1881	CNI 12/11059
Vol. I, pl.XII, fig.25, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	CNI 5/11059
Vol. I, pl.XII, fig.26, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	PIN 4248/6
Vol. I, pl.XII, fig.27, p. 168: <i>Cheirurus (Sphaerocoryphe) hübneri</i> Schmidt, 1881	NT
Vol. I, pl.XII, fig.28a,b,c,d, p. 196: <i>Diaphanometopus volborthi</i> Schmidt, 1881	CNI 58/11059
Vol. I, pl.XIII, fig.1, p. 191: <i>Amphion fischeri</i> Eichwald, 1825	Missing
Vol. I, pl.XIII, fig.2, p. 191: <i>Amphion fischeri</i> Eichwald, 1825	CNI 54/11059
Vol. I, pl.XIII, fig.3, p. 191: <i>Amphion fischeri</i> Eichwald, 1825	CNI 55/11059
Vol. I, pl.XIII, fig.4, p. 191: <i>Amphion fischeri</i> Eichwald, 1825	Missing
Vol. I, pl.XIII, fig.5, p. 191: <i>Amphion fischeri</i> Eichwald, 1825	CNI 56/11059
Vol. I, pl.XIII, fig.6, p. 191: <i>Amphion fischeri</i> Eichwald, 1825	CNI 54/11059
Vol. I, pl.XIII, fig.7, p. 191: <i>Amphion fischeri</i> Eichwald, 1825	Missing
Vol. I, pl.XIII, fig.8, p. 191: <i>Amphion fischeri</i> Eichwald, 1825	CNI 57/11059
Vol. I, pl.XIII, fig.9, p. 203: <i>Cybele bellatula</i> Dalman, 1827	CNI 59/11059
Vol. I, pl.XIII, fig.10, p. 203: <i>Cybele bellatula</i> Dalman, 1827	Missing
Vol. I, pl.XIII, fig.11, p. 203: <i>Cybele bellatula</i> Dalman, 1827	Missing
Vol. I, pl.XIII, fig.12, p. 203: <i>Cybele bellatula</i> Dalman, 1827	CNI 60/11059
Vol. I, pl.XIII, fig.13, p. 203: <i>Cybele bellatula</i> Dalman, 1827	CNI 61/11059

Vol. I, pl.XIII, fig.14 a,b, p. 214: <i>Cybele wörthi</i> Eichwald, 1840	CNI 77/11059
Vol. I, pl.XIII, fig.15, p. 214: <i>Cybele wörthi</i> Eichwald, 1840	Missing
Vol. I, pl.XIII, fig.16, p. 214: <i>Cybele wörthi</i> Eichwald, 1840	Missing
Vol. I, pl.XIII, fig.17, p. 214: <i>Cybele wörthi</i> Eichwald, 1840	Missing
Vol. I, pl.XIII, fig.18, p. 216: <i>Cybele affinis</i> Schmidt, 1881	CNI 78/11059
Vol. I, pl.XIII, fig.19, p. 216: <i>Cybele affinis</i> Schmidt, 1881	CNI 78/11059
Vol. I, pl.XIII, fig.20 a,b, p. 207: <i>Cybele revaliensis</i> Schmidt, 1881	CNI 64/11059
Vol. I, pl.XIII, fig.21, p. 209: <i>Cybele rex</i> Nieszkowski, 1857	Missing
Vol. I, pl.XIII, fig.22, p. 209: <i>Cybele rex</i> Nieszkowski, 1857	CNI 66/11059
Vol. I, pl.XIII, fig.23, p. 209: <i>Cybele rex</i> Nieszkowski, 1857	CNI 67/11059
Vol. I, pl.XIII, fig.24, p. 213: <i>Cybele coronata</i> Schmidt, 1881	Missing
Vol. I, pl.XIII, fig.25, p. 213: <i>Cybele coronata</i> Schmidt, 1881	Missing
Vol. I, pl.XIII, fig.26, p. 213: <i>Cybele coronata</i> Schmidt, 1881	CNI 74/11059
Vol. I, pl.XIII, fig.27, p. 213: <i>Cybele coronata</i> Schmidt, 1881	CNI 75/11059
Vol. I, pl.XIV, fig.1 a,b, p. 211: <i>Cybele grawingki</i> Schmidt, 1881	Missing
Vol. I, pl.XIV, fig.2, p. 211: <i>Cybele grawingki</i> Schmidt, 1881	CNI 72/11059
Vol. I, pl.XIV, fig.3, p. 209: <i>Cybele rex</i> Nieszkowski, 1857	CNI 68/11059
Vol. I, pl.XIV, fig.4, p. 209: <i>Cybele rex</i> Nieszkowski, 1857	CNI 69/11059
Vol. I, pl.XIV, fig.5, p. 209: <i>Cybele coronata</i> Schmidt, 1881	CNI 76/11059
Vol. I, pl.XIV, fig.6, p. 207: <i>Cybele revaliensis</i> Schmidt, 1881	CNI 65/11059
Vol. I, pl.XIV, fig.7 a,b, p. 219: <i>Cybele brevicauda</i> Angelin, 1854	Missing
Vol. I, pl.XIV, fig.8, p. 219: <i>Cybele brevicauda</i> Angelin, 1854	CNI 82/11059
Vol. I, pl.XIV, fig.9, p. 219: <i>Cybele brevicauda</i> Angelin, 1854	CNI 83/11059
Vol. I, pl.XIV, fig.10, p. 219: <i>Cybele brevicauda</i> Angelin, 1854	CNI 84/11059
Vol. I, pl.XIV, fig.11 a,b,c, p. 225: <i>Enrinurus punctatus</i> Wahlenberg, 1821	NT
Vol. I, pl.XIV, fig.12, p. 225: <i>Enrinurus punctatus</i> Wahlenberg, 1821	Missing
Vol. I, pl.XIV, fig.13, p. 225: <i>Enrinurus punctatus</i> Wahlenberg, 1821	Missing
Vol. I, pl.XIV, fig.14, p. 227: <i>Enrinurus cf.multisegmentatus</i> Portlock, 1843	PIN 4248/164
Vol. I, pl.XIV, fig.15, p. 227: <i>Enrinurus cf.multisegmentatus</i> Portlock, 1843	CNI 85/11059
Vol. I, pl.XIV, fig.16, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	NT
Vol. I, pl.XIV, fig.17, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	Missing
Vol. I, pl.XIV, fig.18, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	Missing
Vol. I, pl.XIV, fig.19, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	Missing
Vol. I, pl.XIV, fig.20, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	CNI 86/11059
Vol. I, pl.XIV, fig.21, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	CNI 87/11059
Vol. I, pl.XIV, fig.22, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	CNI 88/11059
Vol. I, pl.XIV, fig.23, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	CNI 89/11059
Vol. I, pl.XIV, fig.24, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	Missing
Vol. I, pl.XIV, fig.25, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	Missing
Vol. I, pl.XIV, fig.26, p. 229: <i>Enrinurus seebachi</i> Schmidt, 1881	CNI 90/11059
Vol. I, pl.XV, fig.1, p. 203: <i>Cybele bellatula</i> Dalman, 1827	CNI 59/11059
Vol. I, pl.XV, fig.2, p. 203: <i>Cybele bellatula</i> Dalman, 1827	CNI 62/11059
Vol. I, pl.XV, fig.3, p. 203: <i>Cybele bellatula</i> Dalman, 1827	CNI 63/11059
Vol. I, pl.XV, fig.4, p. 203: <i>Cybele bellatula</i> Dalman, 1827	Missing
Vol. I, pl.XV, fig.5, p. 203: <i>Cybele bellatula</i> Dalman, 1827	CNI 61/11059
Vol. I, pl.XV, fig.6, p. 207: <i>Cybele revaliensis</i> Schmidt, 1881	Missing
Vol. I, pl.XV, fig.7, p. 207: <i>Cybele revaliensis</i> Schmidt, 1881	Missing
Vol. I, pl.XV, fig.8, p. 209: <i>Cybele rex</i> Nieszkowski, 1857	CNI 70/11059
Vol. I, pl.XV, fig.9, p. 209: <i>Cybele rex</i> Nieszkowski, 1857	CNI 71/11059
Vol. I, pl.XV, fig.10, p. 213: <i>Cybele coronata</i> Schmidt, 1881	Missing
Vol. I, pl.XV, fig.11, p. 217: <i>Cybele kutorgae</i> Schmidt, 1881	CNI 79/11059
Vol. I, pl.XV, fig.12, p. 217: <i>Cybele kutorgae</i> Schmidt, 1881	CNI 80/11059
Vol. I, pl.XV, fig.13, p. 217: <i>Cybele kutorgae</i> Schmidt, 1881	Missing
Vol. I, pl.XV, fig.14, p. 217: <i>Cybele kutorgae</i> Schmidt, 1881	Missing
Vol. I, pl.XV, fig.15, p. 219: <i>Cybele brevicauda</i> Angelin, 1854	CNI 82/11059
Vol. I, pl.XV, fig.16, p. 219: <i>Cybele brevicauda</i> Angelin, 1854	Missing

Vol. I, pl.XV, fig.17, p. 219: <i>Cybele brevicauda</i> Angelin, 1854	CNI 84/11059
Vol. I, pl.XV, fig.18, p. 225: <i>Enocrinurus punctatus</i> Wahlenberg, 1821	Missing
Vol. I, pl.XV, fig.19 a,b,c, p. 227: <i>Enocrinurus cf.multisegmentatus</i> Portlock, 1843	Missing
Vol. I, pl.XV, fig.20, p. 227: <i>Enocrinurus multisegmentatus</i> Portlock, 1843	Missing
Vol. I, pl.XV, fig.21, p. 229: <i>Enocrinurus seebachi</i> Schmidt, 1881	CNI 91/11059
Vol. I, pl.XV, fig.22, p. 229: <i>Enocrinurus seebachi</i> Schmidt, 1881	CNI 92/11059
Vol. I, pl.XV, fig.23, p. 229: <i>Enocrinurus seebachi</i> Schmidt, 1881	CNI 93/11059
Vol. I, pl.XV, fig.24, p. 91: <i>Phacops (Pterygometopus) kegelensis</i> Schmidt, 1881	Missing
Vol. I, pl.XV, fig.25, p. 91: <i>Phacops (Pterygometopus) kegelensis</i> Schmidt, 1881	PIN 4248/342
Vol. I, pl.XV, fig.26, p. 88: <i>Phacops (Pterygometopus) laevigata</i> Schmidt, 1881	Missing
Vol. I, pl.XV, fig.27, p. 96: <i>Phacops (Chasmops) nasuta</i> Schmidt, 1881	PIN 4248/90
Vol. I, pl.XV, fig.28, p. 96: <i>Phacops (Chasmops) nasuta</i> Schmidt, 1881	Missing
According to Jaanusson (pers.com.)	PIN 4248/1 ?
Vol. I, pl.XV, fig.29, p. 98: <i>Phacops (Chasmops) praecurrents</i> Schmidt, 1881	PIN 4248/62
Vol. I, pl.XV, fig.30, p. 102: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/68
Vol. I, pl.XV, fig.31, p. 104: <i>Phacops (Chasmops) marginata</i> Schmidt, 1881	Missing
According to Jaanusson (pers.com.)	PIN 4248/2 ?
Vol. I, pl.XV, fig.32, p. 102: <i>Phacops (Chasmops) odini</i> var. <i>itferensis</i> Eichwald, 1840	PIN 4248/69
Vol. I, pl.XV, fig.33 a,b,c, p. 110: <i>Phacops (Chasmops) wenjukowi</i> Schmidt, 1881	PIN 4248/76
Vol. I, pl.XV, fig.34, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	PIN 4248/112
Vol. I, pl.XV, fig.35, p. 112: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	Missing
Vol. I, pl.XVI, fig.1, p. 133: <i>Cheirurus (Cheirurus) ornatus</i> Dalman, 1827	PIN 4248/85
Vol. I, pl.XVI, fig.2, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	Missing
Vol. I, pl.XVI, fig.3, p. 137: <i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	Missing
Vol. I, pl.XVI, fig.4, p. 143: <i>Cheirurus (Cheirurus) macrourus</i> Kutorga, 1854	Missing
Vol. I, pl.XVI, fig.5, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	CNI 7/11059
Vol. I, pl.XVI, fig.6, p. 147: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	Missing
Vol. I, pl.XVI, fig.7 a,b, p. 153: <i>Cheirurus (Cyrtometopus) clavifrons</i> Dalman, 1827	NT
Vol. I, pl.XVI, fig.8, p. 153: <i>Cheirurus (Cyrtometopus) clavifrons</i> Dalman, 1827	Missing
Vol. I, pl.XVI, fig.9, p. 153: <i>Cheirurus (Cyrtometopus) clavifrons</i> Dalman, 1827	Missing
Vol. I, pl.XVI, fig.10, p. 153: <i>Cheirurus (Cyrtometopus) clavifrons</i> Dalman, 1827	Missing
Vol. I, pl.XVI, fig.11, p. 153: <i>Cheirurus (Cyrtometopus) clavifrons</i> Dalman, 1827	Missing
Vol. I, pl.XVI, fig.12, p. 153: <i>Cheirurus (Cyrtometopus) clavifrons</i> Dalman, 1827	Missing
Vol. I, pl.XVI, fig.13, p. 157: <i>Cheirurus (Cyrtometopus) affinis</i> Angelin, 1854	CNI 11/11059
Vol. I, pl.XVI, fig.14, p. 157: <i>Cheirurus (Cyrtometopus) affinis</i> Angelin, 1854	Missing
Vol. I, pl.XVI, fig.15, p. 159: <i>Cheirurus (Cyrtometopus) plautini</i> Schmidt, 1881	CNI 12/11059
Vol. I, pl.XVI, fig.16, p. 160: <i>Cheirurus (Cyrtometopus) aries</i> Leuchtenberg, 1843	CNI 13/11059
Vol. I, pl.XVI, fig.17, p. 160: <i>Cheirurus (Cyrtometopus) aries</i> Leuchtenberg, 1843	CNI 14/11059
Vol. I, pl.XVI, fig.18, p. 163: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> Nieszkowski, 1859 ..	PIN 4248/100
Vol. I, pl.XVI, fig.19, p. 163: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> Nieszkowski, 1859 ..	Missing
Vol. I, pl.XVI, fig.20, p. 163: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> ..	
var. <i>dolichocephala</i> Schmidt, 1881	CNI 19/11059
Vol. I, pl.XVI, fig.21, p. 163: <i>Cheirurus (Cyrtometopus) pseudohemicranium</i> Nieszkowski, 1859 ..	CNI 18/11059
Vol. I, pl.XVI, fig.22, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	Missing
Vol. I, pl.XVI, fig.23, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	CNI 24/11059
Vol. I, pl.XVI, fig.24, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	Missing
Vol. I, pl.XVI, fig.25, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	Missing
Vol. I, pl.XVI, fig.26, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	CNI 23/11059
Vol. I, pl.XVI, fig.27, p. 171: <i>Cheirurus (Pseudosphaerexochus) hemicranium</i> Kutorga, 1854	Missing
Vol. I, pl.XVI, fig.28, p. 174: <i>Cheirurus (Pseudosphaerexochus) conformis</i> Angelin, 1854	Missing
Vol. I, pl.XVI, fig.29, p. 174: <i>Cheirurus (Pseudosphaerexochus) conformis</i> Angelin, 1854	Missing
Vol. I, pl.XVI, fig.30, p. 169: <i>Cheirurus (Sphaerocoryphe) cf. granulatus</i> Angelin, 1854	Missing
Vol. I, pl.XVI, fig.31, p. 180: <i>Cheirurus (Nieszkowskia) tumidus</i> Angelin, 1854	NT
Vol. I, pl.XVI, fig.32, p. 180: <i>Cheirurus (Nieszkowskia) tumidus</i> Angelin, 1854	Missing
Vol. I, pl.XVI, fig.33, p. 180: <i>Cheirurus (Nieszkowskia) tumidus</i> Angelin, 1854	Missing

Vol. I, pl.XVI, fig.34, p. 180: <i>Cheirurus (Nieszkowskia) tumidus</i> Angelin, 1854	CNI 36/11059
Vol. I, pl.XVI, fig.35, p. 180: <i>Cheirurus (Nieszkowskia) tumidus</i> Angelin, 1854	Missing
Vol. I, pl.XVI, fig.36, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	CNI 52/11059
Vol. I, pl.XVI, fig.37, p. 186: <i>Cheirurus (Nieszkowskia) cephaloceros</i> Nieszkowski, 1857	CNI 50/11059
Vol. I, pl.XVI, fig.38, p. 189: <i>Sphaerexochus angustifrons</i> Angelin, 1854	CNI 53/11059
Vol. I, pl.XVI, fig.39 a,b, p. 217: <i>Cybele kutorgae</i> Schmidt, 1881	NT
Vol. I, pl.XVI, fig.40, p. 207: <i>Cybele revaliensis</i> Schmidt, 1881	Missing
Vol. II, pl.I, fig.1, p. 2: <i>Acidaspis emarginata</i> Schmidt, 1885	CNI 1/11101
Vol. II, pl.I, fig.2, p. 4: <i>Acidaspis kuckersiana</i> Schmidt, 1885	CNI 2/11101
Vol. II, pl.I, fig.3, p. 4: <i>Acidaspis kuckersiana</i> Schmidt, 1885	CNI 3/11101
Vol. II, pl.I, fig.4, p. 56: <i>Lichas (Metopias) celorhin</i> Angelin, 1854	PIN 4248/449
Vol. II, pl.I, fig.5, p. 56: <i>Lichas (Metopias) celorhin</i> Angelin, 1854	NT
Vol. II, pl.I, fig.6, p. 56: <i>Lichas (Metopias) celorhin</i> Angelin, 1854	CNI 14/11101
Vol. II, pl.I, fig.7a,b, p. 56: <i>Lichas (Metopias) celorhin</i> var. <i>coniceps</i> Angelin, 1854	CNI 15/11101
Vol. II, pl.I, fig.8, p. 57: <i>Lichas (Metopias) celorhin</i> var. <i>coniceps</i> Angelin, 1854	CNI 16/11101
Vol. II, pl.I, fig.9a-c, p. 58: <i>Lichas (Metopias) celorhin</i> var. <i>coniceps</i> Angelin, 1854	PIN 4248/446
Vol. II, pl.I, fig.10a-e, p. 59: <i>Lichas pachyrhina</i> Dalmann, 1827	CNI 17/11101
Vol. II, pl.I, fig.11, p. 61: <i>Lichas pachyrhina</i> Dalmann, 1827	PIN 4248/172
Vol. II, pl.I, fig.12a,b, p. 60: <i>Lichas (Metopias) pachyrhina</i> var. <i>longerostrata</i> Schmidt, 1881	PIN 4248/213
* Vol. II, pl.I, fig.13a,b, p. 65: <i>Lichas (Metopias) hübneri</i> Eichwald, 1843	CNI 29/11101
Vol. II, pl.I, fig.14a-d, p. 65: <i>Lichas (Metopias) hübneri</i> Eichwald, 1843	CNI 30/11101
Vol. II, pl.II, fig.1a,b, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	NT
Vol. II, pl.II, fig.2, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 18/11101
Vol. II, pl.II, fig.3, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 19/11101
Vol. II, pl.II, fig.4, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 20/11101
Vol. II, pl.II, fig.5a,b, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 21/11101
Vol. II, pl.II, fig.6, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 22/11101
Vol. II, pl.II, fig.7, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 23/11101
Vol. II, pl.II, fig.8, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 24/11101
Vol. II, pl.II, fig.9, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 25/11101
Vol. II, pl.II, fig.10a, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 26/11101
Vol. II, pl.II, fig.10b, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 27/11101
Vol. II, pl.II, fig.11a,b, p. 62: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	CNI 28/11101
Vol. II, pl.II, fig.12, p. 69: <i>Lichas (Hoplolichas) tricuspidata</i> Beyrich, 1846	NT
Vol. II, pl.II, fig.13, p. 69: <i>Lichas (Hoplolichas) tricuspidata</i> Beyrich, 1846	NT
Vol. II, pl.II, fig.14, p. 69: <i>Lichas (Hoplolichas) tricuspidata</i> Beyrich, 1846	CNI 35/11101
Vol. II, pl.II, fig.15a,b, p. 69: <i>Lichas (Hoplolichas) tricuspidata</i> Beyrich, 1846	PSM 149/6
Vol. II, pl.II, fig.16, p. 69: <i>Lichas (Hoplolichas) tricuspidata</i> Beyrich, 1846	PIN 4248/222
Vol. II, pl.II, fig.17a,b, p. 75: <i>Lichas (Homolichas) plautini</i> Schmidt, 1885	CNI 36/11101
Vol. II, pl.II, fig.18a,b,c, p. 75: <i>Lichas (Homolichas) plautini</i> Schmidt, 1885	CNI 37/11101
Vol. II, pl.II, fig.19, p. 75: <i>Lichas (Homolichas) plautini</i> Schmidt, 1885	Missing
Vol. II, pl.II, fig.20, p. 75: <i>Lichas (Homolichas) plautini</i> Schmidt, 1885	CNI 38/11101
Vol. II, pl.II, fig.21, p. 75: <i>Lichas (Homolichas) plautini</i> Schmidt, 1885	Missing
Vol. II, pl.II, fig.22a,b, p. 75: <i>Lichas (Homolichas) plautini</i> Schmidt, 1885	Missing
Vol. II, pl.II, fig.23, p. 75: <i>Lichas (Homolichas) plautini</i> Schmidt, 1885	NT
Vol. II, pl.II, fig.24, p. 75: <i>Lichas (Homolichas) plautini</i> Schmidt, 1885	Missing
Vol. II, pl.II, fig.25, p. 75: <i>Lichas (Hoplolichas) longispina</i> Schmidt, 1885	PIN 4248/441
Vol. II, pl.III, fig.1, p. 67: <i>Lichas (Metopias) kuckersianus</i> Schmidt, 1885	CNI 31/11101
Vol. II, pl.III, fig.2, p. 67: <i>Lichas (Metopias) kuckersianus</i> Schmidt, 1885	CNI 32/11101
Vol. II, pl.III, fig.3, p. 67: <i>Lichas (Metopias) kuckersianus</i> Schmidt, 1885	CNI 33/11101
Vol. II, pl.III, fig.4, p. 67: <i>Lichas (Metopias) kuckersianus</i> Schmidt, 1885	CNI 34/11101
Vol. II, pl.III, fig.5, p. 67: <i>Lichas (Metopias) kuckersianus</i> Schmidt, 1885	PIN 4248/24
Vol. II, pl.III, fig.6, p. 80: <i>Lichas (Hoplolichas) furcifer</i> Schmidt, 1885	Missing
Vol. II, pl.III, fig.7, p. 80: <i>Lichas (Hoplolichas) furcifer</i> Schmidt, 1885	Missing
Vol. II, pl.III, fig.8 a,b, p. 80: <i>Lichas (Hoplolichas) furcifer</i> Schmidt, 1885	CNI 40/11101
Vol. II, pl.III, fig.9, p. 80: <i>Lichas (Hoplolichas) furcifer</i> Schmidt, 1885	CNI 41/11101

Vol. II, pl.III, fig.10, p. 80: <i>Lichas (Hoplolichas) furcifer</i> Schmidt, 1885	CNI 42/11101
Vol. II, pl.III, fig.11, p. 80: <i>Lichas (Hoplolichas) furcifer</i> Schmidt, 1885	Missing
Vol. II, pl.III, fig.12, p. 80: <i>Lichas (Hoplolichas) furcifer</i> Schmidt, 1885	CNI 43/11101
Vol. II, pl.III, fig.13 a,b,c, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	PIN 4248/121
Vol. II, pl.III, fig.14, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	CNI 44/11101
Vol. II, pl.III, fig.15 a,b, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	CNI 45/11101
Vol. II, pl.III, fig.16, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	Missing
Vol. II, pl.III, fig.17, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	CNI 46/11101
Vol. II, pl.III, fig.18, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	CNI 47/11101
Vol. II, pl.III, fig.19, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	PIN 4248/121
Vol. II, pl.III, fig.20, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	CNI 48/11101
Vol. II, pl.III, fig.21, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	CNI 49/11101
Vol. II, pl.III, fig.22 a,b, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	Missing
Vol. II, pl.III, fig.23 a,b, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	CNI 50/11101
Vol. II, pl.III, fig.24, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	CNI 51/11101
Vol. II, pl.III, fig.25, p. 82: <i>Lichas (Hoplolichas) conicotuberculata</i> Nieszkowski, 1859	CNI 52/11101
Vol. II, pl.III, fig.26 a-d, p. 67: <i>Lichas</i> sp.	PSM 149/5
Vol. II, pl.III, fig.27 a-c, p. 46: <i>Lichas (Leiolichas) illaenoides</i> Nieszkowski, 1857	PIN 4248/191
* Vol. II, pl.III, fig.28, p. 46: <i>Lichas (Leiolichas) illaenoides</i> Nieszkowski, 1857	Missing
* Vol. II, pl.III, fig.29, p. 46: <i>Lichas (Leiolichas) illaenoides</i> Nieszkowski, 1857	Missing
Vol. II, pl.III, fig.30 a,b, p. 46: <i>Lichas (Leiolichas) illaenoides</i> Nieszkowski, 1857	CNI 4/11101
Vol. II, pl.III, fig.31, p. 46: <i>Lichas (Leiolichas) illaenoides</i> Nieszkowski, 1857	CNI 5/11101
Vol. II, pl.IV, fig.1 a-d, p. 95: <i>Lichas (Homolichas) depressa</i> Angelin, 1854	CNI 62/11101
Vol. II, pl.IV, fig.2, p. 95: <i>Lichas (Homolichas) depressa</i> Angelin, 1854	CNI 63/11101
Vol. II, pl.IV, fig.3 a,b, p. 95: <i>Lichas (Homolichas) depressa</i> Angelin, 1854	CNI 64/11101
Vol. II, pl.IV, fig.4, p. 95: <i>Lichas (Homolichas) depressa</i> Angelin, 1854	CNI 65/11101
Vol. II, pl.IV, fig.5, p. 95: <i>Lichas (Homolichas) depressa</i> Angelin, 1854	CNI 66/11101
Vol. II, pl.IV, fig.6, p. 97: <i>Lichas (Homolichas) pahleni</i> Schmidt, 1885	CNI 67/11101
Vol. II, pl.IV, fig.7 a,b, p. 97: <i>Lichas (Homolichas) pahleni</i> Schmidt, 1885	CNI 68/11101
Vol. II, pl.IV, fig.8, p. 97: <i>Lichas (Homolichas) pahleni</i> Schmidt, 1885	CNI 69/11101
Vol. II, pl.IV, fig.9, p. 97: <i>Lichas (Homolichas) pahleni</i> Schmidt, 1885	NT
Vol. II, pl.IV, fig.10 a,b, p. 104: <i>Lichas (Homolichas) eichwaldi</i> Nieszkowski, 1857	PSM 149/14
Vol. II, pl.IV, fig.11, p. 104: <i>Lichas (Homolichas) eichwaldi</i> Nieszkowski, 1857	CNI 79/11101
Vol. II, pl.IV, fig.12 a,b, p. 104: <i>Lichas (Homolichas) eichwaldi</i> Nieszkowski, 1857	CNI 80/11101
Vol. II, pl.IV, fig.13, p. 104: <i>Lichas (Homolichas) eichwaldi</i> Nieszkowski, 1857	CNI 81/11101
Vol. II, pl.IV, fig.14, p. 104: <i>Lichas (Homolichas) eichwaldi</i> Nieszkowski, 1857	Missing
Vol. II, pl.IV, fig.15, p. 104: <i>Lichas (Homolichas) eichwaldi</i> Nieszkowski, 1857	CNI 82/11101
Vol. II, pl.IV, fig.16, p. 104: <i>Lichas (Homolichas) eichwaldi</i> Nieszkowski, 1857	Missing
Vol. II, pl.IV, fig.17, p. 104: <i>Lichas (Homolichas) eichwaldi</i> Nieszkowski, 1857	CNI 83/11101
Vol. II, pl.IV, fig.18 a,b, p. 108: <i>Lichas (Homolichas) angusta</i> Beyrich, 1846	Missing
Vol. II, pl.IV, fig.19, p. 108: <i>Lichas (Homolichas) angusta</i> Beyrich, 1846	CNI 84/11101
Vol. II, pl.IV, fig.20, p. 108: <i>Lichas (Homolichas) angusta</i> Beyrich, 1846	CNI 85/11101
Vol. II, pl.IV, fig.21, p. 108: <i>Lichas (Homolichas) angusta</i> Beyrich, 1846	CNI 73/11101
Vol. II, pl.IV, fig.22, p. 108: <i>Lichas (Homolichas) angusta</i> Beyrich, 1846	CNI 87/11101
Vol. II, pl.IV, fig.23, p. 108: <i>Lichas (Homolichas) angusta</i> Beyrich, 1846	CNI 88/11101
Vol. II, pl.IV, fig.24 a,b, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	CNI 70/11101
Vol. II, pl.IV, fig.25, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	CNI 71/11101
Vol. II, pl.IV, fig.26, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	CNI 72/11101
Vol. II, pl.IV, fig.27, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	Missing
Vol. II, pl.IV, fig.28, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	Missing
Vol. II, pl.IV, fig.29 a,b, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	CNI 86/11101
Vol. II, pl.IV, fig.30, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	CNI 74/11101
Vol. II, pl.IV, fig.31, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	Missing
Vol. II, pl.IV, fig.32, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	CNI 75/11101
Vol. II, pl.IV, fig.33, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	CNI 76/11101
Vol. II, pl.IV, fig.34 a,b, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	CNI 77/11101

Vol. II, pl.IV, fig.35, p. 101: <i>Lichas (Homolichas) deflexa</i> Angelin, 1854	CNI 78/11101
* Vol. II, pl.IV, fig.36 a-c, p. 92: <i>Lichas (Conolichas) schmidti</i> Dames, 1877	CNI 36/11101
Vol. II, pl.IV, fig.37, p. 92: <i>Lichas (Conolichas) schmidti</i> Dames, 1877	CNI 61/11101
Vol. II, pl.IV, fig.38, p. 92: <i>Lichas (Conolichas) schmidti</i> Dames, 1877	PIN 4248/248, PIN 4248/249
Vol. II, pl.V, fig.1 a-b, p. 87: <i>Lichas (Conolichas) triconicus</i> Dames, 1877	CNI 53/11101
Vol. II, pl.V, fig.2, p. 87: <i>Lichas (Conolichas) triconicus</i> Dames, 1877	CNI 54/11101
Vol. II, pl.V, fig.3, p. 87: <i>Lichas (Conolichas) triconicus</i> Dames, 1877	CNI 55/11101
Vol. II, pl.V, fig.4 a,b, p. 89: <i>Lichas (Conolichas) aequiloba</i> Steinhardt, 1874	CNI 56/11101
Vol. II, pl.V, fig.5, p. 89: <i>Lichas (Conolichas) aequiloba</i> Steinhardt, 1874	CNI 57/11101
Vol. II, pl.V, fig.6, p. 89: <i>Lichas (Conolichas) aequiloba</i> Steinhardt, 1874	CNI 58/11101
Vol. II, pl.V, fig.7, p. 89: <i>Lichas (Conolichas) aequiloba</i> Steinhardt, 1874	Missing
Vol. II, pl.V, fig.8 a,b, p. 89: <i>Lichas (Conolichas) aequiloba</i> Steinhardt, 1874	NT
Vol. II, pl.V, fig.9, p. 89: <i>Lichas (Conolichas) aequiloba</i> Steinhardt, 1874	CNI 59/11101
Vol. II, pl.V, fig.10, p. 89: <i>Lichas (Conolichas) aequiloba</i> Steinhardt, 1874	CNI 181/11101
Vol. II, pl.V, fig.11, p. 115: <i>Lichas st.mathiae</i> Schmidt, 1885	CNI 90/11101
Vol. II, pl.V, fig.12, p. 115: <i>Lichas st.mathiae</i> Schmidt, 1885	CNI 91/11101
Vol. II, pl.V, fig.13 a,b, p. 115: <i>Lichas st.mathiae</i> Schmidt, 1885	CNI 92/11101
Vol. II, pl.V, fig.14, p. 115: <i>Lichas st.mathiae</i> Schmidt, 1885	CNI 93/11101
Vol. II, pl.V, fig.15 a,b, p. 115: <i>Lichas st.mathiae</i> Schmidt, 1885	CNI 94/11101
Vol. II, pl.V, fig.16, p. 115: <i>Lichas st.mathiae</i> Schmidt, 1885	CNI 95/11101
* Vol. II, pl.V, fig.17, p. 118: <i>Lichas margaritifer</i> Nieszkowski, 1857	Missing
Vol. II, pl.V, fig.18, p. 118: <i>Lichas margaritifer</i> Nieszkowski, 1857	CNI 96/11101
Vol. II, pl.V, fig.19, p. 118: <i>Lichas margaritifer</i> Nieszkowski, 1857	CNI 97/11101
Vol. II, pl.V, fig.20, p. 118: <i>Lichas margaritifer</i> Nieszkowski, 1857	Missing
Vol. II, pl.V, fig.21, p. 118: <i>Lichas margaritifer</i> Nieszkowski, 1857	CNI 99/11101
Vol. II, pl.V, fig.22, p. 118: <i>Lichas margaritifer</i> Nieszkowski, 1857	CNI 100/11101
Vol. II, pl.V, fig.23, p. 118: <i>Lichas margaritifer</i> Nieszkowski, 1857	CNI 101/11101
Vol. II, pl.V, fig.24, p. 118: <i>Lichas margaritifer</i> Nieszkowski, 1857	Missing
Vol. II, pl.V, fig.25 a-c, p. 122: <i>Lichas cicatricosa</i> Lovén, 1845	CNI 102/11101
Vol. II, pl.V, fig.26, p. 122: <i>Lichas cicatricosa</i> Lovén, 1845	CNI 103/11101
Vol. II, pl.V, fig.27 a-c, p. 121: <i>Lichas docens</i> Schmidt, 1885	Missing
Vol. II, pl.VI, fig.1, p. 44: <i>Lichas (Arges) wesenbergensis</i> Schmidt, 1885	Missing
Vol. II, pl.VI, fig.2, p. 44: <i>Lichas (Arges) wesenbergensis</i> Schmidt, 1885	PIN 4248/189
* Vol. II, pl.VI, fig.3, p. 46: <i>Lichas (Arges) wesenbergensis</i> Schmidt, 1885	Missing
Vol. II, pl.VI, fig.4, p. 46: <i>Lichas (Arges) wesenbergensis</i> Schmidt, 1885	CNI 6/11101
Vol. II, pl.VI, fig.5 a-c, p. 49: <i>Lichas (Platymetopus) laevis</i> Eichwald, 1854	Missing
Vol. II, pl.VI, fig.6, p. 49: <i>Lichas (Platymetopus) laevis</i> Eichwald, 1854	CNI 7/11101
Vol. II, pl.VI, fig.7, p. 49: <i>Lichas (Platymetopus) laevis</i> Eichwald, 1854	CNI 8/11101
Vol. II, pl.VI, fig.8, p. 49: <i>Lichas (Platymetopus) laevis</i> Eichwald, 1854	CNI 9/11101
Vol. II, pl.VI, fig.9 a,b, p. 49: <i>Lichas (Platymetopus) laevis</i> Eichwald, 1854	CNI 10/11101
Vol. II, pl.VI, fig.10, p. 49: <i>Lichas (Platymetopus) laevis</i> Eichwald, 1854	PIN 4248/201
Vol. II, pl.VI, fig.11, p. 53: <i>Lichas (Platymetopus) dalecarlica</i> Angelin, 1854	CNI 11/11101
Vol. II, pl.VI, fig.12 a-c, p. 53: <i>Lichas (Platymetopus) dalecarlica</i> Angelin, 1854	PIN 4248/23
Vol. II, pl.VI, fig.13, p. 53: <i>Lichas (Platymetopus) dalecarlica</i> Angelin, 1854	CNI 12/11101
Vol. II, pl.VI, fig.14 a,b, p. 54: <i>Lichas (Platymetopus) holmi</i> Schmidt, 1885	Missing
Vol. II, pl.VI, fig.15, p. 54: <i>Lichas (Platymetopus) holmi</i> Schmidt, 1885	PIN 4248/206
Vol. II, pl.VI, fig.16, p. 54: <i>Lichas (Platymetopus) holmi</i> Schmidt, 1885	CNI 13/11101
Vol. II, pl.VI, fig.17, p. 54: <i>Lichas (Platymetopus) holmi</i> Schmidt, 1885	Missing
Vol. II, pl.VI, fig.18 a,b, p. 109: <i>Lichas (Oncholichas) ornata</i> Angelin, 1854	NT
Vol. II, pl.VI, fig.19, p. 109: <i>Lichas (Oncholichas) ornata</i> Angelin, 1854	Missing
Vol. II, pl.VI, fig.20, p. 109: <i>Lichas (Oncholichas) ornata</i> Angelin, 1854	Missing
Vol. II, pl.VI, fig.21, p. 113: <i>Lichas (Oncholichas) gotlandica</i> Angelin, 1854	CNI 89/11101
Vol. II, pl.VI, fig.22 a-c, p. 124: <i>Lichas hamata</i> Schmidt, 1885	CNI 104/11101
Vol. II, pl.VI, fig.23, p. 124: <i>Lichas hamata</i> Schmidt, 1885	Missing
Vol. II, pl.VI, fig.24, p. 125: <i>Lichas laxata</i> M'Coy, 1846	CNI 105/11101

Vol. II, pl.VI, fig.25, p. 127: <i>Lichas</i> sp.indet	NT
Vol. III, pl.I, fig.1 a-b, p. 47: <i>Illaenus esmarkii</i> Schlotheim, 1826	PSM 149/7
Vol. III, pl.I, fig.2 a-e, p. 47: <i>Illaenus esmarkii</i> Schlotheim, 1826	Missing
Vol. III, pl.I, fig.3, p. 47: <i>Illaenus esmarkii</i> Schlotheim, 1826	Missing
Vol. III, pl.I, fig.4, p. 47: <i>Illaenus esmarkii</i> Schlotheim, 1826	PSM 149/8
Vol. III, pl.I, fig.5 a-b, p. 47: <i>Illaenus esmarkii</i> Schlotheim, 1826	CNI 1/11109
Vol. III, pl.I, fig.6, p. 47: <i>Illaenus esmarkii</i> Schlotheim, 1826	CNI 2/11109
* Vol. III, pl.I, fig.7 a-e, p. 93: <i>Illaenus dalmani</i> Volborth, 1863	CNI 42/11109
Vol. III, pl.I, fig.8, p. 93: <i>Illaenus dalmani</i> Volborth, 1863	CNI 43/11109
Vol. III, pl.I, fig.9, p. 93: <i>Illaenus dalmani</i> Volborth, 1863	CNI 45/11109
Vol. III, pl.I, fig.10, p. 93: <i>Illaenus dalmani</i> Volborth, 1863	CNI 44/11109
Vol. III, pl.I, fig.11, p. 93: <i>Illaenus dalmani</i> Volborth, 1863	CNI 46/11109
Vol. III, pl.I, fig.12, p. 93: <i>Illaenus dalmani</i> Volborth, 1863	CNI 47/11109
* Vol. III, pl.I, fig.13 a-c, p. 93: <i>Illaenus dalmani</i> Volborth, 1863	a = CNI 48/11109, b,c = CNI 49/11109
Vol. III, pl.I, fig.14, p. 93: <i>Illaenus dalmani</i> Volborth, 1863	Missing
* Vol. III, pl.I, fig.15 a-c, p. 54: <i>Illaenus sphaericus</i> Holm, 1883	CNI 3/11109
Vol. III, pl.II, fig.1, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 32/11109
Vol. III, pl.II, fig.2, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 33/11109
Vol. III, pl.II, fig.3, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 34/11109
Vol. III, pl.II, fig.4 a-b, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 35/11109
Vol. III, pl.II, fig.5 a-c, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 36/11109
Vol. III, pl.II, fig.6, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 37/11109
Vol. III, pl.II, fig.7 a-b, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 38/11109
Vol. III, pl.II, fig.8 a-b, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 39/11109
Vol. III, pl.II, fig.9, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 40/11109
Vol. III, pl.II, fig.10, p. 87: <i>Illaenus revaliensis</i> Holm, 1886	CNI 41/11109
Vol. III, pl.II, fig.11, p. 60: <i>Illaenus laticlavius</i> Eichwald, 1860	CNI 10/11109
Vol. III, pl.II, fig.12 a-c, p. 60: <i>Illaenus laticlavius</i> Eichwald, 1860	Missing
Vol. III, pl.II, fig.13 a-c, p. 60: <i>Illaenus laticlavius</i> Eichwald, 1860	Missing
Vol. III, pl.II, fig.14, p. 60: <i>Illaenus laticlavius</i> Eichwald, 1860	CNI 11/11109
Vol. III, pl.II, fig.15, p. 60: <i>Illaenus laticlavius</i> Eichwald, 1860	CNI 12/11109
Vol. III, pl.II, fig.16, p. 60: <i>Illaenus laticlavius</i> Eichwald, 1860	CNI 13/11109
Vol. III, pl.II, fig.17, p. 60: <i>Illaenus laticlavius</i> Eichwald, 1860	CNI 14/11109
Vol. III, pl.II, fig.18 a-b, p. 60: <i>Illaenus laticlavius</i> Eichwald, 1860	CNI 15/11109
Vol. III, pl.III, fig.1 a-c, p. 101: <i>Illaenus chudleighensis</i> Holm, 1886	CNI 54/11109
Vol. III, pl.III, fig.3 a-c, p. 101: <i>Illaenus chudleighensis</i> Holm, 1886	CNI 55/11109
Vol. III, pl.III, fig.4 a-b, p. 101: <i>Illaenus chudleighensis</i> Holm, 1886	CNI 56/11109
Vol. III, pl.III, fig.5 a-f, p. 113: <i>Illaenus ladogensis</i> Holm, 1886	CNI 78/11109
Vol. III, pl.III, fig.6 a-d, p. 82: <i>Illaenus sulcifrons</i> Holm, 1886	NT
Vol. III, pl.III, fig.7 a-b, p. 85: <i>Illaenus plautini</i> Holm, 1886	PIN 4248/51
Vol. III, pl.III, fig.2 a-f, p. ?: <i>Illaenus</i> sp.	CNI 136/11109
Vol. III, pl.IV, fig.1 a-h, p. 69: <i>Illaenus intermedius</i> Holm, 1886	CNI 18/11109
Vol. III, pl.IV, fig.2 a-b, p. 69: <i>Illaenus intermedius</i> Holm, 1886	CNI 19/11109
Vol. III, pl.IV, fig.3 a-g, p. 102: <i>Illaenus sinuatus</i> Holm, 1886	CNI 57/11109
Vol. III, pl.IV, fig.4 a-b, p. 102: <i>Illaenus sinuatus</i> Holm, 1886	CNI 58/11109
Vol. III, pl.IV, fig.5, p. 102: <i>Illaenus sinuatus</i> Holm, 1886	CNI 59/11109
* Vol. III, pl.IV, fig.6, p. 102: <i>Illaenus sinuatus</i> Holm, 1886	PSM 149/43
Vol. III, pl.IV, fig.7, p. 102: <i>Illaenus sinuatus</i> Holm, 1886	CNI 60/11109
Vol. III, pl.IV, fig.8, p. 102: <i>Illaenus sinuatus</i> Holm, 1886	CNI 61/11109
Vol. III, pl.IV, fig.9 a-b, p. 102: <i>Illaenus sinuatus</i> Holm, 1886	CNI 60/11109
Vol. III, pl.IV, fig.10 a-b, p. 102: <i>Illaenus sinuatus</i> Holm, 1886	CNI 62/11109
Vol. III, pl.V, fig.1 a-f, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 139/11109
Vol. III, pl.V, fig.2, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	NT
Vol. III, pl.V, fig.3, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 63/11109
Vol. III, pl.V, fig.4 a-e, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 64/11109

Vol. III, pl.V, fig.5 a-b, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 65/11109
Vol. III, pl.V, fig.6 a-b, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	NT
Vol. III, pl.V, fig.7 a-c, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 66/11109
Vol. III, pl.V, fig.8 a-b, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 67/11109
Vol. III, pl.V, fig.9, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	Missing
* Vol. III, pl.V, fig.10 a-b, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	NT
Vol. III, pl.V, fig.11, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 68/11109
* Vol. III, pl.V, fig.12, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 69/11109
Vol. III, pl.V, fig.13 a-b, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 70/11109
Vol. III, pl.V, fig.14, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 71/11109
Vol. III, pl.V, fig.15, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 72/11109
Vol. III, pl.V, fig.16 a-b, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 73/11109
Vol. III, pl.V, fig.17, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 74/11109
Vol. III, pl.V, fig.18, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 75/11109
Vol. III, pl.V, fig.19, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 76/11109
Vol. III, pl.V, fig.20, p. 107: <i>Illaenus schmidti</i> Nieszkowski, 1857	CNI 77/11109
Vol. III, pl.VI, fig.1 a-c, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	Missing
Vol. III, pl.VI, fig.2 a-c, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	CNI 20/11109
Vol. III, pl.VI, fig.3, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	Missing
Vol. III, pl.VI, fig.4, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	CNI 21/11109
Vol. III, pl.VI, fig.5, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	CNI 22/11109
Vol. III, pl.VI, fig.6 a-b, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	CNI 23/11109
Vol. III, pl.VI, fig.7, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	CNI 24/11109
Vol. III, pl.VI, fig.8, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	NT
Vol. III, pl.VI, fig.9, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	CNI 25/11109
Vol. III, pl.VI, fig.10, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	CNI 26/11109
Vol. III, pl.VI, fig.11 a-b, p. 74: <i>Illaenus tauricornis</i> Kutorga, 1848	CNI 27/11109
Vol. III, pl.VI, fig.12 a-c, p. 67: <i>Illaenus chiron</i> var. <i>stacyi</i> Holm, 1886	CNI 17/11109
Vol. III, pl.VII, fig.1 a-c, p. 80: <i>Illaenus ariensis</i> Holm, 1886	CNI 28/11109
Vol. III, pl.VII, fig.2 a-b, p. 80: <i>Illaenus ariensis</i> Holm, 1886	PIN 4248/324
Vol. III, pl.VII, fig.3 a-c, p. 80: <i>Illaenus ariensis</i> Holm, 1886	CNI 29/11109
Vol. III, pl.VII, fig.4 a-e, p. 135: <i>Illaenus atavus</i> Eichwald, 1858	NT
Vol. III, pl.VII, fig.5, p. 135: <i>Illaenus atavus</i> Eichwald, 1858	PIN 4248/63
Vol. III, pl.VII, fig.6, p. 135: <i>Illaenus atavus</i> Eichwald, 1858	PIN 4248/131
Vol. III, pl.VII, fig.7, p. 135: <i>Illaenus atavus</i> Eichwald, 1858	CNI 105/11109
Vol. III, pl.VII, fig.8, p. 135: <i>Illaenus atavus</i> Eichwald, 1858	CNI 105/11109
Vol. III, pl.VII, fig.9, p. 135: <i>Illaenus atavus</i> Eichwald, 1858	CNI 106/11109
Vol. III, pl.VII, fig.10, p. 135: <i>Illaenus atavus</i> Eichwald, 1858	CNI 107/11109
Vol. III, pl.VII, fig.11, p. 135: <i>Illaenus atavus</i> Eichwald, 1858	CNI 108/11109
Vol. III, pl.VII, fig.12 a-b.: <i>Illaenus</i> sp.	CNI 137/11109
Vol. III, pl.VIII, fig.1 a-d, p. 120: <i>Illaenus oblongatus</i> var. <i>exellens</i> Holm, 1886	CNI 79/11109
Vol. III, pl.VIII, fig.2, p. 120: <i>Illaenus oblongatus</i> var. <i>exellens</i> Holm, 1886	Missing
Vol. III, pl.VIII, fig.3a-d, p. 120: <i>Illaenus oblongatus</i> var. <i>exellens</i> Holm, 1886	a-c = CNI 80/11109?, d = CNI 81/11109
Vol. III, pl.VIII, fig.4 a-d, p. 121: <i>Illaenus oblongatus</i> var. <i>kuckersiana</i> Holm, 1886	CNI 82/11109
Vol. III, pl.VIII, fig.5 a-b, p. 121: <i>Illaenus oblongatus</i> var. <i>kuckersiana</i> Holm, 1886	CNI 83/11109
Vol. III, pl.VIII, fig.6 a-b, p. 121: <i>Illaenus oblongatus</i> var. <i>kuckersiana</i> Holm, 1886	CNI 992/11109
Vol. III, pl.VIII, fig.7, p. 121: <i>Illaenus oblongatus</i> var. <i>kuckersiana</i> Holm, 1886	CNI 84/11109
Vol. III, pl.VIII, fig.9, p. 121: <i>Illaenus oblongatus</i> var. <i>kuckersiana</i> Holm, 1886	CNI 85/11109
Vol. III, pl.VIII, fig.8, p. 117: <i>Illaenus oblongatus</i> var. <i>itiferensis</i> Holm, 1886	CNI 86/11109
Vol. III, pl.VIII, fig.10, p. 117: <i>Illaenus oblongatus</i> var. <i>typica</i> Angelin, 1854	Missing
Vol. III, pl.VIII, fig.11, p. 117: <i>Illaenus oblongatus</i> var. <i>typica</i> Angelin, 1854	CNI 87/11109
Vol. III, pl.VIII, fig.12 a-d, p. 117: <i>Illaenus oblongatus</i> var. <i>typica</i> Angelin, 1854	Missing
Vol. III, pl.VIII, fig.13 a-d, p. 117: <i>Illaenus oblongatus</i> var. <i>typica</i> Angelin, 1854	CNI 88/11109
Vol. III, pl.VIII, fig.14, p. 133: <i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	CNI 98/11109
Vol. III, pl.VIII, fig.15, p. 133: <i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	Missing

Vol. III, pl.VIII, fig.16, p. 133: <i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	CNI 99/11109
Vol. III, pl.VIII, fig.17, p. 133: <i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	CNI 100/11109
Vol. III, pl.VIII, fig.18, p. 133: <i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	CNI 101/11109
Vol. III, pl.VIII, fig.19, p. 133: <i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	CNI 102/11109
Vol. III, pl.VIII, fig.20, p. 133: <i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	Missing
Vol. III, pl.VIII, fig.21, p. 133: <i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	CNI 103/11109
Vol. III, pl.VIII, fig.22, p. 133: <i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	CNI 104/11109
Vol. III, pl.VIII, fig.23, p. 82: <i>Illaenus sulcifrons</i> Holm, 1886	CNI 31/11109
Vol. III, pl.IX, fig.1 a-e, p. 130: <i>Illaenus angustifrons</i> Holm, 1886	CNI 96/11109
Vol. III, pl.IX, fig.2 a-d, p. 130: <i>Illaenus angustifrons</i> Holm, 1886	CNI 97/11109
Vol. III, pl.IX, fig.3 a-b, p. 130: <i>Illaenus angustifrons</i> Holm, 1886	Missing
Vol. III, pl.IX, fig.4, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	CNI 89/11109
Vol. III, pl.IX, fig.5, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	Missing
Vol. III, pl.IX, fig.6 a-b, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	Missing
Vol. III, pl.IX, fig.7 a-c, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	CNI 90/11109
* Vol. III, pl.IX, fig.8, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	CNI 91/11109
Vol. III, pl.IX, fig.9 a-b, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	CNI 92/11109
Vol. III, pl.IX, fig.10, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	NT
Vol. III, pl.IX, fig.11 a-b, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	CNI 93/11109
* Vol. III, pl.IX, fig.12, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	PIN 4248/587
Vol. III, pl.IX, fig.13, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	PIN 4248/588
Vol. III, pl.IX, fig.14, p. 125: <i>Illaenus roemeri</i> Volborth, 1864	CNI 94/11109
Vol. III, pl.IX, fig.15 a-b, p. 125: <i>Illaenus ? roemeri</i> Volborth, 1864	CNI 95/11109
Vol. III, pl.X, fig.1, p. 57: <i>Illaenus jevensis</i> Holm, 1886	CNI 4/11109
Vol. III, pl.X, fig.2 a-b, p. 57: <i>Illaenus jevensis</i> Holm, 1886	NT
Vol. III, pl.X, fig.3, p. 57: <i>Illaenus jevensis</i> Holm, 1886	CNI 5/11109
Vol. III, pl.X, fig.4, p. 57: <i>Illaenus jevensis</i> Holm, 1886	CNI 6/11109
Vol. III, pl.X, fig.5 a-b, p. 57: <i>Illaenus jevensis</i> Holm, 1886	CNI 7/11109
Vol. III, pl.X, fig.6 a-b, p. 57: <i>Illaenus jevensis</i> Holm, 1886	CNI 8/11109
Vol. III, pl.X, fig.7 a-b, p. 57: <i>Illaenus jevensis</i> Holm, 1886	CNI 9/11109
Vol. III, pl.X, fig.8 a-b, p. 142: <i>Illaenus centrotus</i> Dalman, 1827	CNI 110/11109
Vol. III, pl.X, fig.9, p. 142: <i>Illaenus centrotus</i> Dalman, 1827	CNI 111/11109
* Vol. III, pl.X, fig.10 a-d, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	Missing
Vol. III, pl.X, fig.11 a-b, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	CNI 112/11109
Vol. III, pl.X, fig.12, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	CNI 113/11109
Vol. III, pl.X, fig.13, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	CNI 114/11109
Vol. III, pl.X, fig.14, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	CNI 115/11109
Vol. III, pl.X, fig.15 a-b, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	CNI 116/11109
Vol. III, pl.X, fig.16, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	CNI 117/11109
Vol. III, pl.X, fig.17, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	CNI 118/11109
Vol. III, pl.X, fig.18 a-b, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	CNI 119/11109
Vol. III, pl.X, fig.19, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	CNI 120/11109
Vol. III, pl.X, fig.20 a-c, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	PIN 4248/380
Vol. III, pl.X, fig.21, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	Missing
Vol. III, pl.X, fig.22, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	Missing
* Vol. III, pl.X, fig.23, p. 146: <i>Illaenus linnarssonii</i> Holm, 1883	PIN 4248/815
Vol. III, pl.XI, fig.1 a-g, p. 154: <i>Illaenus proles</i> Holm, 1886	CNI 121/11109
Vol. III, pl.XI, fig.2, p. 154: <i>Illaenus proles</i> Holm, 1886	Missing
Vol. III, pl.XI, fig.3, p. 154: <i>Illaenus proles</i> Holm, 1886	CNI 122/11109
Vol. III, pl.XI, fig.4 a-b, p. 157: <i>Illaenus livonicus</i> Holm, 1886	CNI 123/11109
Vol. III, pl.XI, fig.5 a-b, p. 159: <i>Illaenus triquetrus</i> Volborth, 1863	CNI 124/11109
Vol. III, pl.XI, fig.6 a-b, p. 159: <i>Illaenus triquetrus</i> Volborth, 1863	PSM 149/44
Vol. III, pl.XI, fig.7 a-c, p. 159: <i>Illaenus triquetrus</i> Volborth, 1863	CNI 125/11109
Vol. III, pl.XI, fig.8, p. 159: <i>Illaenus triquetrus</i> Volborth, 1863	NT
Vol. III, pl.XI, fig.9 a-b, p. 159: <i>Illaenus triquetrus</i> Volborth, 1863	CNI 126/11109
Vol. III, pl.XI, fig.10 a-c, p. 159: <i>Illaenus triquetrus</i> Volborth, 1863	CNI 127/11109

Vol. III, pl.XI, fig.11 a-d, p. 162: <i>Illaenus caecus</i> Holm, 1886	CNI 128/11109
* Vol. III, pl.XI, fig.12 a-c, p. 164: <i>Illaenus (Bumastus) barriensis</i> Murchison, 1839	NT
Vol. III, pl.XI, fig.13 a-b, p. 164: <i>Illaenus (Bumastus) barriensis</i> Murchison, 1839	CNI 129/11109
Vol. III, pl.XI, fig.14, p. 164: <i>Illaenus (Bumastus) barriensis</i> Murchison, 1839	Missing
Vol. III, pl.XI, fig.15, p. 164: <i>Illaenus (Bumastus) barriensis</i> Murchison, 1839	CNI 130/11109
Vol. III, pl.XI, fig.16, p. 164: <i>Illaenus (Bumastus) barriensis</i> Murchison, 1839	CNI 131/11109
Vol. III, pl.XII, fig.1 a-b, p. 139: <i>Illaenus masckeii</i> Holm, 1886	NT
Vol. III, pl.XII, fig.2 a-b, p. 139: <i>Illaenus masckeii</i> Holm, 1886	CNI 109/11109
Vol. III, pl.XII, fig.3, p. 139: <i>Illaenus masckeii</i> Holm, 1886	NT
Vol. III, pl.XII, fig.4, p. 139: <i>Illaenus masckeii</i> Holm, 1886	PIN 4248/374
Vol. III, pl.XII, fig.5, p. 139: <i>Illaenus masckeii</i> Holm, 1886	PIN 4248/373
Vol. III, pl.XII, fig.6 a-c, p. 98: <i>Illaenus oculus</i> Holm, 1886	CNI 50/11109
Vol. III, pl.XII, fig.7, p. 98: <i>Illaenus oculus</i> Holm, 1886	CNI 51/11109
Vol. III, pl.XII, fig.8, p. 98: <i>Illaenus oculus</i> Holm, 1886	CNI 52/11109
Vol. III, pl.XII, fig.9 a-b, p. 98: <i>Illaenus oculus</i> Holm, 1886	CNI 53/11109
Vol. III, pl.XII, fig.10, p. 85: <i>Illaenus plautini</i> Holm, 1886	PIN 4248/51
Vol. III, pl.XII, fig.11 a-b, p. 82: <i>Illaenus sulcifrons</i> Holm, 1886	CNI 30/11109
Vol. III, pl.XII, fig.12 a-b, p. 82: <i>Illaenus sulcifrons</i> Holm, 1886	CNI 31/11109
Vol. III, pl.XII, fig.13 a-b, p. 64: <i>Illaenus chiron</i> Holm, 1883	CNI 16/11109
Vol. III, pl.XII, fig.14, p. 170: <i>Illaenus</i> sp.	CNI 134/11109
Vol. III, pl.XII, fig.15, p. 171: <i>Illaenus</i> sp.	CNI 135/11109
Vol. III, pl.XII, fig.16 a-c, p. 169: <i>Illaenus</i> sp.	CNI 132/11109
Vol. III, pl.XII, fig.17 a-b, p. 169: <i>Illaenus</i> sp.	CNI 133/11109
Vol. III, pl.XII, fig.18, p. 72: <i>Illaenus crassicauda</i> Wahlenberg, 1821	CNI 1248/11109
Vol. IV, pl.I, fig.1,1a, p. 13: <i>Calymene tuberculata</i> Brünnich, 1781	NT
Vol. IV, pl.I, fig.2, p. 13: <i>Calymene tuberculata</i> Brünnich, 1781	PSM 149/17
Vol. IV, pl.I, fig.3, p. 13: <i>Calymene tuberculata</i> Brünnich, 1781	NT
Vol. IV, pl.I, fig.4, p. 13: <i>Calymene tuberculata</i> Brünnich, 1781	CNI 1/11110
Vol. IV, pl.I, fig.5, p. 13: <i>Calymene tuberculata</i> Brünnich, 1781	NT
Vol. IV, pl.I, fig.6, p. 13: <i>Calymene tuberculata</i> Brünnich, 1781	NT
Vol. IV, pl.I, fig.7,7a, p. 13: <i>Calymene tuberculata</i> Brünnich, 1781	CNI 2/11110
Vol. IV, pl.I, fig.8,8a, p. 13: <i>Calymene tuberculata</i> Brünnich, 1781	NT
Vol. IV, pl.I, fig.9, 9a-c, p. 20: <i>Calymene conspicua</i> Schmidt, 1894	Missing
Vol. IV, pl.I, fig.10, p. 20: <i>Calymene conspicua</i> Schmidt, 1894	Missing
Vol. IV, pl.I, fig.11 a-d, p. 20: <i>Calymene conspicua</i> Schmidt, 1894	CNI 7/11110
Vol. IV, pl.I, fig.12, p. 20: <i>Calymene conspicua</i> Schmidt, 1894	NT
Vol. IV, pl.I, fig.13,13a-b, p. 22: <i>Calymene ohhesaarensis</i> Schmidt, 1894	CNI 177/11110
Vol. IV, pl.II, fig.1, p. 16: <i>Calymene intermedia</i> Lindström, 1885	CNI 3/11110
Vol. IV, pl.II, fig.2, p. 16: <i>Calymene intermedia</i> Lindström, 1885	CNI 4/11110
Vol. IV, pl.II, fig.3,3a, p. 16: <i>Calymene intermedia</i> Lindström, 1885	CNI 5/11110
Vol. IV, pl.II, fig.4,4a-b, p. 18: <i>Calymene frontosa</i> Lindström, 1885	Missing
Vol. IV, pl.II, fig.5,5a, p. 18: <i>Calymene frontosa</i> Lindström, 1885	NT
Vol. IV, pl.II, fig.6, p. 18: <i>Calymene frontosa</i> Lindström, 1885	Missing
Vol. IV, pl.II, fig.7, p. 18: <i>Calymene aff. frontosa</i> Lindström, 1885	CNI 6/11110
Vol. IV, pl.II, fig.8, p. 18: <i>Calymene frontosa</i> Lindström, 1885	Missing
Vol. IV, pl.II, fig.9, p. 23: <i>Calymene senaria</i> var. <i>stacyi</i> Schmidt, 1894	CNI 8/11110
Vol. IV, pl.II, fig.10, p. 23: <i>Calymene senaria</i> var. <i>stacyi</i> Schmidt, 1894	Missing
Vol. IV, pl.II, fig.11, p. 23: <i>Calymene senaria</i> var. <i>stacyi</i> Schmidt, 1894	Missing
Vol. IV, pl.II, fig.12,12a, p. 26: <i>Calymene (Pharostoma) pediloba</i> Römer, 1861	CNI 9/11110
Vol. IV, pl.II, fig.13, p. 26: <i>Calymene (Pharostoma) pediloba</i> Römer, 1861	CNI 10/11110
Vol. IV, pl.II, fig.14, p. 26: <i>Calymene (Pharostoma) pediloba</i> Römer, 1861	CNI 11/11110
Vol. IV, pl.II, fig.15, p. 26: <i>Calymene (Pharostoma) pediloba</i> Römer, 1861	Missing
Vol. IV, pl.II, fig.16, p. 26: <i>Calymene (Pharostoma) pediloba</i> Römer, 1861	Missing
Vol. IV, pl.II, fig.17,17a, p. 29: <i>Calymene (Pharostoma) nieszkowskii</i> Schmidt, 1894	CNI 12/11110
Vol. IV, pl.II, fig.18, p. 29: <i>Calymene (Pharostoma) nieszkowskii</i> Schmidt, 1894	NT
Vol. IV, pl.II, fig.19, p. ?: <i>Calymene (Pharostoma) oelandicum?</i> Angelin, 1854	NT

Vol. IV, pl.II, fig.20, p. 30: <i>Calymene (Pharostoma) denticulata</i> Eichwald, 1861	CNI 13/11110
Vol. IV, pl.II, fig.21,21a-b, p. 32: <i>Calymene (Ptychometopus) volborthi</i> Schmidt, 1894	Missing
Vol. IV, pl.III, fig.1, p. 36: <i>Bronteus estonicus</i> Schmidt, 1894	CNI 16/11110
Vol. IV, pl.III, fig.2, p. 36: <i>Bronteus estonicus</i> Schmidt, 1894	CNI 16/11110
Vol. IV, pl.III, fig.3, p. 36: <i>Bronteus estonicus</i> Schmidt, 1894	NT
Vol. IV, pl.III, fig.4, p. 36: <i>Bronteus estonicus</i> Schmidt, 1894	CNI 17/11110
Vol. IV, pl.III, fig.5, p. 36: <i>Bronteus estonicus</i> Schmidt, 1894	NT
Vol. IV, pl.III, fig.6, p. 36: <i>Bronteus estonicus</i> Schmidt, 1894	NT
Vol. IV, pl.III, fig.7, p. 36: <i>Bronteus estonicus</i> Schmidt, 1894	Missing
Vol. IV, pl.III, fig.8, p. 38: <i>Bronteus marklini?</i> Angelin, 1854	CNI 18/11110
Vol. IV, pl.III, fig.9, p. 34: <i>Bronteus laticauda</i> Wahlenberg, 1821	NT
Vol. IV, pl.III, fig.10, p. 34: <i>Bronteus laticauda</i> Wahlenberg, 1821	CNI 14/11110
Vol. IV, pl.III, fig.11, p. 34: <i>Bronteus laticauda</i> Wahlenberg, 1821	CNI 15/11110
Vol. IV, pl.IV, fig.1,1a, p. 41: <i>Proetus concinnus</i> var. <i>osiliensis</i> Schmidt, 1894	PIN 4248/492
Vol. IV, pl.IV, fig.2, p. 41: <i>Proetus concinnus</i> var. <i>osiliensis</i> Schmidt, 1894	PIN 4248/493
Vol. IV, pl.IV, fig.3, p. 41: <i>Proetus concinnus</i> var. <i>osiliensis</i> Schmidt, 1894	PIN 4248/494
Vol. IV, pl.IV, fig.4, p. 41: <i>Proetus concinnus</i> var. <i>osiliensis</i> Schmidt, 1894	PIN 4248/495
Vol. IV, pl.IV, fig.5, p. 41: <i>Proetus concinnus</i> var. <i>osiliensis</i> Schmidt, 1894	Missing
Vol. IV, pl.IV, fig.6, p. 41: <i>Proetus concinnus</i> var. <i>osiliensis</i> Schmidt, 1894	Missing
Vol. IV, pl.IV, fig.7, p. 41: <i>Proetus concinnus</i> var. <i>osiliensis</i> Schmidt, 1894	PIN 4248/497
Vol. IV, pl.IV, fig.8,8a, p. 41: <i>Proetus concinnus</i> var. <i>osiliensis</i> Schmidt, 1894	8 = Missing 8a = PIN 4248/423
Vol. IV, pl.IV, fig.9, p. 41: <i>Proetus concinnus</i> var. <i>osiliensis</i> Schmidt, 1894	PIN 4248/499
Vol. IV, pl.IV, fig.10, p. 45: <i>Proetus</i> cf. <i>verrucosus</i> Lindström, 1885	Missing
Vol. IV, pl.IV, fig.11, p. 45: <i>Proetus</i> cf. <i>verrucosus</i> Lindström, 1885	Missing
Vol. IV, pl.IV, fig.12, p. 45: <i>Proetus conspersus</i> Angelin, 1854	PIN 4248/502
Vol. IV, pl.IV, fig.13, p. 46: <i>Proetus conspersus</i> Angelin, 1854	PIN 4248/132
Vol. IV, pl.IV, fig.14, p. 46: <i>Proetus conspersus</i> Angelin, 1854	PIN 4248/504
* Vol. IV, pl.IV, fig.15, p. 46: <i>Proetus conspersus</i> Angelin, 1854	PIN 4248/823
Vol. IV, pl.IV, fig.16,16a, p. 46: <i>Proetus conspersus</i> Angelin, 1854	PIN 4248/137
Vol. IV, pl.IV, fig.17, p. 46: <i>Proetus conspersus</i> Angelin, 1854	PIN 4248/133
Vol. IV, pl.IV, fig.18, p. 46: <i>Proetus conspersus</i> Angelin, 1854	PIN 4248/134
Vol. IV, pl.IV, fig.19, p. 46: <i>Proetus conspersus</i> Angelin, 1854	PIN 4248/508
Vol. IV, pl.IV, fig.20, p. 46: <i>Proetus conspersus</i> Angelin, 1854	PIN 4248/509
Vol. IV, pl.IV, fig.21, p. 49: <i>Proetus planedorsatus</i> Schmidt, 1894	PIN 4248/824
Vol. IV, pl.IV, fig.22, p. 49: <i>Proetus planedorsatus</i> Schmidt, 1894	Missing
Vol. IV, pl.IV, fig.23, p. 51: <i>Proetus distans</i> cf. Lindström, 1885	PIN 4248/513
Vol. IV, pl.IV, fig.24, p. 51: <i>Proetus</i> sp.	PIN 4248/521
Vol. IV, pl.IV, fig.25, p. 51: <i>Proetus</i> sp.	Missing
* Vol. IV, pl.IV, fig.26, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/135
Vol. IV, pl.IV, fig.27, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/514
Vol. IV, pl.IV, fig.28, p. 53: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/515
Vol. IV, pl.IV, fig.29, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/516
Vol. IV, pl.IV, fig.30, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	Missing
Vol. IV, pl.IV, fig.31, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/517
Vol. IV, pl.IV, fig.32, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/517
Vol. IV, pl.IV, fig.33, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/319
Vol. IV, pl.IV, fig.34, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/136
Vol. IV, pl.IV, fig.35, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/520
Vol. IV, pl.IV, fig.36, p. 52: <i>Proetus ramisulcatus</i> Nieszkowski, 1857	PIN 4248/826
Vol. IV, pl.IV, fig.37, p. 56: <i>Proetus kertelensis</i> Schmidt, 1894	PIN 4248/40
Vol. IV, pl.IV, fig.38, p. 57: <i>Proetus wesenbergensis</i> Schmidt, 1894	PIN 4248/409
Vol. IV, pl.IV, fig.39, p. 57: <i>Proetus wesenbergensis</i> Schmidt, 1894	Missing
Vol. IV, pl.IV, fig.40, p. 58: <i>Cyphaspis planifrons</i> Eichwald, 1861	PIN 4248/412
Vol. IV, pl.IV, fig.41,41a, p. 58: <i>Cyphaspis planifrons</i> Eichwald, 1861	PIN 4248/523
Vol. IV, pl.IV, fig.42,42a, p. 58: <i>Cyphaspis planifrons</i> Eichwald, 1861	PIN 4248/827

Vol. IV, pl.IV, fig.43, p. 58: <i>Cyphaspis planifrons</i> Eichwald, 1861	PIN 4248/825
Vol. IV, pl.IV, fig.44, p. 60: <i>Cyphaspis</i> sp.	PIN 4248/410
Vol. IV, pl.IV, fig.45,45a, p. 60: <i>Cyphaspis</i> sp.	Missing
Vol. IV, pl.IV, fig.46, p. 60: <i>Menocephalus minutus</i> Nieszkowski, 1857	PIN 4248/524
Vol. IV, pl.IV, fig.47, p. 60: <i>Menocephalus minutus</i> Nieszkowski, 1857	PIN 4248/525
Vol. IV, pl.IV, fig.48, p. 60: <i>Menocephalus minutus</i> Nieszkowski, 1857	Missing
* Vol. IV, pl.IV, fig.49, p. 60: <i>Menocephalus minutus</i> Nieszkowski, 1857	PIN 4248/141
Vol. IV, pl.V, fig.1, p. 63: <i>Harpides plautini</i> Schmidt, 1894	CNI 19/11110
Vol. IV, pl.V, fig.2,2a, p. 63: <i>Harpides plautini</i> Schmidt, 1894	CNI 20/11110
Vol. IV, pl.V, fig.3, p. 66: <i>Harpes spasskii</i> Eichwald, 1840	Missing
Vol. IV, pl.V, fig.4, p. 66: <i>Harpes spasskii</i> Eichwald, 1840	Missing
Vol. IV, pl.V, fig.5, p. 66: <i>Harpes spasskii</i> Eichwald, 1840	CNI 21/11110
Vol. IV, pl.V, fig.6, p. 66: <i>Harpes spasskii</i> Eichwald, 1840	CNI 22/11110
Vol. IV, pl.V, fig.7, p. 66: <i>Harpes spasskii</i> Eichwald, 1840	CNI 23/11110
* Vol. IV, pl.V, fig.8, p. 66: <i>Harpes spasskii</i> Eichwald, 1840	NT
Vol. IV, pl.V, fig.9, p. 66: <i>Harpes spasskii</i> Eichwald, 1840	NT
Vol. IV, pl.V, fig.10,10a, p. 69: <i>Harpes wegelini</i> Angelin, 1854	CNI 24/11110
Vol. IV, pl.V, fig.11, p. 69: <i>Harpes wegelini</i> Angelin, 1854	CNI 25/11110
Vol. IV, pl.V, fig.12,12a, p. 69: <i>Harpes wegelini</i> Angelin, 1854	CNI 26/11110
Vol. IV, pl.V, fig.13, p. 69: <i>Harpes wegelini</i> Angelin, 1854	CNI 27/11110
Vol. IV, pl.V, fig.14, p. 69: <i>Harpes wegelini</i> Angelin, 1854	CNI 28/11110
Vol. IV, pl.V, fig.15, p. 69: <i>Harpes wegelini</i> Angelin, 1854	CNI 29/11110
Vol. IV, pl.V, fig.16, p. 69: <i>Harpes wegelini</i> Angelin, 1854	CNI 30/11110
Vol. IV, pl.V, fig.17,17a, p. 69: <i>Harpes wegelini</i> Angelin, 1854	CNI 31/11110
Vol. IV, pl.V, fig.18, p. 69: <i>Harpes wegelini</i> Angelin, 1854	NT
Vol. IV, pl.V, fig.19,19a, p. 71: <i>Trinucleus seticornis</i> Hisinger, 1840	Missing
Vol. IV, pl.V, fig.20, p. 71: <i>Trinucleus seticornis</i> Hisinger, 1840	Missing
Vol. IV, pl.V, fig.21, p. 71: <i>Trinucleus seticornis</i> Hisinger, 1840	PIN 4248/425
Vol. IV, pl.V, fig.22, p. 71: <i>Trinucleus seticornis</i> Hisinger, 1840	PIN 4248/426
Vol. IV, pl.VI, fig.1,1a, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	PIN 4248/835
Vol. IV, pl.VI, fig.2, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	PIN 4248/27
Vol. IV, pl.VI, fig.3, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	PIN 4248/832
Vol. IV, pl.VI, fig.4, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	PIN 4248/838
Vol. IV, pl.VI, fig.5, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	PIN 4248/531
Vol. IV, pl.VI, fig.6, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	PIN 4248/839
Vol. IV, pl.VI, fig.7, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	PIN 4248/840
Vol. IV, pl.VI, fig.8, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	PIN 4248/25
Vol. IV, pl.VI, fig.9, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	PIN 4248/842
Vol. IV, pl.VI, fig.10, p. 77: <i>Ampyx nasutus</i> Dalman, 1826	Missing
Vol. IV, pl.VI, fig.11, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	PIN 4248/850
Vol. IV, pl.VI, fig.12, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	PIN 4248/143
Vol. IV, pl.VI, fig.13, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	PIN 4248/143
Vol. IV, pl.VI, fig.14, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	PIN 4248/32
Vol. IV, pl.VI, fig.15,15a, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	PIN 4248/36
Vol. IV, pl.VI, fig.16,16a, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	PIN 4248/427
Vol. IV, pl.VI, fig.17,17a, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	17 = PIN 4248/844, 17a = PIN 4248/26
Vol. IV, pl.VI, fig.18,18a, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	PIN 4248/142
Vol. IV, pl.VI, fig.19, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	PIN 4248/856
Vol. IV, pl.VI, fig.20, p. 80: <i>Ampyx volborthi</i> Schmidt, 1894	PIN 4248/854
Vol. IV, pl.VI, fig.21,21a, p. 83: <i>Ampyx linnarssoni</i> Schmidt, 1894	PIN 4248/828
Vol. IV, pl.VI, fig.22, p. 83: <i>Ampyx linnarssoni</i> Schmidt, 1894	Missing
Vol. IV, pl.VI, fig.23, p. 83: <i>Ampyx linnarssoni</i> Schmidt, 1894	Missing
Vol. IV, pl.VI, fig.24, p. 84: <i>Ampyx costatus?</i> Sars, 1835	PIN 4248/144
Vol. IV, pl.VI, fig.25, p. 84: <i>Ampyx costatus?</i> Sars, 1835	PIN 4248/862
Vol. IV, pl.VI, fig.26, p. 84: <i>Ampyx aff. costatus</i> Sars, 1835	PIN 4248/863

Vol. IV, pl.VI, fig.27, p. 84: <i>Ampyx aff. costatus</i> Sars, 1835	PIN 4248/112
Vol. IV, pl.VI, fig.28,28a, p. 84: <i>Ampyx aff. costatus</i> Sars, 1835	PIN 4248/906
Vol. IV, pl.VI, fig.29, p. 85: <i>Ampyx rostratus</i> Sars, 1835	PIN 4248/434
Vol. IV, pl.VI, fig.30, p. 85: <i>Ampyx rostratus</i> Sars, 1835	PIN 4248/145
Vol. IV, pl.VI, fig.31,31a, p. 85: <i>Ampyx rostratus</i> Sars, 1835	PIN 4248/147
Vol. IV, pl.VI, fig.32, p. 85: <i>Ampyx rostratus</i> Sars, 1835	PIN 4248/146
Vol. IV, pl.VI, fig.33, p. 85: <i>Ampyx rostratus</i> Sars, 1835	PIN 4248/438
Vol. IV, pl.VI, fig.34,34a, p. 88: <i>Remopleurides nanus</i> Leuchtenberg, 1843	PIN 4248/866
Vol. IV, pl.VI, fig.35,35b, p. 88: <i>Remopleurides nanus</i> Leuchtenberg, 1843	35 = PIN 4248/865, 35b = PIN 4248/37
Vol. IV, pl.VI, fig.36,36a-b, p. 89: <i>Remopleurides nanus</i> var. <i>elongata</i> Schmidt, 1894	36,36a =PIN 4248/440 36b = Missing
Vol. IV, pl.VI, fig.37,37a, p. 89: <i>Remopleurides emarginatus</i> Törnquist, 1885	PIN 4248/444
Vol. IV, pl.VI, fig.38, p. 89: <i>Remopleurides emarginatus</i> Törnquist, 1885	PIN 4248/445
Vol. IV, pl.VI, fig.39, p. 90: <i>Agnostus glabratus</i> var. <i>ingrica</i> Schmidt, 1894	PIN 4248/39
Vol. IV, pl.VI, fig.40, p. 90: <i>Agnostus glabratus</i> var. <i>ingrica</i> Schmidt, 1894	PIN 4248/872
Vol. IV, pl.VI, fig.41, p. 90: <i>Agnostus glabratus</i> var. <i>ingrica</i> Schmidt, 1894	Missing
Vol. IV, pl.VI, fig.42, p. 90: <i>Agnostus glabratus</i> var. <i>ingrica</i> Schmidt, 1894	PIN 4248/119
Vol. IV, pl.VI, fig.43, p. 90: <i>Agnostus glabratus</i> var. <i>ingrica</i> Schmidt, 1894	PIN 4248/841
Vol. IV, pl.VI, fig.44, p. 90: <i>Agnostus glabratus</i> var. <i>ingrica</i> Schmidt, 1894	PIN 4248/873
Vol. V-II, pl.I, fig.1, p. 24: <i>Asaphus expansus</i> Wahlenberg, 1821	CNI 5/11152
Vol. V-II, pl.1, fig.2, p. 24: <i>Asaphus expansus</i> Wahlenberg, 1821	CNI 6/11152
Vol. V-II, pl.1, fig.3, p. 24: <i>Asaphus expansus</i> Wahlenberg, 1821	CNI 7/11152
Vol. V-II, pl.I, fig.4, p. 29: <i>Asaphus lepidurus</i> Nieszkowski, 1859	CNI 10/11152
Vol. V-II, pl.1, fig.5, p. 24: <i>Asaphus expansus</i> Wahlenberg, 1821	Missing
* Vol. V-II, pl.I, fig.6, p. 29: <i>Asaphus lepidurus</i> Nieszkowski, 1859	Missing
Vol. V-II, pl.I, fig.7,7a, p. 29: <i>Asaphus lepidurus</i> Nieszkowski, 1859	Missing
Vol. V-II, pl.I, fig.8, p. 32: <i>Asaphus raniceps</i> Dalman, 1827	PIN 4248/10
Vol. V-II, pl.I, fig.9, p. 32: <i>Asaphus raniceps</i> Dalman, 1827	Missing
Vol. V-II, pl.I, fig.10, p. 32: <i>Asaphus raniceps</i> Dalman, 1827	PIN 4248/17
Vol. V-II, pl.I, fig.11, p. 32: <i>Asaphus raniceps</i> Dalman, 1827	PIN 4248/91
Vol. V-II, pl.I, fig.12, p. 41: <i>Asaphus eichwaldi</i> Schmidt, 1901	CNI 22/11152
Vol. V-II, pl.I, fig.13, p. 41: <i>Asaphus eichwaldi</i> Schmidt, 1901	CNI 23/11152
Vol. V-II, pl.I, fig.14, p. 41: <i>Asaphus eichwaldi</i> Schmidt, 1901	CNI 24/11152
Vol. V-II, pl.II, fig.1, p. 32: <i>Asaphus raniceps</i> Dalman, 1827	CNI 14/11152
Vol. V-II, pl.II, fig.2, p. 32: <i>Asaphus raniceps</i> Dalman, 1827	CNI 15/11152
Vol. V-II, pl.II, fig.3, p. 32: <i>Asaphus raniceps</i> Dalman, 1827	PIN 4248/7
Vol. V-II, pl.II, fig.4, p. 21: <i>Asaphus bröggeri</i> Schmidt, 1901	PIN 4248/92
Vol. V-II, pl.II, fig.5, p. 21: <i>Asaphus bröggeri</i> Schmidt, 1901	CNI 1/11152
Vol. V-II, pl.II, fig.6,6a, p. 21: <i>Asaphus bröggeri</i> Schmidt, 1901	Missing
Vol. V-II, pl.II, fig.7, p. 21: <i>Asaphus bröggeri</i> Schmidt, 1901	CNI 2/11152
Vol. V-II, pl.II, fig.8, p. 37: <i>Asaphus pachyopthalmus</i> Schmidt, 1901	CNI 18/11152
Vol. V-II, pl.II, fig.10, p. 37: <i>Asaphus pachyopthalmus</i> Schmidt, 1901	Missing
Vol. V-II, pl.II, fig.9,9a, p. 37: <i>Asaphus pachyopthalmus</i> Schmidt, 1901	Missing
Vol. V-II, pl.II, fig.11, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	CNI 42/11152
Vol. V-II, pl.II, fig.12, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	CNI 43/11152
Vol. V-II, pl.II, fig.13, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	CNI 44/11152
Vol. V-II, pl.II, fig.14, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	Missing
Vol. V-II, pl.II, fig.15, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	CNI 45/11152
Vol. V-II, pl.II, fig.16, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	CNI 46/11152
Vol. V-II, pl.II, fig.17, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	CNI 47/11152
Vol. V-II, pl.II, fig.18, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	CNI 48/11152
Vol. V-II, pl.III, fig.1, p. 55: <i>Asaphus platyurus</i> Angelin, 1854	Missing
Vol. V-II, pl.III, fig.2, p. 55: <i>Asaphus platyurus</i> Angelin, 1854	PIN 4248/452
Vol. V-II, pl.III, fig.3, p. 55: <i>Asaphus platyurus</i> Angelin, 1854	CNI 52/11152
Vol. V-II, pl.III, fig.4, p. 55: <i>Asaphus platyurus</i> Angelin, 1854	PIN 4248/453

Vol. V-II, pl.III, fig.5, p. 56: <i>Asaphus platyurus</i> var. <i>laticauda</i> Angelin, 1854	PIN 4248/454
Vol. V-II, pl.III, fig.6, p. 56: <i>Asaphus platyurus</i> var. <i>laticauda</i> Angelin, 1854	PIN 4248/454
Vol. V-II, pl.III, fig.7, p. 55: <i>Asaphus platyurus</i> Angelin, 1854	Missing
Vol. V-II, pl.III, fig.8, p. 45: <i>Asaphus delphinus</i> Lawrow, 1856	CNI 32/11152
Vol. V-II, pl.III, fig.9, p. 45: <i>Asaphus delphinus</i> Lawrow, 1856	CNI 33/11152
Vol. V-II, pl.III, fig.10, p. 45: <i>Asaphus delphinus</i> Lawrow, 1856	Missing
Vol. V-II, pl.III, fig.11, p. 45: <i>Asaphus delphinus</i> Lawrow, 1856	CNI 34/11152
Vol. V-II, pl.III, fig.12, p. 45: <i>Asaphus delphinus</i> Lawrow, 1856	Missing
Vol. V-II, pl.IV, fig.1, p. 47: <i>Asaphus cornutus</i> Pander, 1830	CNI 37/11152
Vol. V-II, pl.IV, fig.2,2a, p. 47: <i>Asaphus cornutus</i> Pander, 1830	CNI 39/11152
Vol. V-II, pl.IV, fig.3, p. 47: <i>Asaphus cornutus</i> Pander, 1830	PIN 4248/893
Vol. V-II, pl.IV, fig.4, p. 47: <i>Asaphus cornutus</i> Pander, 1830	CNI 38/11152
Vol. V-II, pl.IV, fig.5, p. 47: <i>Asaphus cornutus</i> Pander, 1830	CNI 41/11152
Vol. V-II, pl.IV, fig.7, p. 47: <i>Asaphus cornutus</i> Pander, 1830	Missing
Vol. V-II, pl.IV, fig.8,a,b, p. 50: <i>Asaphus cornutus</i> var. <i>holmi</i> Schmidt, 1901	Missing
Vol. V-II, pl.IV, fig.6, p. 41: <i>Asaphus eichwaldi</i> Schmidt, 1901	Missing
Vol. V-II, pl.IV, fig.9,9a-c, p. 41: <i>Asaphus eichwaldi</i> Schmidt, 1901	CNI 25/11152
Vol. V-II, pl.IV, fig.10, p. 41: <i>Asaphus eichwaldi</i> Schmidt, 1901	CNI 26/11152
Vol. V-II, pl.IV, fig.11, p. 44: <i>Asaphus eichwaldi</i> var. <i>applanata</i> Schmidt, 1901	CNI 31/11152
Vol. V-II, pl.V, fig.1, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	Missing
Vol. V-II, pl.V, fig.2, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	Missing
Vol. V-II, pl.V, fig.3, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	Missing
Vol. V-II, pl.V, fig.4, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	Missing
Vol. V-II, pl.V, fig.5, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	CNI 53/11152
Vol. V-II, pl.V, fig.6, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	Missing
Vol. V-II, pl.V, fig.7, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	Missing
Vol. V-II, pl.V, fig.8, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	Missing
Vol. V-II, pl.V, fig.9, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	CNI 54/11152
Vol. V-II, pl.V, fig.10, p. 61: <i>Asaphus laevissimus</i> var. <i>laticauda</i> Schmidt, 1901	CNI 55/11152
Vol. V-II, pl.V, fig.11, p. 59: <i>Asaphus laevissimus</i> Schmidt, 1901	CNI 56/11152
Vol. V-II, pl.V, fig.13, p. 59: <i>Asaphus laevissimus</i> Schmidt, 1901	CNI 57/11152
Vol. V-II, pl.V, fig.12, p. 59 V-IIIP.12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	Missing
Vol. V-II, pl.VI, fig.1, p. 64: <i>Asaphus latus</i> var. <i>plautini</i> Schmidt, 1901	CNI 63/11152
Vol. V-II, pl.VI, fig.2, p. 64: <i>Asaphus latus</i> var. <i>plautini</i> Schmidt, 1901	CNI 64/11152
Vol. V-II, pl.VI, fig.3, p. 64: <i>Asaphus latus</i> var. <i>plautini</i> Schmidt, 1901	Missing
Vol. V-II, pl.VI, fig.4, p. 62: <i>Asaphus latus</i> Pander, 1830	Missing
Vol. V-II, pl.VI, fig.5, p. 62: <i>Asaphus latus</i> Pander, 1830	CNI 60/11152
Vol. V-II, pl.VI, fig.6,6a, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 71/11152
Vol. V-II, pl.VI, fig.7, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 72/11152
Vol. V-II, pl.VI, fig.8,8a, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 73/11152
Vol. V-II, pl.VI, fig.9, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 74/11152
Vol. V-II, pl.VI, fig.10, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 75/11152
Vol. V-II, pl.VI, fig.11, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 77/11152
Vol. V-II, pl.VI, fig.12, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	Missing
Vol. V-II, pl.VI, fig.13, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 76/11152
Vol. V-II, pl.VII, fig.1, p. 65: <i>Asaphus devexus</i> Eichwald, 1840	CNI 66/11152
Vol. V-II, pl.VII, fig.2, p. 65: <i>Asaphus devexus</i> Eichwald, 1840	CNI 67/11152
Vol. V-II, pl.VII, fig.3, p. 65: <i>Asaphus devexus</i> Eichwald, 1840	CNI 68/11152
Vol. V-II, pl.VII, fig.4, p. 65: <i>Asaphus devexus</i> Eichwald, 1840	CNI 68/11152
Vol. V-II, pl.VII, fig.5, p. 65: <i>Asaphus devexus</i> Eichwald, 1840	Missing
Vol. V-II, pl.VII, fig.6, p. 65: <i>Asaphus devexus</i> Eichwald, 1840	CNI 69/11152
Vol. V-II, pl.VII, fig.7, p. 65: <i>Asaphus devexus</i> Eichwald, 1840	CNI 70/11152
Vol. V-II, pl.VIII, fig.1,1a, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 79/11152
Vol. V-II, pl.VIII, fig.2, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 80/11152
Vol. V-II, pl.VIII, fig.3, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 81/11152
Vol. V-II, pl.VIII, fig.4, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 82/11152

Vol. V-II, pl.VIII, fig.5, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 83/11152
Vol. V-II, pl.VIII, fig.6, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 84/11152
Vol. V-II, pl.VIII, fig.7, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 85/11152
Vol. V-II, pl.VIII, fig.8, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 86/11152
Vol. V-II, pl.VIII, fig.9, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	Missing
Vol. V-II, pl.VIII, fig.10,10a, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	10 = Missing
	10a = CNI 87/11152
Vol. V-II, pl.VIII, fig.11, p. 72: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 88/11152
Vol. V-II, pl.VIII, fig.12, p. 77: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>itferensis</i> Schmidt, 1901 ..	CNI 91/11152
Vol. V-II, pl.VIII, fig.13, p. 77: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>itferensis</i> Schmidt, 1901 ..	CNI 92/11152
Vol. V-II, pl.VIII, fig.14, p. 77: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>itferensis</i> Schmidt, 1901 ..	CNI 91/11152
Vol. V-II, pl.VIII, fig.15a,b, p. 78: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>jewensis</i> Schmidt, 1901	CNI 94/11152
Vol. V-II, pl.VIII, fig.16, p. 78: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>jewensis</i> Schmidt, 1901 ..	CNI 95/11152
Vol. V-II, pl.VIII, fig.17, p. 78: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>jewensis</i> Schmidt, 1901 ..	CNI 96/11152
Vol. V-II, pl.VIII, fig.18, p. 78: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>jewensis</i> Schmidt, 1901 ..	CNI 97/11152
Vol. V-II, pl.VIII, fig.19,19a, p. 78: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>jewensis</i> Schmidt, 1901	CNI 98/11152
Vol. V-II, pl.IX, fig.1, p. 81: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>kegelensis</i> Schmidt, 1901 ..	CNI 99/11152
Vol. V-II, pl.IX, fig.2, p. 81: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>kegelensis</i> Schmidt, 1901 ..	CNI 100/11152
Vol. V-II, pl.IX, fig.3, p. 81: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>kegelensis</i> Schmidt, 1901 ..	CNI 101/11152
Vol. V-II, pl.IX, fig.4, p. 81: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>kegelensis</i> Schmidt, 1901 ..	CNI 102/11152
Vol. V-II, pl.IX, fig.5, p. 81: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>kegelensis</i> Schmidt, 1901 ..	CNI 103/11152
Vol. V-II, pl.IX, fig.6, p. 81: <i>Asaphus (Neoasaphus) ludibundus</i> mut. <i>kegelensis</i> Schmidt, 1901 ..	CNI 104/11152
Vol. V-II, pl.IX, fig.7, p. 96: <i>Isotelus stacyi</i> Schmidt, 1901	CNI 123/11152
Vol. V-II, pl.IX, fig.8, p. 96: <i>Isotelus stacyi</i> Schmidt, 1901	CNI 124/11152
Vol. V-II, pl.IX, fig.9, p. 96: <i>Isotelus stacyi</i> Schmidt, 1901	CNI 124/11152
Vol. V-II, pl.IX, fig.10, p. 96: <i>Isotelus stacyi</i> Schmidt, 1901	CNI 125/11152
Vol. V-II, pl.IX, fig.11,11a, p. 107: <i>Niobe (Niobe) frontalis</i> Dalman, 1827	11 = PIN 4248/93
	11a = Missing
Vol. V-II, pl.IX, fig.12, p. 105: <i>Niobe (Niobe) lindströmi</i> Schmidt, 1901	PIN 4248/915
Vol. V-II, pl.X, fig.1, p. 105: <i>Niobe (Niobe) lindströmi</i> Schmidt, 1901	NT
Vol. V-II, pl.X, fig.2, p. 105: <i>Niobe (Niobe) lindströmi</i> Schmidt, 1901	NT
Vol. V-II, pl.X, fig.3, p. 105: <i>Niobe (Niobe) lindströmi</i> Schmidt, 1901	Missing
Vol. V-II, pl.X, fig.4, p. 105: <i>Niobe (Niobe) lindströmi</i> Schmidt, 1901	Missing
Vol. V-II, pl.X, fig.5, p. 103: <i>Niobe (Niobella) laeviceps</i> Dalman, 1827	PIN 4248/911
Vol. V-II, pl.X, fig.6, p. 103: <i>Niobe (Niobella) laeviceps</i> Dalman, 1827	PIN 4248/911
Vol. V-II, pl.X, fig.7, p. 105: <i>Niobe (Niobe) lindströmi</i> Schmidt, 1901	Missing
Vol. V-II, pl.X, fig.8, p. 107: <i>Niobe (Niobe) frontalis</i> Dalman, 1827	PIN 4248/97
Vol. V-II, pl.X, fig.9,9a,9b, p. 82: <i>Onchometopus volborthi</i> Schmidt, 1901	PIN 4248/12
Vol. V-II, pl.X, fig.10, p. 82: <i>Onchometopus volborthi</i> Schmidt, 1901	PIN 4248/909
Vol. V-II, pl.X, fig.11, p. 82: <i>Onchometopus volborthi</i> Schmidt, 1901	PIN 4248/910
Vol. V-II, pl.X, fig.12, p. 82: <i>Onchometopus volborthi</i> Schmidt, 1901	Missing
Vol. V-II, pl.X, fig.13,13a, p. 91: <i>Isotelus platyrhachis</i> Steinhardt, 1874	CNI 114/11152
Vol. V-II, pl.X, fig.14, p. 91: <i>Isotelus platyrhachis</i> Steinhardt, 1874	CNI 115/11152
Vol. V-II, pl.X, fig.15, p. 91: <i>Isotelus platyrhachis</i> Steinhardt, 1874	CNI 116/11152
Vol. V-II, pl.X, fig.16, p. 91: <i>Isotelus platyrhachis</i> Steinhardt, 1874	Missing
Vol. V-II, pl.X, fig.17,17a, p. 88: <i>Isotelus remigium</i> Eichwald, 1858	CNI 106/11152
* Vol. V-II, pl.XI, fig.1, p. 88: <i>Isotelus remigium</i> Eichwald, 1858	CNI 107/11152
Vol. V-II, pl.XI, fig.2, p. 88: <i>Isotelus remigium</i> Eichwald, 1858	CNI 108/11152
Vol. V-II, pl.XI, fig.3, p. 88: <i>Isotelus remigium</i> Eichwald, 1858	CNI 109/11152
Vol. V-II, pl.XI, fig.4, p. 88: <i>Isotelus remigium</i> Eichwald, 1858	CNI 110/11152
Vol. V-II, pl.XI, fig.5, p. 88: <i>Isotelus remigium</i> Eichwald, 1858	CNI 111/11152
Vol. V-II, pl.XI, fig.6, p. 88: <i>Isotelus remigium</i> Eichwald, 1858	CNI 112/11152
Vol. V-II, pl.XI, fig.7, p. 88: <i>Isotelus remigium</i> Eichwald, 1858	CNI 113/11152
Vol. V-II, pl.XI, fig.8, p. 91: <i>Isotelus platyrhachis</i> Steinhardt, 1874	CNI 117/11152?
Vol. V-II, pl.XI, fig.9, p. 93: <i>Isotelus (Brachyaspis) robustus</i> Römer, 1861	CNI 118/11152?

Vol. V-II, pl.XI, fig.10, p. 93: <i>Isotelus (Brachyaspis) robustus</i> Römer, 1861	CNI 119/11152?
Vol. V-II, pl.XI, fig.11, p. 93: <i>Isotelus (Brachyaspis) robustus</i> Römer, 1861	NT
Vol. V-II, pl.XII, fig.1, p. 105: <i>Niobe (Niobe) lindströmi</i> Schmidt, 1901	PIN 4248/42
Vol. V-II, pl.XII, fig.2, p. 105: <i>Niobe (Niobe) lindströmi</i> Schmidt, 1901	PIN 4248/28
Vol. V-II, pl.XII, fig.3, p. 93: <i>Isotelus (Brachyaspis) robustus</i> Römer, 1861	CNI 120/11152
Vol. V-II, pl.XII, fig.4, p. 93: <i>Isotelus (Brachyaspis) robustus</i> Römer, 1861	CNI 121/11152
Vol. V-II, pl.XII, fig.5, p. 21: <i>Asaphus bröggeri</i> Schmidt, 1901	CNI 3/11152
Vol. V-II, pl.XII, fig.6, p. 24: <i>Asaphus expansus</i> Wahlenberg, 1821	CNI 8/11152
Vol. V-II, pl.XII, fig.7, p. 29: <i>Asaphus lepidurus</i> Nieszkowski, 1859	Missing
Vol. V-II, pl.XII, fig.8, p. 35: <i>Asaphus raniceps</i> var. <i>lamanskii</i> Schmidt, 1901	Missing
Vol. V-II, pl.XII, fig.9, p. 35: <i>Asaphus raniceps</i> var. <i>lamanskii</i> Schmidt, 1901	Missing
Vol. V-II, pl.XII, fig.10, p. 35: <i>Asaphus raniceps</i> var. <i>lamanskii</i> Schmidt, 1901	CNI 13/11152
Vol. V-II, pl.XII, fig.11, p. 47: <i>Asaphus cornutus</i> Pander, 1830	CNI 39/11152
Vol. V-II, pl.XII, fig.12, p. 47: <i>Asaphus cornutus</i> Pander, 1830	CNI 40/11152
Vol. V-II, pl.XII, fig.13,13a, p. 40: <i>Asaphus pachyopthalmus</i> var. <i>minor</i> Schmidt, 1901	CNI 127/11152
Vol. V-II, pl.XII, fig.14,14a, p. 40: <i>Asaphus pachyopthalmus</i> var. <i>minor</i> Schmidt, 1901	CNI 20/11152
Vol. V-II, pl.XII, fig.15, p. 45: <i>Asaphus delphinus</i> Lawrow, 1856	CNI 35/11152
Vol. V-II, pl.XII, fig.16, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	CNI 49/11152
Vol. V-II, pl.XII, fig.17, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	Missing
Vol. V-II, pl.XII, fig.18, p. 52: <i>Asaphus kowalewskii</i> Lawrow, 1856	CNI 50/11152
Vol. V-II, pl.XII, fig.19, p. 55: <i>Asaphus platyurus</i> Angelin, 1854	CNI 52/11152
Vol. V-II, pl.XII, fig.20, p. 41: <i>Asaphus eichwaldi</i> Schmidt, 1901	Missing
Vol. V-II, pl.XII, fig.21, p. 41: <i>Asaphus eichwaldi</i> Schmidt, 1901	CNI 28/11152
Vol. V-II, pl.XII, fig.22, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	CNI 58/11152
Vol. V-II, pl.XII, fig.23, p. 58: <i>Asaphus laevissimus</i> Schmidt, 1901	CNI 59/11152
Vol. V-II, pl.XII, fig.24, p. 62: <i>Asaphus latus</i> Pander, 1830	CNI 61/11152
Vol. V-II, pl.XII, fig.25, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 77/11152
Vol. V-II, pl.XII, fig.26, p. 68: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 77/11152
Vol. V-II, pl.XII, fig.27, p. 77: <i>Asaphus (Neoasaphus) ludibundus</i> var. <i>itiferensis</i> Schmidt, 1901	CNI 93/11152
* Vol. V-III, pl.I, fig.1, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	CNI 1/11153
Vol. V-III, pl.I, fig.2,2a, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	CNI 2/11153
Vol. V-III, pl.I, fig.3, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	CNI 3/11153
Vol. V-III, pl.I, fig.4, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	CNI 4/11153
Vol. V-III, pl.I, fig.5, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	CNI 5/11153
Vol. V-III, pl.I, fig.6, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	CNI 6/11153
Vol. V-III, pl.I, fig.7,7a, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	CNI 7/11153
Vol. V-III, pl.I, fig.8, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	CNI 8/11153
Vol. V-III, pl.I, fig.9, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	NT
Vol. V-III, pl.I, fig.10, p. 6: <i>Pseudasaphus globifrons</i> Eichwald, 1858	Missing
Vol. V-III, pl.I, fig.11, p. 11: <i>Pseudasaphus ? mickwitzi</i> Schmidt, 1904	CNI 11/11153
Vol. V-III, pl.I, fig.12, p. 11: <i>Pseudasaphus ? mickwitzi</i> Schmidt, 1904	CNI 12/11153
Vol. V-III, pl.II, fig.1,1 a-b, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	Missing
Vol. V-III, pl.II, fig.2,2a, p. 18: <i>Pseudasaphus tecticaudatus</i> var. <i>praecurrens</i> Schmidt, 1904	NT
Vol. V-III, pl.II, fig.3, p. 18: <i>Pseudasaphus tecticaudatus</i> var. <i>praecurrens</i> Schmidt, 1904	NT
Vol. V-III, pl.II, fig.4, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 14/11153
Vol. V-III, pl.II, fig.5, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 15/11153
Vol. V-III, pl.II, fig.6, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 16/11153
Vol. V-III, pl.III, fig.1,1a, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 17/11153
Vol. V-III, pl.III, fig.2, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 18/11153
Vol. V-III, pl.III, fig.3, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 19/11153
Vol. V-III, pl.III, fig.4, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	NT
Vol. V-III, pl.III, fig.5, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 20/11153
Vol. V-III, pl.III, fig.6, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 21/11153
Vol. V-III, pl.III, fig.7, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 22/11153
Vol. V-III, pl.III, fig.8, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	NT
Vol. V-III, pl.III, fig.9, p. 18: <i>Pseudasaphus tecticaudatus</i> var. <i>praecurrens</i> Schmidt, 1904	CNI 23/11153

Vol. V-III, pl.III, fig.10, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 24/11153
Vol. V-III, pl.III, fig.11, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 25/11153
Vol. V-III, pl.III, fig.12, p. 12: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	NT
Vol. V-III, pl.IV, fig.1, p. 23: <i>Basilicus lawrowi</i> Schmidt, 1904	CNI 26/11153
Vol. V-III, pl.IV, fig.2, p. 23: <i>Basilicus lawrowi</i> Schmidt, 1904	CNI 27/11153
Vol. V-III, pl.IV, fig.3, p. 23: <i>Basilicus lawrowi</i> Schmidt, 1904	CNI 28/11153
Vol. V-III, pl.IV, fig.4, p. 23: <i>Basilicus lawrowi</i> Schmidt, 1904	Missing
Vol. V-III, pl.IV, fig.5, p. 23: <i>Basilicus lawrowi</i> Schmidt, 1904	CNI 29/11153
Vol. V-III, pl.IV, fig.6, p. 23: <i>Basilicus lawrowi</i> Schmidt, 1904	CNI 30/11153
Vol. V-III, pl.IV, fig.7, p. 23: <i>Basilicus lawrowi</i> Schmidt, 1904	PSM 149/39
Vol. V-III, pl.IV, fig.8, p. 26: <i>Basilicus kuckersianus</i> Schmidt, 1904	Missing
Vol. V-III, pl.IV, fig.9, p. 26: <i>Basilicus kuckersianus</i> Schmidt, 1904	CNI 32/11153
Vol. V-III, pl.IV, fig.10, p. 26: <i>Basilicus kuckersianus</i> Schmidt, 1904	CNI 33/11153
Vol. V-III, pl.IV, fig.11, p. 26: <i>Basilicus kuckersianus</i> Schmidt, 1904	Missing
Vol. V-III, pl.IV, fig.12, p. 26: <i>Basilicus kuckersianus</i> Schmidt, 1904	CNI 34/11153
Vol. V-III, pl.IV, fig.13, p. 26: <i>Basilicus kuckersianus</i> Schmidt, 1904	CNI 35/11153
Vol. V-III, pl.IV, fig.14, p. 26: <i>Basilicus kuckersianus</i> Schmidt, 1904	CNI 36/11153
Vol. V-III, pl.V, fig.1, p. 29: <i>Basilicus kegelensis</i> Schmidt, 1904	CNI 37/11153
Vol. V-III, pl.V, fig.2, p. 29: <i>Basilicus kegelensis</i> Schmidt, 1904	CNI 38/11153
Vol. V-III, pl.V, fig.3, p. 29: <i>Basilicus kegelensis</i> Schmidt, 1904	CNI 39/11153
Vol. V-III, pl.V, fig.4,4a, p. 34: <i>Ptychopyge angustifrons</i> Dalman, 1827	CNI 40/11153
Vol. V-III, pl.V, fig.5, p. 34: <i>Ptychopyge angustifrons</i> Dalman, 1827	NT
Vol. V-III, pl.V, fig.6, p. 38: <i>Ptychopyge angustifrons</i> var. <i>gladiifera</i> Schmidt, 1904	CNI 41/11153
Vol. V-III, pl.V, fig.7, p. 34: <i>Ptychopyge angustifrons</i> Dalman, 1827	CNI 42/11153
Vol. V-III, pl.V, fig.8, p. 34: <i>Ptychopyge angustifrons</i> Dalman, 1827	CNI 43/11153
Vol. V-III, pl.V, fig.9, p. 34: <i>Ptychopyge angustifrons</i> Dalman, 1827	PIN 4248/26
Vol. V-III, pl.V, fig.10, p. 34: <i>Ptychopyge angustifrons</i> Dalman, 1827	Missing
Vol. V-III, pl.V, fig.11, p. 45: <i>Ptychopyge</i> sp.	PIN 4248/924
* Vol. V-III, pl.VI, fig.1, p. 39: <i>Ptychopyge truncata</i> Nieszkowski, 1859	NT
Vol. V-III, pl.VI, fig.2, p. 39: <i>Ptychopyge truncata</i> Nieszkowski, 1859	CNI 44/11153
Vol. V-III, pl.VI, fig.3, p. 39: <i>Ptychopyge truncata</i> Nieszkowski, 1859	CNI 45/11153
Vol. V-III, pl.VI, fig.4, p. 39: <i>Ptychopyge truncata</i> Nieszkowski, 1859	PIN 4248/538
Vol. V-III, pl.VI, fig.5,5a, p. 42: <i>Ptychopyge truncata</i> var. <i>bröggeri</i> Schmidt, 1904	PIN 4248/29
Vol. V-III, pl.VI, fig.6,6a,6b, p. 42: <i>Ptychopyge truncata</i> var. <i>bröggeri</i> Schmidt, 1904	PIN 4248/30
Vol. V-III, pl.VI, fig.7, p. 42: <i>Ptychopyge truncata</i> var. <i>bröggeri</i> Schmidt, 1904	PIN 4248/31
Vol. V-III, pl.VI, fig.8, p. 42: <i>Ptychopyge truncata</i> var. <i>bröggeri</i> Schmidt, 1904	Missing
Vol. V-III, pl.VI, fig.9,9a, p. 55: <i>Ptychopyge pahleni</i> Schmidt, 1904	CNI 55/11153
Vol. V-III, pl.VI, fig.10, p. 55: <i>Ptychopyge pahleni</i> Schmidt, 1904	CNI 56/11153
Vol. V-III, pl.VI, fig.11, p. 55: <i>Ptychopyge pahleni</i> Schmidt, 1904	PIN 4248/15
Vol. V-III, pl.VII, fig.1,1b, p. 53: <i>Ptychopyge knyrkoi</i> Schmidt, 1904	CNI 54/11153
Vol. V-III, pl.VII, fig.2,2a, p. 52: <i>Ptychopyge wöhrmanni</i> Schmidt, 1904	CNI 53/11153
Vol. V-III, pl.VII, fig.3,3a, p. 49: <i>Ptychopyge plautini</i> Schmidt, 1904	PIN 4248/11
Vol. V-III, pl.VII, fig.4,4a, p. 49: <i>Ptychopyge plautini</i> Schmidt, 1904	CNI 51/11153
Vol. V-III, pl.VII, fig.5, p. 49: <i>Ptychopyge plautini</i> Schmidt, 1904	PIN 4248/110
Vol. V-III, pl.VII, fig.6, p. 49: <i>Ptychopyge plautini</i> Schmidt, 1904	CNI 52/11153
Vol. V-III, pl.VII, fig.7, p. 55: <i>Ptychopyge pahleni</i> Schmidt, 1904	CNI 58/11153
Vol. V-III, pl.VII, fig.8, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	PIN 4248/35
Vol. V-III, pl.VIII, fig.1, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	CNI 46/11153
Vol. V-III, pl.VIII, fig.2, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	CNI 47/11153
* Vol. V-III, pl.VIII, fig.3, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	NT
* Vol. V-III, pl.VIII, fig.4, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	NT
Vol. V-III, pl.VIII, fig.5, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	CNI 48/11153
Vol. V-III, pl.VIII, fig.6, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	CNI 49/11153
Vol. V-III, pl.VIII, fig.7, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	PIN 4248/54
Vol. V-III, pl.VIII, fig.8, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	PIN 4248/33
Vol. V-III, pl.VIII, fig.9, p. 45: <i>Ptychopyge cincta</i> Brögger, 1886	PIN 4248/34

Vol. V-III, pl.VIII, fig.10,10a,10b, p. 59: <i>Ogygia dilatata</i> var. <i>panderi</i> Schmidt, 1899	CNI 59/11153
Vol. V-III, pl.VIII, fig.11, p. 62: <i>Ogygia dilatata</i> var. <i>plautini</i> Schmidt, 1904	CNI 60/11153
Vol. V-III, pl.VIII, fig.12, p. 64: <i>Nileus armadillo</i> Dalman, 1827	Missing
Vol. V-III, pl.VIII, fig.13, p. 64: <i>Nileus armadillo</i> Dalman, 1827	PIN 4248/926
Vol. V-III, pl.VIII, fig.14, p. 64: <i>Nileus armadillo</i> Dalman, 1827	PIN 4248/927
Vol. V-III, pl.VIII, fig.15, p. 64: <i>Nileus armadillo</i> Dalman, 1827	CNI 61/11153
Vol. V-III, pl.VIII, fig.16, p. 64: <i>Nileus armadillo</i> Dalman, 1827	CNI 62/11153
Vol. V-III, pl.VIII, fig.17,17a, p. 64: <i>Nileus armadillo</i> Dalman, 1827	PIN 4248/928
Vol. V-III, pl.VIII, fig.18, p. 64: <i>Nileus armadillo</i> Dalman, 1827	PIN 4248/929
Vol. V-IV, pl.I, fig.1, p. 10: <i>Megalaspis planilimbata</i> Angelin, 1851	CNI 1/11154
Vol. V-IV, pl.I, fig.2, p. 10: <i>Megalaspis planilimbata</i> Angelin, 1851	Missing
Vol. V-IV, pl.I, fig.3, p. 10: <i>Megalaspis planilimbata</i> Angelin, 1851	Missing
Vol. V-IV, pl.I, fig.4, p. 10: <i>Megalaspis planilimbata</i> Angelin, 1851	Missing
Vol. V-IV, pl.I, fig.5, p. 25: <i>Megalaspis polyphemus</i> var. <i>minor</i> Schmidt, 1906	CNI 125/11154
Vol. V-IV, pl.I, fig.6, p. 25: <i>Megalaspis polyphemus</i> var. <i>minor</i> Schmidt, 1906	CNI 15/11154
Vol. V-IV, pl.I, fig.7a,7b, p. 25: <i>Megalaspis polyphemus</i> var. <i>minor</i> Schmidt, 1906	CNI 16/11154
Vol. V-IV, pl.I, fig.8, p. 20: <i>Megalaspis lawae</i> Schmidt, 1906	Missing
Vol. V-IV, pl.I, fig.9, p. 17: <i>Megalaspis limbata</i> Boeck, 1838	CNI 8/11154
Vol. V-IV, pl.I, fig.10, p. 17: <i>Megalaspis limbata</i> Boeck, 1838	CNI 9/11154
Vol. V-IV, pl.I, fig.11, p. 17: <i>Megalaspis limbata</i> Boeck, 1838	CNI 10/11154
Vol. V-IV, pl.I, fig.12 a,b, p. 18: <i>Megalaspis limbata</i> var. <i>elongata</i> Schmidt, 1906	CNI 11/11154
Vol. V-IV, pl.II, fig.1, p. 10: <i>Megalaspis planilimbata</i> Angelin, 1851	CNI 2/11154
Vol. V-IV, pl.II, fig.2, p. 10: <i>Megalaspis planilimbata</i> Angelin, 1851	CNI 3/11154
Vol. V-IV, pl.II, fig.3, p. 10: <i>Megalaspis planilimbata</i> Angelin, 1851	CNI 4/11154
Vol. V-IV, pl.II, fig.4, p. 10: <i>Megalaspis planilimbata</i> Angelin, 1851	CNI 5/11154
* Vol. V-IV, pl.II, fig.5, p. 15: <i>Megalaspis planilimbata</i> var. <i>leuchtenbergi</i> Lamanski, 1905	CNI 1/222
Vol. V-IV, pl.II, fig.6, p. 23: <i>Megalaspis polyphemus</i> var. <i>törnquisti</i> Schmidt, 1906	CNI 14/11154
Vol. V-IV, pl.II, fig.7, p. 27: <i>Megalaspis polyphemus</i> var. <i>lamanskii</i> Schmidt, 1906	PSM 149/57
Vol. V-IV, pl.II, fig.8, p. 27: <i>Megalaspis polyphemus</i> var. <i>lamanskii</i> Schmidt, 1906	CNI 17/11154
Vol. V-IV, pl.II, fig.9, p. 29: <i>Megalaspis polyphemus</i> var. <i>knyrkoi</i> Schmidt, 1906	CNI 18/11154
Vol. V-IV, pl.II, fig.10, p. 32: <i>Megalaspis hyorhina</i> var. <i>kolenkoi</i> Schmidt, 1906	CNI 128/11154
Vol. V-IV, pl.III, fig.1,1a,1b, p. 31: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	Missing
Vol. V-IV, pl.III, fig.2, p. 31: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	CNI 20/11154
Vol. V-IV, pl.III, fig.3, p. 31: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	CNI 21/11154
Vol. V-IV, pl.III, fig.4, p. 32: <i>Megalaspis hyorhina</i> var. <i>kolenkoi</i> Schmidt, 1906	CNI 128/11154
Vol. V-IV, pl.III, fig.5,5a, p. 31: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	CNI 22/11154
Vol. V-IV, pl.III, fig.6,6a, p. 31: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	CNI 23/11154
Vol. V-IV, pl.III, fig.7, p. 31: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	CNI 24/11154
Vol. V-IV, pl.III, fig.8, p. 31: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	NT
Vol. V-IV, pl.III, fig.9, p. 33: <i>Megalaspis hyorhina</i> var. <i>mickwitzi</i> Schmidt, 1906	CNI 25/11154
Vol. V-IV, pl.III, fig.10, p. 33: <i>Megalaspis hyorhina</i> var. <i>stacyi</i> Schmidt, 1906	Missing
Vol. V-IV, pl.III, fig.11, p. 33: <i>Megalaspis hyorhina</i> var. <i>stacyi</i> Schmidt, 1906	Missing
Vol. V-IV, pl.IV, fig.1,1a, p. 38: <i>Megalaspis gibba</i> Schmidt, 1906	Missing
Vol. V-IV, pl.IV, fig.2, p. 38: <i>Megalaspis gibba</i> Schmidt, 1906	CNI 29/11154
Vol. V-IV, pl.IV, fig.3,3a, p. 38: <i>Megalaspis gibba</i> Schmidt, 1906	CNI 30/11154
Vol. V-IV, pl.IV, fig.4, p. 38: <i>Megalaspis gibba</i> Schmidt, 1906	CNI 31/11154
Vol. V-IV, pl.IV, fig.5,5a, p. 38: <i>Megalaspis gibba</i> Schmidt, 1906	CNI 32/11154
Vol. V-IV, pl.IV, fig.6, p. 38: <i>Megalaspis gibba</i> Schmidt, 1906	CNI 33/11154
Vol. V-IV, pl.V, fig.1, p. 42: <i>Megalaspis acuticauda</i> Angelin, 1854	CNI 126/11154
Vol. V-IV, pl.V, fig.2, p. 46: <i>Megalaspis acuticauda</i> var. <i>typica</i> Angelin, 1854	CNI 35/11154
Vol. V-IV, pl.V, fig.3, p. 46: <i>Megalaspis acuticauda</i> var. <i>typica</i> Angelin, 1854	CNI 36/11154
Vol. V-IV, pl.V, fig.4, p. 46: <i>Megalaspis acuticauda</i> var. <i>typica</i> Angelin, 1854	CNI 37/11154
Vol. V-IV, pl.V, fig.5, p. 46: <i>Megalaspis acuticauda</i> var. <i>obtusa</i> Schmidt, 1906	CNI 41/11154
Vol. V-IV, pl.V, fig.6, p. 42: <i>Megalaspis acuticauda</i> Angelin, 1854	CNI 43/11154
Vol. V-IV, pl.V, fig.7, p. 42: <i>Megalaspis acuticauda</i> Angelin, 1854	CNI 44/11154
Vol. V-IV, pl.V, fig.8, p. 42: <i>Megalaspis acuticauda</i> Angelin, 1854	CNI 45/11154

Vol. V-IV, pl.VI, fig.1, p. 47: <i>Megalaspis acuticauda</i> var. <i>lamanskii</i> Schmidt, 1906	CNI 47/11154
Vol. V-IV, pl.VI, fig.2,2a, p. 47: <i>Megalaspis acuticauda</i> var. <i>lamanskii</i> Schmidt, 1906	CNI 48/11154
Vol. V-IV, pl.VI, fig.3, p. 47: <i>Megalaspis acuticauda</i> var. <i>triangularis</i> Schmidt, 1906	CNI 50/11154
Vol. V-IV, pl.VI, fig.4,4a, p. 47: <i>Megalaspis acuticauda</i> var. <i>triangularis</i> Schmidt, 1906	CNI 51/11154
Vol. V-IV, pl.VI, fig.5, p. 47: <i>Megalaspis acuticauda</i> var. <i>triangularis</i> Schmidt, 1906	CNI 52/11154
Vol. V-IV, pl.VI, fig.6, p. 47: <i>Megalaspis acuticauda</i> var. <i>triangularis</i> Schmidt, 1906	CNI 53/11154
Vol. V-IV, pl.VI, fig.7, p. 61: <i>Megalaspis lawrowi</i> Schmidt, 1906	CNI 68/11154
Vol. V-IV, pl.VII, fig.1, p. 49: <i>Megalaspis extenuata</i> Dalman, 1827	CNI 56/11154
Vol. V-IV, pl.VII, fig.2, p. 49: <i>Megalaspis extenuata</i> Dalman, 1827	CNI 57/11154
Vol. V-IV, pl.VII, fig.3, p. 49: <i>Megalaspis extenuata</i> Dalman, 1827	Missing
Vol. V-IV, pl.VII, fig.4,4a, p. 51: <i>Megalaspis heros</i> Dalman, 1827	CNI 58/11154
Vol. V-IV, pl.VII, fig.5, p. 51: <i>Megalaspis heros</i> Dalman, 1827	Missing
Vol. V-IV, pl.VII, fig.6, p. 51: <i>Megalaspis heros</i> Dalman, 1827	CNI 59/11154
Vol. V-IV, pl.VII, fig.7, p. 51: <i>Megalaspis heros</i> Dalman, 1827	CNI 60/11154
Vol. V-IV, pl.VIII, fig.1, p. 54: <i>Megalaspis centaurus</i> Dalman, 1827	Missing
Vol. V-IV, pl.VIII, fig.2, p. 54: <i>Megalaspis centaurus</i> Dalman, 1827	CNI 61/11154
Vol. V-IV, pl.VIII, fig.3, p. 54: <i>Megalaspis centaurus</i> Dalman, 1827	CNI 62/11154
Vol. V-IV, pl.VIII, fig.4,4a, p. 54: <i>Megalaspis centaurus</i> Dalman, 1827	CNI 63/11154
Vol. V-IV, pl.VIII, fig.5, p. 54: <i>Megalaspis centaurus</i> Dalman, 1827	Missing
Vol. V-IV, pl.VIII, fig.6, p. 60: <i>Megalaspis centaurus</i> var. <i>rudis</i> Angelin, 1854	CNI 66/11154
Vol. VI, pl.I, fig.1, p. 1: <i>Phacops elliptifrons</i> Esmark, 1833	PIN 4248/47
Vol. VI, pl.I, fig.2, p. 6: <i>Phacops (Chasmops) wenjukowi</i> Schmidt, 1881	Missing
Vol. VI, pl.I, fig.3, p. 99: <i>Cyrtometopus primigenus</i> var. <i>lamanskii</i> Schmidt, 1907	CNI 28/11155
Vol. VI, pl.I, fig.4, p. 8: <i>Cheirurus (Cheirurus) ingricus</i> Schmidt, 1881	PIN 4248/48
* Vol. VI, pl.I, fig.5, p. 9: <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857	Missing
Vol. VI, pl.I, fig.6, p. 10: <i>Cheirurus (Sphaerocoryphe) hübneri</i> Schmidt, 1881	CNI 1/11155
Vol. VI, pl.I, fig.7, p. 13: <i>Deiphon forbesi</i> Barrande, 1852	Missing
Vol. VI, pl.I, fig.8, p. 13: <i>Amphion fischeri</i> Eichwald, 1825	PIN 4248/75
Vol. VI, pl.I, fig.9, p. 15: <i>Crotalurus barrandei</i> Volborth, 1858	PIN 4248/893
Vol. VI, pl.I, fig.10, p. 15: <i>Crotalurus barrandei</i> Volborth, 1858	PIN 4248/395
Vol. VI, pl.I, fig.11, p. 15: <i>Crotalurus barrandei</i> Volborth, 1858	PIN 4248/396
Vol. VI, pl.I, fig.12, p. 61: <i>Proetus wöhrmanni</i> Schmidt, 1907	PIN 4248/53
Vol. VI, pl.I, fig.13a,b, p. 17: <i>Cybele bellatula</i> Dalman, 1827	CNI 2/11155
Vol. VI, pl.I, fig.14a,b, p. 17: <i>Cybele bellatula</i> Dalman, 1827	CNI 3/11155
Vol. VI, pl.I, fig.15a,b,c, p. 17: <i>Cybele</i> aff. <i>bellatula</i> Dalman, 1827	Missing
Vol. VI, pl.I, fig.16, p. 21: <i>Cybele kutorgae</i> Schmidt, 1881	CNI 4/11155
Vol. VI, pl.I, fig.17, p. 21: <i>Cybele kutorgae</i> Schmidt, 1881	CNI 5/11155
Vol. VI, pl.I, fig.18, p. 21: <i>Cybele kutorgae</i> Schmidt, 1881	CNI 6/11155
Vol. VI, pl.I, fig.19, p. 23: <i>Acidaspis kuckersiana</i> var. <i>mickwitzii</i> Schmidt, 1907	CNI 26/11155
Vol. VI, pl.I, fig.20, p. 32: <i>Lichas (Metopias) verrucosus</i> var. <i>typica</i> Schmidt, 1885	CNI 8/11155
Vol. VI, pl.I, fig.21, p. 32: <i>Lichas (Metopias) verrucosus</i> var. <i>circumscripta</i> Schmidt, 1885	CNI 9/11155
Vol. VI, pl.I, fig.22, p. 32: <i>Lichas (Metopias) verrucosus</i> Eichwald, 1843	Missing
Vol. VI, pl.II, fig.1, p. 34: <i>Lichas (Metopias) platyrhinus</i> Schmidt, 1907	PIN 4248/55
Vol. VI, pl.II, fig.2,2a,2b, p. 34: <i>Lichas (Metopias) platyrhinus</i> Schmidt, 1907	PIN 4248/58
Vol. VI, pl.II, fig.3,3a, p. 34: <i>Lichas (Metopias) platyrhinus</i> Schmidt, 1907	Missing
Vol. VI, pl.II, fig.4, p. 34: <i>Lichas (Metopias) platyrhinus</i> Schmidt, 1907	PIN 4248/4
Vol. VI, pl.II, fig.5a,b,c, p. 29: <i>Lichas (Metopias) celorhin</i> Angelin, 1854	PIN 4248/65
Vol. VI, pl.II, fig.6, p. 37: <i>Lichas (Metopias) hübneri</i> Eichwald, 1843	CNI 27/11155
Vol. VI, pl.II, fig.7, p. 37: <i>Lichas (Metopias) hübneri</i> Eichwald, 1843	CNI 10/11155
Vol. VI, pl.II, fig.8, p. 38: <i>Lichas (Metopias) kuckersianus</i> Schmidt, 1885	CNI 11/11155
Vol. VI, pl.II, fig.9, p. 39: <i>Lichas (Hoplolichas) furcifer</i> Schmidt, 1885	CNI 12/11155
Vol. VI, pl.II, fig.10, p. 40: <i>Lichas (Conolichas) triconicus</i> Dames, 1877	CNI 13/11155
Vol. VI, pl.II, fig.11, p. 40: <i>Lichas (Conolichas) triconicus</i> Dames, 1877	CNI 14/11155
Vol. VI, pl.II, fig.12,12a, p. 40: <i>Lichas (Ceratolichas) inexpectatus</i> Schmidt, 1907	CNI 29/11155
Vol. VI, pl.II, fig.13, p. 45: <i>Lichas hamata</i> Schmidt, 1885	CNI 16/11155
Vol. VI, pl.II, fig.14, p. 26: <i>Lichas (Platymetopus) lineatus</i> Angelin, 1854	PIN 4248/67

Vol. VI, pl.III, fig.1,1a, p. 53: <i>Calymene tuberculata</i> Brünnich, 1781	CNI 18/11155
Vol. VI, pl.III, fig.2,2a, p. 55: <i>Calymene spectabilis</i> Angelin, 1854	CNI 21/11155
Vol. VI, pl.III, fig.3, p. 55: <i>Calymene spectabilis</i> Angelin, 1854	Missing
Vol. VI, pl.III, fig.4, p. 55: <i>Calymene spectabilis</i> Angelin, 1854	CNI 22/11155
Vol. VI, pl.III, fig.5, p. 55: <i>Calymene spectabilis</i> Angelin, 1854	CNI 23/11155
Vol. VI, pl.III, fig.6, p. 54: <i>Calymene laevigata</i> Schmidt, 1907	CNI 19/11155
Vol. VI, pl.III, fig.7, p. 55: <i>Calymene conspicua</i> Schmidt, 1894	Missing
Vol. VI, pl.III, fig.8, p. 55: <i>Calymene conspicua</i> Schmidt, 1894	CNI 20/11155
Vol. VI, pl.III, fig.9, p. 58: <i>Calymene (Ptychometopus) volborthi</i> Schmidt, 1894	Missing
Vol. VI, pl.III, fig.10, p. 61: <i>Proetus wöhrmanni</i> Schmidt, 1907	PIN 4248/78
Vol. VI, pl.III, fig.11, p. 65: <i>Ampyx knyrkoi</i> Schmidt, 1907	PIN 4248/88
Vol. VI, pl.III, fig.12,12a, p. 65: <i>Ampyx knyrkoi</i> Schmidt, 1907	PIN 4248/89
Vol. VI, pl.III, fig.13, p. 66: <i>Apatocephalus serratus</i> var. <i>dubius</i> Moberg & Segerberg, 1906	Missing
Vol. VI, pl.III, fig.14, p. 71: <i>Asaphus lepidus</i> Törnquist, 1885	Missing
Vol. VI, pl.III, fig.15, p. 80: <i>Ptychopyge plautini</i> Schmidt, 1904	Missing
Vol. VI, pl.III, fig.16,16a, p. 80: <i>Ptychopyge limbata</i> Angelin, 1854	CNI 25/11155

Text figures

Vol. I, pl. fig.5, p. 17: <i>Lingula</i> cf. <i>davisi</i> M'Coy, 1846?	Missing
Vol. I, pl. fig.6, p. 33: <i>Styloolithen</i>	Missing
Vol. I, pl. fig.9, p. 135: <i>Cheirurus (Cheirurus) ingricus</i> Schmidt, 1881	Missing
Vol. I, pl. fig.10, p. 143: <i>Cheirurus (Cheirurus)</i> cf. <i>macrophthalmus</i> Kutorga, 1854	PIN 4248/13
Vol. I, pl. fig.11 a,b, p. 211: <i>Cybele grewingki</i> Schmidt, 1881	11a = PIN 4248/441, 11b = CNI 73/11059
Vol. I, pl. fig.12 a,b, p. 217: <i>Cybele kutorgae</i> Schmidt, 1881	Missing
Vol. I, pl. fig.13, p. 235: <i>Phacops (Pterygometopus) laevigata</i> Schmidt, 1881	Missing
Vol. I, pl. fig.14, p. 235: <i>Phacops (Chasmops) maxima</i> Schmidt, 1881	PIN 4248/364
Vol. I, pl. fig.15 a,b,c, p. 236: <i>Cheirurus (Cyrtometopus) rosenthali</i> Schmidt, 1881	15a = PIN 4248/405 15b,c = CNI 94/11059
Vol. III, pl. fig.1, p. 55: <i>Illaenus sphaericus</i> Holm, 1883	Missing
Vol. V-I, pl. fig.1, p. 27: <i>Isotelus stacyi</i> Schmidt, 1901	Missing
Vol. V-I, pl. fig.2, p. 27: <i>Isotelus stacyi</i> Schmidt, 1901	Missing
Vol. V-I, pl. fig.3, p. 28: <i>Onchometopus volborthi</i> Schmidt, 1901	PIN 4248/12
Vol. V-I, pl. fig.4, p. 28: <i>Onchometopus volborthi</i> Schmidt, 1901	PIN 4248/910
Vol. V-I, pl. fig.5, p. 30: <i>Ptychopyge excavato-zonata</i> Angelin, 1854	Missing
Vol. V-I, pl. fig.6, p. 31: <i>Ptychopyge limbata</i> Angelin, 1854	Missing
Vol. V-I, pl. fig.7, p. 31: <i>Ptychopyge lawrowi</i> Schmidt, 1904	Missing
Vol. V-I, pl. fig.8, p. 32: <i>Ptychopyge kuckersiana</i> Schmidt, 1898	Missing
Vol. V-I, pl. fig.9, p. 39: <i>Megalaspis polyphemus</i> Brögger, 1882	Missing
Vol. V-I, pl. fig.10, p. 39: <i>Megalaspis kolenkoi</i> Schmidt, 1906	Missing
Vol. V-I, pl. fig.11, p. 40: <i>Megalaspis mickwitzii</i> Schmidt, 1906	Missing
Vol. V-I, pl. fig.12, p. 40: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	Missing
Vol. V-I, pl. fig.13, p. 41: <i>Megalaspis gibba</i> Schmidt, 1906	Missing
Vol. V-I, pl. fig.14, p. 42: <i>Megalaspis longicauda</i> Leuchtenberg, 1843	Missing
Vol. V-I, pl. fig.15 a,b, p. 44: <i>Megalaspis heros</i> Dalman, 1827	Missing
Vol. V-I, pl. fig.16, p. 44: <i>Megalaspis heros</i> Dalman, 1827	Missing
Vol. V-II, pl. fig.1, p. 6: <i>Asaphus expansus</i> Wahlenberg, 1821	Missing
Vol. V-II, pl. fig.2, p. 6: <i>Asaphus raniceps</i> Dalman, 1827	Missing
Vol. V-II, pl. fig.3, p. 6: <i>Asaphus cornutus</i> Pander, 1830	Missing
Vol. V-II, pl. fig.4, p. 6: <i>Asaphus bröggeri</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.5, p. 6: <i>Asaphus delphinus</i> Lawrow, 1856	Missing
Vol. V-II, pl. fig.6, p. 6: <i>Asaphus laevissimus</i> var. <i>laticauda</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.7, p. 6: <i>Asaphus eichwaldi</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.8, p. 6: <i>Asaphus platyurus</i> Angelin, 1854	Missing
Vol. V-II, pl. fig.9, p. 6: <i>Asaphus devexus</i> Eichwald, 1840	Missing
Vol. V-II, pl. fig.10, p. 6: <i>Asaphus latus</i> Pander, 1830	Missing

Vol. V-II, pl. fig.11, p. 13: <i>Asaphus eichwaldi</i> Schmidt, 1901	CNI 29/11152
Vol. V-II, pl. fig.12, p. 13: <i>Asaphus eichwaldi</i> Schmidt, 1901	CNI 23/11152
Vol. V-II, pl. fig.13, p. 23: <i>Asaphus bröggeri</i> Schmidt, 1901	CNI 4/11152
Vol. V-II, pl. fig.14, p. 27: <i>Asaphus expansus</i> Wahlenberg, 1821	Missing
Vol. V-II, pl. fig.15, p. 28: <i>Asaphus expansus</i> Wahlenberg, 1821	CNI 9/11152
Vol. V-II, pl. fig.16, p. 28: <i>Asaphus expansus</i> Wahlenberg, 1821	Missing
Vol. V-II, pl. fig.17, p. 30: <i>Asaphus lepidurus</i> Nieszkowski, 1859	CNI 11/11152
Vol. V-II, pl. fig.18, p. 31: <i>Asaphus lepidurus</i> Nieszkowski, 1859	CNI 12/11152
Vol. V-II, pl. fig.19, p. 31: <i>Asaphus lepidurus</i> Nieszkowski, 1859	Missing
Vol. V-II, pl. fig.20, p. 35: <i>Asaphus raniceps</i> Dalman, 1827	CNI 16/11152
Vol. V-II, pl. fig.21, p. 35: <i>Asaphus raniceps</i> var. <i>lamanskii</i> Schmidt, 1901	CNI 17/11152
Vol. V-II, pl. fig.22,22a, p. 37: <i>Asaphus pachyophthalmus</i> Schmidt, 1901	CNI 128/11152
Vol. V-II, pl. fig.23, p. 38: <i>Asaphus pachyophthalmus</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.24, p. 38: <i>Asaphus pachyophthalmus</i> Schmidt, 1901	CNI 19/11152
Vol. V-II, pl. fig.25, p. 38: <i>Asaphus pachyophthalmus</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.26, p. 40: <i>Asaphus pachyophthalmus</i> var. <i>major</i> Schmidt, 1901	CNI 21/11152
Vol. V-II, pl. fig.27, p. 40: <i>Asaphus pachyophthalmus</i> Schmidt, 1901	CNI 21/11152
Vol. V-II, pl. fig.28 a,b, p. 41: <i>Asaphus eichwaldi</i> Schmidt, 1901	PSM 149/29
Vol. V-II, pl. fig.29, p. 42: <i>Asaphus eichwaldi</i> var. <i>knyrkoi</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.30, p. 43: <i>Asaphus eichwaldi</i> var. <i>knyrkoi</i> Schmidt, 1901	CNI 129/11152
Vol. V-II, pl. fig.31, p. 44: <i>Asaphus eichwaldi</i> var. <i>knyrkoi</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.32, p. 44: <i>Asaphus eichwaldi</i> var. <i>knyrkoi</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.33, p. 45: <i>Asaphus delphinus</i> Lawrow, 1856	CNI 36/11152
Vol. V-II, pl. fig.34, p. 46: <i>Asaphus delphinus</i> Lawrow, 1856	CNI 36/11152
Vol. V-II, pl. fig.35, p. 48: <i>Asaphus cornutus</i> Pander, 1830	PIN 4248/893
Vol. V-II, pl. fig.36, p. 62: <i>Asaphus latus</i> Pander, 1830	CNI 62/11152
Vol. V-II, pl. fig.37, p. 64: <i>Asaphus latus</i> var. <i>plautini</i> Schmidt, 1901	CNI 65/11152
Vol. V-II, pl. fig.38, p. 69: <i>Asaphus ornatus</i> Pompekij, 1890	Missing
Vol. V-II, pl. fig.39, p. 69: <i>Asaphus ornatus</i> Pompekij, 1890	Missing
Vol. V-II, pl. fig.40, p. 70: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 78/11152
Vol. V-II, pl. fig.41, p. 71: <i>Asaphus ornatus</i> Pompekij, 1890	CNI 71/11152
Vol. V-II, pl. fig.42, p. 71: <i>Asaphus ornatus</i> Pompekij, 1890	Missing
Vol. V-II, pl. fig.43, p. 75: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 89/11152
Vol. V-II, pl. fig.44, p. 75: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	Missing
Vol. V-II, pl. fig.45, p. 76: <i>Asaphus (Neoasaphus) ludibundus</i> Törnquist, 1885	CNI 90/11152
Vol. V-II, pl. fig.46, p. 79: <i>Asaphus (Neoasaphus) ludibundus</i> var. <i>jewensis</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.47, p. 81: <i>Asaphus (Neoasaphus) ludibundus</i> var. <i>kegelensis</i> Schmidt, 1901	CNI 105/11152
Vol. V-II, pl. fig.48, p. 82: <i>Onchometopus volborthi</i> Schmidt, 1901	PIN 4248/16
Vol. V-II, pl. fig.49, p. 83: <i>Onchometopus volborthi</i> Schmidt, 1901	PIN 4248/16
Vol. V-II, pl. fig.50, p. 84: <i>Onchometopus volborthi</i> Schmidt, 1901	PIN 4248/910
Vol. V-II, pl. fig.51, p. 84: <i>Onchometopus volborthi</i> Schmidt, 1901	PIN 4248/14
Vol. V-II, pl. fig.52, p. 85: <i>Onchometopus volborthi</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.53, p. 89: <i>Isotelus remigium</i> Eichwald, 1858	CNI 107/11152
Vol. V-II, pl. fig.54, p. 94: <i>Isotelus robustus</i> Römer, 1861	CNI 119/11152
Vol. V-II, pl. fig.55, p. 94: <i>Isotelus robustus</i> Römer, 1861	CNI 119/11152
Vol. V-II, pl. fig.56, p. 94: <i>Isotelus robustus</i> Römer, 1861	CNI 122/11152
Vol. V-II, pl. fig.57, p. 95: <i>Isotelus robustus</i> Römer, 1861	Missing
Vol. V-II, pl. fig.58, p. 97: <i>Isotelus stacyi</i> Schmidt, 1901	Missing
Vol. V-II, pl. fig.59, p. 103: <i>Niobe (Niobella) laeviceps</i> Dalman, 1827	PIN 4248/39
Vol. V-II, pl. fig.60, p. 104: <i>Niobe (Niobella) laeviceps</i> Dalman, 1827	PIN 4248/41
Vol. V-II, pl. fig.61, p. 108: <i>Niobe (Niobe) frontalis</i> Dalman, 1827	PIN 4248/20
Vol. V-II, pl. fig.62, p. 108: <i>Niobe (Niobe) frontalis</i> Dalman, 1827	PIN 4248/21
Vol. V-II, pl. fig.63, p. 108: <i>Niobe frontalis</i> Dalman, 1827	PIN 4248/20
Vol. V-II, pl. fig.64, p. 109: <i>Niobe frontalis</i> Dalman, 1827	PIN 4248/21
Vol. V-III, pl. fig.1, p. 9: <i>Pseudasaphus globifrons</i> Eichwald, 1858	CNI 9/11153
Vol. V-III, pl. fig.2, p. 16: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	CNI 10/11153

Vol. V-III, pl. fig.3, p. 16: <i>Pseudasaphus tecticaudatus</i> Steinhardt, 1874	Missing
Vol. V-III, pl. fig.4, p. 24: <i>Basilicus lawrowi</i> Schmidt, 1904	CNI 31/11153
Vol. V-III, pl. fig.5,5a, p. 44: <i>Ptychopyge truncata</i> var. <i>bröggeri</i> Schmidt, 1904	CNI 50/11153
Vol. V-III, pl. fig.6, p. 66: <i>Nileus armadillo</i> Dalman, 1827	Missing
Vol. V-IV, pl. fig.1, p. 4: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	Missing
Vol. V-IV, pl. fig.2, p. 13: <i>Megalaspis planilimbata</i> Angelin, 1851	CNI 6/11154
Vol. V-IV, pl. fig.3, p. 14: <i>Megalaspis planilimbata</i> Angelin, 1851	CNI 7/11154
Vol. V-IV, pl. fig.4, p. 17: <i>Megalaspis limbata</i> Boeck, 1838	CNI 12/11154
Vol. V-IV, pl. fig.5, p. 19: <i>Megalaspis limbata</i> Boeck, 1838	CNI 13/11154
Vol. V-IV, pl. fig.6, p. 23: <i>Megalaspis polyphemus</i> var. <i>törnquisti</i> Schmidt, 1906	Missing
Vol. V-IV, pl. fig.7, p. 26: <i>Megalaspis polyphemus</i> var. <i>minor</i> Schmidt, 1906	CNI 15/11154
Vol. V-IV, pl. fig.8, p. 29: <i>Megalaspis polyphemus</i> var. <i>lamanskii</i> Schmidt, 1906	Missing
Vol. V-IV, pl. fig.9, p. 29: <i>Megalaspis hyorhina</i> var. <i>stacyi</i> Schmidt, 1906	Missing
Vol. V-IV, pl. fig.10, p. 30: <i>Megalaspis polyphemus</i> var. <i>knyrkoi</i> Schmidt, 1906	CNI 19/11154
Vol. V-IV, pl. fig.11, p. 32: <i>Megalaspis hyorhina</i> var. <i>mickwitzi</i> Schmidt, 1906	Missing
Vol. V-IV, pl. fig.12 a, p. 32: <i>Megalaspis hyorhina</i> Leuchtenberg, 1843	CNI 26/11154
Vol. V-IV, pl. fig.13, p. 35: <i>Megalaspis hyorhina</i> var. <i>stacyi</i> Schmidt, 1906	CNI 27/11154
Vol. V-IV, pl. fig.14, p. 35: <i>Megalaspis hyorhina</i> var. <i>mickwitzi</i> Schmidt, 1906	Missing
Vol. V-IV, pl. fig.15, p. 37: <i>Megalaspis pogrebowi</i> Lamanski, 1905	CNI 818/222
Vol. V-IV, pl. fig.16, p. 37: <i>Megalaspis knyrkoi</i> Schmidt, 1906	CNI 28/11154
Vol. V-IV, pl. fig.17, p. 38: <i>Megalaspis gibba</i> Schmidt, 1906	CNI 34/11154
Vol. V-IV, pl. fig.18, p. 40: <i>Megalaspis gibba</i> Schmidt, 1906	CNI 127/11154
Vol. V-IV, pl. fig.19, p. 43: <i>Megalaspis acuticauda</i> var. <i>typica</i> Angelin, 1854	CNI 38/11154
Vol. V-IV, pl. fig.20, p. 44: <i>Megalaspis acuticauda</i> Angelin, 1854	CNI 46/11154
* Vol. V-IV, pl. fig.21, p. 45: <i>Asaphus centron</i> Eichwald, 1843	Missing
Vol. V-IV, pl. fig.22, p. 45: <i>Megalaspis acuticauda</i> var. <i>typica</i> Angelin, 1854	CNI 39/11154
Vol. V-IV, pl. fig.23, p. 46: <i>Megalaspis acuticauda</i> var. <i>typica</i> Angelin, 1854	CNI 40/11154
Vol. V-IV, pl. fig.24, p. 46: <i>Megalaspis acuticauda</i> var. <i>centron</i> Eichwald, 1843	CNI 54/11154
Vol. V-IV, pl. fig.25, p. 47: <i>Megalaspis acuticauda</i> Angelin, 1854	CNI 55/11154
Vol. V-IV, pl. fig.26, p. 47: <i>Megalaspis acuticauda</i> var. <i>obtusa</i> Schmidt, 1906	CNI 42/11154
Vol. V-IV, pl. fig.27, p. 48: <i>Megalaspis acuticauda</i> var. <i>lamanskii</i> Schmidt, 1906	CNI 49/11154
Vol. V-IV, pl. fig.28, p. 50: <i>Megalaspis extenuata</i> Dalman, 1827	Missing
Vol. V-IV, pl. fig.29, p. 55: <i>Megalaspis heros</i> Dalman, 1827	Missing
Vol. V-IV, pl. fig.30, p. 58: <i>Megalaspis centaurus</i> Dalman, 1827	CNI 64/11154
Vol. V-IV, pl. fig.31, p. 58: <i>Megalaspis centaurus</i> Dalman, 1827	CNI 65/11154
Vol. V-IV, pl. fig.32, p. 61: <i>Megalaspis centaurus</i> var. <i>rudis</i> Angelin, 1854	CNI 67/11154
Vol. V-IV, pl. fig.33, p. 62: <i>Megalaspis lawrowi</i> Schmidt, 1906	CNI 69/11154
Vol. VI, pl. fig.1, p. 6: <i>Phacops (Chasmops) mutica</i> Schmidt, 1881	Missing
Vol. VI, pl. fig.2, p. 6: <i>Phacops (Chasmops) mutica</i> Schmidt, 1881	PIN 4248/371
Vol. VI, pl. fig.3, p. 27: <i>Lichas (Platymetopus) lineatus</i> Angelin, 1854	PIN 4248/44
Vol. VI, pl. fig.4, p. 30: <i>Lichas (Metopias) celorhin</i> Angelin, 1854	PIN 4248/45
Vol. VI, pl. fig.5, p. 34: <i>Lichas (Metopias) platyrhinus</i> Schmidt, 1907	PIN 4248/180
Vol. VI, pl. fig.6, p. 51: <i>Illaenus sulcatus</i> Lindström, 1885	CNI 17/11155
Vol. VI, pl. fig.7, p. 73: <i>Asaphus lepidus</i> var. <i>kegelensis</i> Schmidt, 1907	CNI 24/11155
Vol. VI, pl. fig.8,8a, p. 76: <i>Niobe volborthi</i> Schmidt, 1906	8 = Missing 8a = PIN 4248/920
Vol. VI, pl. fig.9, p. 79: <i>Ptychopyge angustifrons</i> Dalman, 1827	PIN 4248/47
Vol. VI, pl. fig.10,10a, p. 81: <i>Ptychopyge limbata</i> Angelin, 1854	PIN 4248/46
Vol. VI, pl. fig.10A, p. 85: <i>Megalaspis gibba</i> Schmidt, 1906	Missing
Vol. VI, pl. fig.10B,10Ba, p. 99: <i>Cyrtometopus primigenus</i> var. <i>lamanskii</i> Schmidt, 1907	Missing
Vol. VI, pl. fig.10C, p. 99: <i>Cyrtometopus primigenus</i> var. <i>lamanskii</i> Schmidt, 1907	Missing
Vol. VI, pl. fig.11,11a, p. 101: <i>Cybele bellatula</i> var. <i>wöhrammi</i> Schmidt, 1881	CNI 7/11155
Vol. VI, pl. fig.12, p. 102: <i>Lichas (Platymetopus) lineatus</i> Angelin, 1854	Missing
Vol. VI, pl. fig.13, p. 102: <i>Lichas (Homolichas) pahleni</i> Schmidt, 1885	CNI 15/11155
Vol. VI, pl. fig.14,14a, p. 102: <i>Lichas cicatricosa</i> Lovén, 1845	Missing
Vol. VI, pl. fig.15, p. 103: <i>Niobe volborthi</i> Schmidt, 1906	PIN 4248/919

PART 3

Left column: List of taxa arranged as they occur in sequential monographs except new species appearing in Volume VI (Schmidt 1907), which are included under the appropriate genus and indicated (Vol. VI).

Right column: Revised binomen, with reference to reviser(s) is given where possible. Where no reference is given, the revision is that of the present authors. Name in *italics* indicates a different species assignment from that given by Schmidt.

* Indicates a type species based either on original designation or with reference to Harrington et al. 1959.

?Genus species = genus (and consequently species) with uncertain taxonomic position and hence uncertainty about the entire determination.

VOLUME 1

<i>Phacops elliptifrons</i> (Esmark, 1833)	<i>Acernaspis</i> sp., probably not <i>A. elliptifrons</i>
(Vol. VI, pl. 1, fig. 1)	
<i>Phacops elegans</i> (Boeck, 1838)	<i>Acernaspis</i> sp. indet.
<i>Phacops (Acaste) Downingiae</i> (Murchison, 1839)	" <i>Acaste</i> " sp.
<i>Phacops (Pterygometopus) sclerops</i> (Dalman, 1827)	* <i>Pterygometopus sclerops</i>
(?non Vol. I, pl. 1, figs 4, 5, 8)	?= <i>P. sp. nov. A</i> (<i>see Jaanusson & Ramsköld 1993, p. 747</i>)
<i>Phacops (Pterygometopus) sclerops</i> var. <i>angulata</i>	<i>Pterygometopus angulatus</i> (<i>see Jaanusson & Ramsköld 1993, p. 750</i>)
Schmidt, 1881	
<i>Phacops (Pterygometopus) trigonocephala</i>	* <i>Ingriops trigonocephalus</i>
Schmidt, 1881	(<i>see Jaanusson & Ramsköld 1993, p. 750</i>)
<i>Phacops (Pterygometopus) trigonocephala</i> var.	<i>Ingriops intermedius</i>
<i>intermedia</i> Schmidt, 1881	
<i>Phacops (Pterygometopus) trigonocephala</i> var. <i>genuina</i>	<i>Calyptaulax genuina</i> (<i>see McNamara 1980b, p. 62</i>)
Schmidt, 1881	<i>Ingriops genuinus</i> (<i>see Jaanusson & Ramsköld 1993, p. 750</i>)
<i>Phacops (Pterygometopus) trigonocephala</i> var. <i>estonica</i>	<i>Calyptaulax estonica</i> (<i>see McNamara 1980b, p. 62</i>)
Schmidt, 1881	= <i>Ingriops estonicus</i> (<i>see Jaanusson & Ramsköld 1993, p. 750</i>)
<i>Phacops (Pterygometopus) Panderi</i> Schmidt, 1881	<i>Estoniops panderi</i>
<i>Phacops (Pterygometopus) exilis</i> (Eichwald, 1858)	* <i>Estoniops exilis</i> (<i>see Ralf Männil 1958a, p. 386</i>)
<i>Phacops (Pterygometopus) laevigata</i> Schmidt, 1881	* <i>Keilapyge laevigatus</i> (<i>see Jaanusson & Ramsköld 1993, p. 762</i>)
(non Vol. I, textfig. 13)	= <i>Keilapyge n. sp.</i> (<i>see Jaanusson & Ramsköld 1993, p. 762</i>)
<i>Phacops (Pterygometopus) kuckersiana</i> Schmidt, 1881	<i>Achatella</i> (* <i>Vironiaspis</i>) <i>kuckersiana</i> (<i>see Jaanusson & Ramsköld 1993, p. 766</i>)
<i>Phacops (Pterygometopus) kegelensis</i> Schmidt, 1881	<i>Achatella</i> (<i>Vironiaspis</i>) <i>kegelensis</i>
<i>Phacops (Pterygometopus) Nieszkowskii</i> Schmidt, 1881	<i>Achatella</i> (<i>Achatella</i>) <i>nieszkowskii</i> (<i>see Jaanusson & Ramsköld 1993, p. 765</i>)
<i>Phacops (Chasmops) ingrica</i> Schmidt, 1881	" <i>Chasmops</i> " (new genus?) <i>ingricus</i> (<i>Jaanusson pers. comm.</i>)

<i>Phacops (Chasmops) nasuta</i> Schmidt, 1881	“Chasmops” (new genus?) <i>nasutus</i> (<i>Jaanusson pers. comm.</i>)
<i>Phacops (Chasmops) praecurrents</i> Schmidt, 1881	“Chasmops” (new genus?) <i>praecurrents</i> (<i>Jaanusson pers. comm.</i>)
<i>Phacops (Chasmops) Odini</i> Eichwald, 1840	* <i>Chasmops odini</i> (<i>see McNamara 1980a, p. 67</i>)
<i>Phacops (Chasmops) Odini</i> var. <i>itferensis</i> Schmidt, 1881	<i>Chasmops itferensis</i>
<i>Phacops (Chasmops) marginata</i> Schmidt, 1881	<i>Chasmops marginatus</i>
<i>Phacops (Chasmops) bucculenta</i> Angelin, 1851	? <i>Bolbochasmops bucculentus</i>
<i>Phacops (Chasmops) bucculenta</i> var. <i>emarginata</i> Schmidt, 1881	* <i>Bolbochasmops emarginatus</i> (<i>see McNamara 1980a, p. 70</i>)
<i>Phacops (Chasmops) Wrangeli</i> Schmidt, 1881	<i>Scopelochasmops wrangeli</i>
<i>Phacops (Chasmops) brevispina</i> Schmidt, 1881	? “ <i>Chasmops</i> ” <i>brevispina</i>
<i>Phacops (Chasmops) mutica</i> Schmidt, 1881	* <i>Oculichasmops muticus</i> (<i>see Röömusoks 1986</i>)
<i>Phacops (Chasmops) wenjukowi</i> Schmidt, 1881	* <i>Rollmops wenjukowi</i> (<i>see McNamara 1980a, p. 75</i>)
<i>Phacops (Chasmops) maxima</i> Schmidt, 1881	?= * <i>Toxochasmops extensus</i> (Boeck, 1838) (= <i>Phacops (Chasmops) macroura</i> Angelin, 1854, junior synonym) (<i>see McNamara 1980a, p. 68</i>) <i>Toxochasmops maximus</i> (<i>see Röömusoks 1953</i>) ? <i>Toxochasmops</i> sp. (<i>Jaanusson pers. comm.</i>)
<i>Phacops (Chasmops) macroura</i> Angelin, 1851 (Vol. I, pl. 3, fig. 10 a,b; pl. 4, fig. 8-9)	<i>Toxochasmops wesenbergensis</i>
<i>Phacops (Chasmops) wesenbergensis</i> Schmidt, 1881	<i>Toxochasmops eichwaldi</i>
<i>Phacops (Chasmops) Eichwaldi</i> Schmidt, 1881	“ <i>Ceraurinella</i> ” <i>ornatus</i> (<i>see Ralf Männil 1958b, p. 173</i>)
<i>Cheirurus (Cheirurus) ornatus</i> (Dalman, 1827)	“ <i>Ceraurinella</i> ” <i>ingrica</i>
<i>Cheirurus (Cheirurus) ingricus</i> Schmidt, 1881	<i>Paraceraurus exsul</i>
<i>Cheirurus (Cheirurus) exsul</i> Beyrich, 1846	<i>Paraceraurus macrophthalmus</i>
<i>Cheirurus (Cheirurus) macrophthalmus</i> Kutorga, 1854	<i>Paraceraurus gladiator</i>
<i>Cheirurus (Cheirurus) gladiator</i> Eichwald, 1858	<i>Paraceraurus spinulosus</i>
<i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857 (only Vol. VI, Pl. 1, fig. 5)	* <i>Paraceraurus aculeatus</i> (Eichwald, 1861) (<i>see Ralf Männil 1958b, p. 169</i>)
* <i>Cheirurus (Cheirurus) spinulosus</i> Nieszkowski, 1857 (in Vol. I)	“ <i>Cheirurus</i> ” sp. (<i>see Warburg 1925, p. 352</i>)
<i>Cheirurus (Cheirurus) cf. glaber</i> Angelin, 1854	* <i>Cyrtometopus clavifrons</i> (<i>see Harrington et al. 1959, p. O434</i>)
<i>Cheirurus (Cyrtometopus) clavifrons</i> (Dalman, 1827) (including two different species)	<i>Cyrtometopus affinis</i>
<i>Cheirurus (Cyrtometopus) affinis</i> Angelin, 1854	* <i>Reraspis plautini</i> (<i>see Öpik 1937, p. 105</i>)
<i>Cheirurus (Cyrtometopus) Plautini</i> Schmidt, 1881	<i>Reraspis aries</i>
<i>Cheirurus (Cyrtometopus) aries</i> (Eichwald, 1858)	* <i>Hemisphaerocoryphe pseudohemicranium</i> (<i>see Reed 1896</i>)
<i>Cheirurus (Cyrtometopus) pseudohemicranium</i> (Nieszkowski, 1859)	<i>Hemisphaerocoryphe dolichocephala</i> (<i>see Ralf Männil 1958, p. 178</i>)
<i>Cheirurus (Cyrtometopus) pseudohemicranium</i> var. <i>dolichocephala</i> Schmidt, 1881	

<i>Cheirurus (Cyrtometopus) Rosenthali</i> Schmidt, 1881	<i>Cyrtometopella rosenthalii</i> (see Nikolaisen 1961, p. 288)
<i>Cheirurus (Cyrtometopus) primigenius</i> var. <i>Lamanskii</i> Schmidt, 1907 (only Vol. VI, textfig. 10a-c)	* <i>Europeites lamanskii</i> (see Fortey, 1980, p. 86)
<i>Cheirurus (Sphaerocoryphe) cranium</i> (Kutorga, 1854)	<i>Sphaerocoryphe cranium</i>
<i>Cheirurus (Sphaerocoryphe) Hübneri</i> Schmidt, 1881	<i>Sphaerocoryphe huebneri</i>
<i>Cheirurus (Sphaerocoryphe) cf. granulatus</i> Angelin, 1854	<i>Sphaerocoryphe erratica</i> Männil, 1958 (see Ralf Männil 1958, p. 181)
<i>Cheirurus (Pseudosphaerexochus) hemicranium</i> (Kutorga, 1854)	* <i>Pseudosphaerexochus hemicranium</i> (see Reed 1896)
<i>Cheirurus (Pseudosphaerexochus) conformis</i> (Angelin, 1854)	<i>Pseudosphaerexochus</i> n. sp. (see Warburg 1925, p. 360)
<i>Cheirurus (Pseudosphaerexochus) conformis</i> Pahnschi Schmidt, 1881	<i>Pseudosphaerexochus pahnschi</i>
<i>Cheirurus (Pseudosphaerexochus) Roemeri</i> Schmidt, 1881	<i>Pseudosphaerexochus roemeri</i>
<i>Cheirurus (Nieszkowskia) tumidus</i> (Angelin, 1854)	<i>Acanthoparypha tumida</i> (see Whittington & Evitt 1954, p. 72)
<i>Cheirurus (Nieszkowskia) tumidus gibbus</i> (Angelin, 1854)	<i>Acanthoparypha gibba</i>
<i>Cheirurus (Nieszkowskia) variolaris mutica</i> Schmidt, 1881 (only Vol. I, pl. 11, fig. 25-26)	<i>Acanthoparypha mutica</i>
<i>Cheirurus (Nieszkowskia) variolaris</i> Linnarsson, 1869 (non Vol. I, pl. 9, fig. 1a-b) (non Vol. I, pl. 9, fig. 2-8)	<i>Nieszkowskia osmussaarensis</i> Männil, 1958, <i>Nieszkowskia capitalis</i> Öpik, 1928 (see Ralf Männil 1958b, p. 182)
<i>Cheirurus (Nieszkowskia) cephaloceros</i> (Nieszkowski, 1857)	* <i>Nieszkowskia cephaloceros</i> (see Reed 1896)
<i>Sphaerexochus angustifrons</i> Angelin, 1854	<i>Sphaerexochus angustifrons</i>
<i>Deiphon Forbesi</i> Barrande, 1852 (see vol. VI)	<i>Deiphon</i> sp.
<i>Amphion Fischeri</i> (Eichwald, 1825)	* <i>Pliomera fischeri</i> (see Harrington et al. 1959, p. O439)
<i>Diaphanometopus Volborthi</i> Schmidt, 1881	* <i>Diaphanometopus volborthi</i>
<i>Crotalurus Barrandei</i> Volborth, 1858 (see Vol. VI)	* <i>Celmus granulatus</i> Angelin, 1854 (?) (see Jaanusson 1956a, p. 35)
<i>Cybele bellatula</i> (Dalman, 1827) (only Vol. I, pl. 15, fig. 2) (non Vol. I, pl. 13, fig. 9-13; pl. 15, fig. 1, 3-5)	* <i>Cybele bellatula</i> (see Vogdes 1890) <i>Cybele panderi</i> Schmidt, 1907
<i>Cybele bellatula</i> var. <i>Wöhrmanni</i> Schmidt, 1907 (see Vol. VI, textfig. 11)	<i>Cybele woehrmanni</i>
<i>Cybele revaliensis</i> Schmidt, 1881	<i>Cybelella revaliensis</i>
<i>Cybele rex</i> (Nieszkowski, 1857)	* <i>Cybelella rex</i> (see Reed 1928, p. 76)
<i>Cybele Grewingki</i> Schmidt, 1881	<i>Cybelella grewingki</i> (see Öpik 1937, p. 123)
<i>Cybele coronata</i> Schmidt, 1881	<i>Cybelella coronata</i>
<i>Cybele Woerthi</i> (Eichwald, 1840)	<i>Atractopyge woerthi</i>
<i>Cybele affinis</i> Schmidt, 1881	<i>Atractopyge affinis</i>

Cybele Kutorgae Schmidt, 1881

(*non* Vol. VI, pl. 1, fig. 17-18)

Cybele brevicauda? Angelin, 1854

(*non* Vol. I, pl. 14, fig. 7a-b, 10, pl. 15, fig. 17)

(*non* Vol. I, pl. 11, fig. 23, pl. 14, fig. 8-9, pl. 15, fig. 15-16)

Enocrinurus obtusus Angelin, 1854 (Not figured, Schmidt 1881)

Enocrinurus punctatus (Wahlenberg, 1821)

Enocrinurus cf. *multisegmentatus* (Portlock, 1843)

Enocrinurus Seebachi Schmidt, 1881

Atractopyge kutorgae (A. *kutorgai* correct spelling, see Öpik 1937, p. 123)

Atractopyge pauli Männil, 1958

= *Atractopyge errans* Öpik, 1937,

= *Atractopyge vardiana* Männil, 1958

?*Balizoma* sp., (see Ramsköld, 1986, p. 567.)

**Enocrinurus* (*Enocrinurus*) *punctatus* (see Harrington et al. 1959, p. O446)

"*Enocrinurus*" *moe* Männil, 1958

Erratocrinurus seebachi (see Ralf Männil, 1958b, p. 192)

VOLUME 2

Acidaspis emarginata Schmidt, 1885

Anacaenaspis pectinata (Angelin, 1854) (see Ramsköld 1984, p. 242)

Acidaspis kuckersiana Schmidt, 1885

Apianurus kuckersianus (see Bruton 1968, p. 289)

Acidaspis kuckersiana var. *Mickwitzii* Schmidt, 1907
(see Vol. VI, pl. 1, fig. 19)

Apianurus mickwitzii

(All page references to the lichids are from Thomas & Holloway 1988)

Lichas (*Arges*) *wesenbergensis* Schmidt, 1885

**Hemiariges wesenbergensis* (p. 232)

Lichas (*Leiolichas*) *illaenoides* (Nieszkowski, 1857)

**Leiolichas illaenoides* (p. 209)

Lichas (*Platymetopus*) *laevis* Eichwald, 1854

**Amphilichas lineatus* (Angelin, 1854) (p. 216)

Lichas (*Platymetopus*) *dalecarlica* Angelin, 1854

Amphilichas dalecarlicus (p. 216)

Lichas (*Platymetopus*) *Holmi* Schmidt, 1885

Amphilichas holmi (p. 216)

Lichas (*Metopias*) *celorhin* Angelin, 1854

Metopolichas celorhin (p. 214)

Lichas (*Metopias*) *pachyrhina* (Dalman, 1827)

Metopolichas pachyrhinus (p. 214)

Lichas (*Metopias*) *pachyrhina* var. *longerostrata*
Schmidt, 1885

Metopolichas longerostratus (p. 214)

Lichas (*Metopias*) *platyrhinus* Schmidt, 1907 (Vol. VI)

Metopolichas platyrhinus (p. 214)

Lichas (*Metopias*) *verrucosa* Eichwald, 1843 (Vol. II)

Metopolichas verrucosus (p. 214)

Lichas (*Metopias*) *verrucosa* Eichwald, 1843 (Vol. VI)

Metopolichas verrucosus circumscripta (p. 214)

Lichas (*Metopias*) *Hübneri* Eichwald, 1843

**Metopolichas hübneri* (p. 214)

Lichas (*Metopias*) *kuckersiana* Schmidt, 1885

Metopolichas kuckersianus (p. 214)

Lichas (*Hoplolichas*) *tricuspidata* Beyrich, 1846

**Hoplolichas tricuspidatus* (= junior synonym
of *Lichas dissidens* Beyrich, 1845 (p. 208)

Lichas (*Hoplolichas*) *longispina* Schmidt, 1885

Hoplolichas longispinus (p. 208)

Lichas (*Hoplolichas*) *Plautini* Schmidt, 1885

? *Hoplolichas plautini* (p. 208)

Lichas (*Hoplolichas*) *furcifer* Schmidt, 1885

Hoplolichoides furcifer (p. 209)

Lichas (*Hoplolichas*) *conicotuberculata* Nieszkowski, 1859

**Hoplolichoides conicotuberculatus* (p. 209)

<i>Lichas (Conolichas) triconica</i> Dames, 1877	Conolichas triconicus (p. 207)
<i>Lichas (Conolichas) aequiloba</i> Steinhardt, 1874	*Conolichas aequilobus (p. 207)
<i>Lichas (Conolichas) Schmidti</i> Dames, 1877	? Hoplolichas schmidti (p. 208)
<i>Lichas (Ceratolichas) inexpectatus</i> Schmidt, 1907 (Vol. VI; Pl. 2, fig. 12, 12a)	?
<i>Lichas (Homolichas) depressa</i> Angelin, 1854	*Homolichas depressus (p. 205)
<i>Lichas (Homolichas) Pahleni</i> Schmidt, 1885	Otarozoum pahleni (p. 211)
<i>Lichas (Homolichas) deflexa</i> Angelin, 1854	Conolichas deflexus (p. 207)
<i>Lichas (Homolichas) Eichwaldi</i> Nieszkowski, 1857	Otarozoum eichwaldi (p. 211)
<i>Lichas (Homolichas) angusta</i> Beyrich, 1846	Conolichas angustus (p. 207)
<i>(Oncholichas</i> Schmidt, 1885= <i>Arctinurus</i> Castelnau, 1843 (obj.))	
<i>Lichas (Oncholichas) ornata</i> Angelin, 1854	*Pseudotupolichas ornatus (p. 196)
<i>Lichas (Oncholichas) gotlandica</i> Angelin, 1854	Arctinurus gotlandicus (p. 196)
<i>Lichas St. Mathiae</i> Schmidt, 1885	*Autoloxolichas sanctamathiae (p. 205)
<i>Lichas margaritifer</i> Nieszkowski, 1857	*Platylichas (Platylichas) margaritifer (p. 212)
<i>Lichas docens</i> Schmidt, 1885	Platylichas (Platylichas) docens (p. 212)
<i>Lichas cicatricosus</i> Schmidt, 1907 non Lovén, 1845 (Vol. II; cranidium, pl. 5, fig. 25)	Metalichas cicatricosus (p. 210)
<i>Lichas cicatricosa</i> Lovén, 1845 (Vol. II; pyg., pl. 5, fig. 26)	Platylichas (Rontrippia) cicatricosus (p. 213)
<i>Lichas hamata</i> Schmidt, 1885	? Hoplolichas hamatus (p. 208)
<i>Lichas laxata</i> M'Coy, 1846	Autoloxolichas laxatus (p. 205)

VOLUME 3

Group 1: Thorax segments 10

<i>Illaenus Esmarkii</i> (Schlotheim, 1826)	<i>Illaenus sarsi</i> Jaanusson, 1954 (see Jaanusson 1957, p. 114)
<i>Illaenus sphaericus</i> Holm, 1883	<i>Illaenus sphaericus</i>
<i>Illaenus jevensis</i> Holm, 1886	<i>Illaenus jevensis</i>
<i>Illaenus laticlavius</i> Eichwald, 1861	<i>Illaenus laticlavius</i>
<i>Illaenus chiron</i> Holm, 1883	<i>Illaenus schroeteri</i> Schlotheim, 1823
<i>Illaenus chiron</i> var. <i>stacyi</i> Holm, 1886	<i>Illaenus stacyi</i>
<i>Illaenus intermedius</i> Holm, 1886	<i>Illaenus intermedius</i>
<i>Illaenus crassicauda</i> (Wahlenberg, 1821)	* <i>Illaenus crassicauda</i> (see Jaanusson 1954, p. 573)
<i>Illaenus tauricornis</i> Kutorga, 1848	<i>Illaenus tauricornis</i>
<i>Illaenus ariensis</i> Holm, 1886	<i>Illaenus ariensis</i>
<i>Illaenus sulcifrons</i> Holm, 1886	<i>Illaenus sulcifrons</i>
<i>Illaenus Plautini</i> Holm, 1886	<i>Illaenus plautini</i>

<i>Illaenus revaliensis</i> Holm, 1886	<i>Illaenus wahlenbergi</i> (Eichwald, 1825) (<i>see Jaanusson, 1954, p. 575</i>)
<i>Illaenus Dalmani</i> Volborth, 1863	<i>Illaenus dalmani</i>
<i>Illaenus oculosus</i> Holm, 1886	<i>Illaenus oculosus</i>
<i>Illaenus chudleighensis</i> Holm, 1886	<i>Illaenus chudleighensis</i>
<i>Illaenus sinuatus</i> Holm, 1886	<i>Illaenus sinuatus</i>
<i>Illaenus Schmidtii</i> Nieszkowski, 1857	<i>Illaenus schmidtii</i>
<i>Illaenus ladogensis</i> Holm, 1886	* <i>Platillaenus ladogensis</i> (<i>see Jaanusson 1954, p. 578</i>)
<i>Illaenus oblongatus</i> forma <i>excellens</i> Holm, 1886 (Vol. III; pl. 8, fig. 1-3)	<i>Illaenus excellens</i> (<i>see Jaanusson, 1957, p. 136</i>)
<i>Illaenus oblongatus</i> Stammform Holm, 1886 (Vol. III; pl. 8, fig. 10-13)	<i>Illaenus excellens</i> (<i>see Jaanusson, 1957, p. 136</i>)
<i>Illaenus oblongatus</i> forma <i>kuckersiana</i> Holm, 1886 (Vol. III; pl. 8, fig. 4-9)	<i>Illaenus kuckersianus</i> (<i>see Jaanusson, 1957, p. 137</i>)
<i>Illaenus oblongatus</i> forma <i>itferensis</i> Holm, 1886	<i>Illaenus kuckersianus</i> (<i>see Jaanusson, 1957, p. 137</i>)
<i>Illaenus Roemeri</i> Volborth, 1864	<i>Illaenus (Parillaenus) roemeri</i> (<i>see Bruton & Owen 1988, p. 247</i>)
<i>Illaenus angustifrons</i> Holm, 1886	<i>Illaenus (Parillaenus) angustifrons</i>
<i>Illaenus angustifrons</i> var. <i>depressa</i> Holm, 1886	<i>Illaenus (Parillaenus) depressa</i>
<i>Illaenus atavus</i> Eichwald, 1858	<i>Illaenus atavus</i>
<i>Illaenus Masckei</i> Holm, 1886	<i>Illaenus (Parillaenus) masckei</i> (<i>see Bruton & Owen 1988, p. 250</i>)

-Group 2: Thorax segments 9

<i>Illaenus centrotus</i> Dalman, 1827 (<i>non</i> Vol. III, pl. 10, fig. 8-9)	* <i>Dysplanus centrotus</i> (<i>see Jaanusson 1954, p. 569</i>) <i>Dysplanus acutigenia</i> Jaanusson, 1957 (<i>see Jaanusson 1957, p. 99</i>)
<i>Illaenus Linnarssonii</i> Holm, 1883 (Vol. III, pl. 10, fig. 12, 14-23)	* <i>Stenopareia linnarsoni</i> (<i>see Holm 1886, p. 152</i>)
<i>Illaenus Linnarssonii</i> forma <i>avus</i> Holm, 1886 (Vol. III, pl. 10, fig. 10-11, ?13) (<i>non</i> Vol. III, pl. 10, fig. 12)	<i>Stenopareia glaber</i> (Kjerulf, 1865) <i>Stenopareia linnarsoni</i> (<i>see Owen & Bruton 1980, p. 16</i>)
<i>Illaenus proles</i> Holm, 1886	<i>Stenopareia proles</i>
<i>Illaenus livonicus</i> Holm, 1886	<i>Stenopareia livonicus</i>

-Group 3: Thorax segments 8

<i>Illaenus triquetrus</i> (Volborth, 1863)	* <i>Panderia triquetra</i> (<i>see Bruton 1968, p. 5</i>)
<i>Illaenus (Bumastus) Barriensis</i> Murchison, 1839	<i>Bumastus</i> sp. (<i>Jaanusson, pers. comm.</i>)
<i>Illaenus (Bumastus) sulcatus</i> Lindström, 1885 (Vol. VI)	? <i>Bumastus sulcatus</i>

-Group 4: No eyes

Illaenus caecus Holm, 1886

? *Ectillaenus caecus*

VOLUME 4

Calymmene (Calymmene) tuberculata Brünnich, 1781

Calymene blumenbachi Brongniart, 1822
(see Reet Männil 1977, p. 250)

Calymmene (Calymmene) intermedia Lindström, 1885

Calymene kaugatomensis Reet Männil, 1983
? *Calymene schmidti* Reet Männil, 1983

(Vol. IV; pl. 2, figs 2, 3)
(Vol. IV; pl. 2, figs 1)

Calymmene (Calymmene) frontosa Lindström, 1885

Calymene frontosa

Calymmene (Calymmene) laevigata Schmidt, 1907 (Vol. VI)

Calymene laevigata

Calymmene (Calymmene) conspicua Schmidt, 1894

Calymene conspicua
Calymene schmidti (see Reet Männil, 1983)

(Vol. IV; pl. 1, fig. 8-9, 11, Vol. VI; pl. 3, figs 7, 8)
(non Vol. IV; pl. 1, fig. 10, 12)

Calymmene (Calymmene) spectabilis Angelin, 1854 (Vol. VI)

Calymene schmidti Reet Männil, 1983

Calymmene (Calymmene) ohhesaarensis Schmidt, 1894

Calymene conspicua (see Schmidt 1907, p. 55)

Calymmene (Calymmene) senaria var. *Stacyi* Schmidt, 1894

? "Gravicalymene" *stacyi* (D. Siveter pers. comm.)

Calymmene (Pharostoma) pediloba Römer, 1861

Pharostoma pediloba

Calymmene (Pharostoma) Nieszkowskii Schmidt, 1894

Pharostoma nieszkowskii (see Siveter 1976,
p. 339)

Calymmene (Pharostoma) denticulata Eichwald, 1861

? *Pharostoma denticulata*

Calymmene (Ptychometopus) Volborthi Schmidt, 1894

**Ptychometopus volborthi* (see Harrington et
al. 1959, p. O490)

Bronteus laticauda (Wahlenberg, 1821)

Eobronteus laticauda (see Owen 1981, p. 21)

Bronteus estonicus Schmidt, 1894

Scutellum (? *Planiscutellum*) *estonicum*

Bronteus Marklini ? Angelin, 1854

Scutellum (? *Planiscutellum*) *marklini* ?

Proetus concinnus Dalman, 1827

**Proetus concinnus* (see Owens 1973, p. 122)

Proetus concinnus var. *osiliensis* Schmidt, 1894

**Proetus concinnus*

Proetus aff. verrucosus Lindström, 1885

? non *P. verrucosus* (see Schrank 1972, p. 14)

Proetus conspersus Angelin, 1854

Proetus pulcher Nieszkowski, 1857 (see Schrank
1972, p. 17 and Reet Männil, 1981, p. 99)

Proetus nieszkowskii Reet Männil, 1981 (see Reet
Männil 1981, p. 99)

Proetus planedorsatus (see Schrank 1972, p. 10)

?

"*Proetus*" *ramisulcatus*

? *Ascetopeltis kertelensis* (see Owens 1973,
p. 125)

Proetus wesenbergensis Schmidt, 1894

Proetus Wöhramni Schmidt, 1907 (Vol. VI)

Cyphaspis elegantula Lovén, 1845

Cyphaspis planifrons Eichwald, 1861

Cyphaspis sp. (Vol. IV; pl. 4, fig. 44)

Menocephalus minutus (Nieszkowski, 1857)

Harpides Plautini Schmidt, 1894

Harpe Spasskii (Eichwald, 1840)
(non Vol. IV, pl. 5, fig. 4)

Harpe Wegelini Angelin, 1854

Trinucleus seticornis (Hisinger, 1840)

Ampyx nasutus Dalman, 1827

Ampyx Volborthi Schmidt, 1894

Ampyx Linnarsoni Schmidt, 1894

Ampyx costatus (Boeck, 1838)

Ampyx rostratus Sars, 1835

Ampyx Knyrkoi Schmidt, 1907

Remopleurides nanus Leuchtenberg, 1843
(non Vol. IV; pl. 6, fig. 35b)

Remopleurides nanus var. *elongata* Schmidt, 1894

Remopleurides emarginatus Törnquist, 1885

Apatocephalus serratus var. *dubius* (Linnarsson, 1869) (Vol. VI) ?*Apatocephalus* sp.

Agnostus glabratus var. *ingrica* Schmidt, 1894

Decoroproetus wesenbergensis (Jaanusson pers.
comm.)

Agerina woehrmanni (see *Tjernvik* 1956, p. 198)

? *Otarion elegantula*

"*Otarion*" *planifrons*

**Panarchaegeonus parvus* Öpik, 1937 (see
Owens 1978, p. 202)

**Dimeropyge minuta* (see *Whittington & Evitt* 1954,
p. 36)

Harpides plautini

? *Selenoharpes spasskii*
= ?*Australoharpes* sp.

? *Paraharpes wegelini*

? *Tretaspis seticornis* (see *Owen* 1980, p. 724)

**Ampyx nasutus* (see *Nielsen* 1995, p. 341)

Lonchodomas volborthi volborthi

Globampyx linnarsoni

Cnemidopyge sp.

**Lonchodomas rostratus* (see *Nielsen* 1995, p.
352)

? *Lonchodomas knyrkoi*

Remopleurides nanus (see *Nikolaisen* 1982, p. 245)
= *Robergiella* sp.

?*Sculptella elongata*

?*Remopleurides emarginatus*

?*Apatocephalus* sp.

Geragnostus ingricus (see *Ahlberg* 1989, p. 561)

VOLUME 5

Part 1 (1898)

The following new species were presented in this part:

Asaphus broeggeri

Asaphus pachyophthalmus

Asaphus eichwaldi

Asaphus laevissimus

Asaphus nieszkowskii (reference to Nieszkowski 1859, pl. 1, fig. 6)

Asaphus nieszkowskii mut. *itiferensis*

Asaphus nieszkowskii mut. *jewensis* (reference to Nieszkowski 1859, pl. 1, fig. 3-5)

Asaphus nieszkowskii mut. *kegelensis*

Asaphus stacyi (adequate description and figure; text-figs 1-2)

Onchometopus volborthi (adequate description and figure; text-figs 3-4)

Ptychopyge lawrowi (text-fig. 7, reference to Lawrow 1858, fig. 1-2)

Ptychopyge kuckersiana (text-fig. 8)

Megalaspis kolenkoi (text-fig. 10)

Megalaspis mickwitzii (text-fig. 11)

Megalaspis gibba (text-fig. 13) and

Megalaspis lawrowi

In our view, *A. nieszkowskii*, *A. jewensis* and *P. lawrowi* are valid species because the names refer to previously published figures. The description and figures of *A. stacyi* and *O. volborthi* are adequate. The remaining taxa are considered *nomina nuda*.

VOLUME 5

Part 2 (1901)

Asaphus Bröggeri Schmidt, 1901

Asaphus (Asaphus) broeggeri

Asaphus expansus (Wahlenberg, 1821)

**Asaphus (Asaphus) expansus*

Asaphus lepidurus Nieszkowski, 1859

Asaphus (Asaphus) lepidurus

Asaphus raniceps Dalman, 1827

*Asaphus (Asaphus) 'raniceps' (sensu Angelin)
(see Nielsen 1995, p. 96)*

Asaphus raniceps var. *Lamanskii* Schmidt, 1901

Asaphus (Asaphus) lamanskii

Asaphus raniceps var. *acuminatus* Schmidt, 1901

*Asaphus (Asaphus) acuminatus (?) (see
Nielsen 1995, p. 91)*

Asaphus pachyophthalmus Schmidt, 1901

A. (Neoasaphus) pachyophthalmus

(non Vol. V-2, Textfig. 22, see Balashova 1976, p. 14,
wrongly referred to Vol V-1, text-fig 22))

A. (Neoasaphus) sp.

Asaphus pachyophthalmus var. *minor* Schmidt, 1901

*A. (Neoasaphus) minor (see Balashova 1976,
p. 14)*

Asaphus pachyophthalmus var. *major* Schmidt, 1901

*A. (Neoasaphus) major (see Balashova 1976,
p. 12)*

Asaphus Eichwaldi Schmidt, 1901

*A. (Neoasaphus) eichwaldi
(=A. (Neoasaphus) sulevi, see
Jaanusson 1953a, p. 393)*

Asaphus Eichwaldi var. *applanata* Schmidt, 1901

*A. (Neoasaphus) sulevi ingrianus (see
Jaanusson 1953a, p. 393)*

Asaphus Eichwaldi var. *Knyrkoi* Schmidt, 1901

*A. (Neoasaphus) knyrkoi
(=A. (*Multiasaphus) knyrkoi (see Balashova
1976, p. 9))*

Asaphus delphinus Lawrow, 1856

A. (Neoasaphus) delphinus

Asaphus cornutus Pander, 1830

A. (Neoasaphus) cornutus

<i>Asaphus cornutus</i> var. <i>Holmi</i> Schmidt, 1901	A. (<i>Neoasaphus</i>) <i>holmi</i>
<i>Asaphus Kowalewskii</i> Lawrow, 1856	A. (<i>Neoasaphus</i>) <i>kowalewskii</i>
<i>Asaphus platyurus</i> Angelin, 1854	<i>A. (N.) platyurus latisegmentatus</i> Nieszkowski, 1857 (see Jaanusson 1953b, p. 475)
<i>Asaphus platyurus</i> var. <i>laticauda</i> Schmidt, 1901	<i>A. (N.) platyurus latigena</i> Jaanusson 1953a (p. 393)
<i>Asaphus laevissimus</i> Schmidt, 1901	A. (<i>Neoasaphus</i>) <i>laevissimus</i> (=A. (<i>Subasaphus</i>) <i>laevissimus</i> , see Balashova 1976, p. 10)
<i>Asaphus laevissimus</i> var. <i>laticauda</i> Schmidt, 1901	A. (* <i>Subasaphus</i>) <i>laticaudatus</i> (see Balashova 1976, p. 11)
<i>Asaphus latus</i> Pander, 1830	A. (<i>Neoasaphus</i>) <i>latus</i>
<i>Asaphus latus</i> var. <i>Plautini</i> Schmidt, 1901	A. (<i>Neoasaphus</i>) <i>plautini</i>
<i>Asaphus devexus</i> Eichwald, 1840	* <i>Xenasaphus devexus</i> (see Jaanusson 1953a, p. 459)
<i>Asaphus devexus</i> var. <i>applanata</i> Schmidt, 1901	<i>Xenasaphus applanatus</i>
<i>Asaphus ornatus</i> Pompekiij, 1890	A. (<i>Neoasaphus</i>) <i>ornatus</i>
<i>Asaphus ludibundus</i> Törnquist, 1885 (= <i>A. lepidus</i> Törnquist, 1885 in Vol. VI) (non Vol. V-2, pl. 8, fig. 1-2, 8 and Vol VI, pl. 3, fig 14) (non Vol. V-2, pl. 8, fig. 11)	=A. (<i>Neoasaphus</i>) <i>nieszkowskii</i> Schmidt, 1898 (see Balashova 1976, p. 18) = A. (<i>Neoasaphus</i>) sp. = A. (<i>Neoasaphus</i>) <i>robergi</i> Wiman, 1907; p. 110 (see Jaanusson 1953b, p. 483)
<i>Asaphus ludibundus</i> mut. <i>itferensis</i> Schmidt, 1901	A. (<i>Neoasaphus</i>) <i>itferensis</i>
<i>Asaphus ludibundus</i> mut. <i>jewensis</i> Schmidt, 1898 (Vol. V-2, pl. 8, fig. 15-17) (non Vol. V-2, pl. 8, fig. 18, 19, 19a, textfig. 46)	= A. (<i>Postasaphus</i>) <i>jewensis</i> = A. (<i>Postasaphus</i>) <i>kegelensis</i>
<i>Asaphus ludibundus</i> mut. <i>kegelensis</i> Schmidt, 1901	A. (* <i>Postasaphus</i>) <i>kegelensis</i> (see Balashova 1976, p. 20)
<i>Onchometopus Volborthi</i> Schmidt, 1898	<i>Onchometopus volborthi</i>
<i>Isotelus remigium</i> (Eichwald, 1858)	<i>Isotelus</i> (* <i>Isotella</i>) <i>remigium</i> (see Balashova 1976, p. 67)
<i>Isotelus platyrachis</i> (Steinhardt, 1874)	<i>Isotelus</i> (<i>Isotella</i>) <i>platyrachis</i>
<i>Isotelus robustus</i> Römer, 1861	<i>Brachyaspis robustus</i>
<i>Isotelus Stacyi</i> Schmidt, 1898	* <i>Homalopyge stacyi</i> (see Jaanusson 1956b, p. 73)
<i>Niobe laeviceps</i> (Dalman, 1827) (Vol. V-2, Textfig. 59) (non Vol. V-2, Textfig. 60) (non Vol. V-2, pl. 10, fig. 5-6)	N. (<i>Niobella</i>) <i>laeviceps</i> N. (<i>Niobella</i>) <i>imparilimbata</i> Bohlin, 1955 N. (<i>Niobella</i>) cf. <i>plana</i> Balashova, 1976 (see Nielsen 1995, p. 178, 186)
<i>Niobe Lindströmi</i> Schmidt, 1901 (? non Vol. V-2, pl. 12, fig. 2)	N. (<i>Niobella</i>) <i>lindstroemi</i>

Niobe frontalis (Dalman, 1827)

(non Vol. V-2, textfig. 61-64)

(non Vol. V-2, pl. 9, fig. 11; pl. 10, fig. 8)

Niobe Volborthi Schmidt, 1907

N. (Niobe) schmidti Balashova, 1976

N. (Niobe) karneevae Balashova, 1976 (see Nielsen 1995, p. 172)

? *Panderia volborthi* (see Nielsen 1995, p. 326)

VOLUME 5

Part 3 (1904)

Ptychopyge (Pseudasaphus) globifrons Eichwald, 1858

**Pseudoasaphus (Pseudoasaphus) globifrons* (see

Schmidt 1904, p. 4)

Ptychopyge (Pseudasaphus) (?) Mickwitzi Schmidt, 1904

? *Protoptychopyge mickwitzi*

Ptychopyge (Pseudasaphus) tecticaudatus Steinhardt, 1874

**Pseudoasaphinus tecticaudatus* (see

Balashova 1976, p. 49)

**Dubovikites dubovikus* Balashova, 1976

(p. 47)

Pseudoasaphus (Pseudoasaphoides) katlinoensis Balashova, 1976 (p. 44),
Pseudoasaphinus gosilicyensis Balashova, 1976 (p. 51),

**Leningradites longispinus* Balashova, 1976
(p. 53)

Leningradites graciosus Balashova, 1976

**Estoniites laursoni* (Öpik, 1928), see
Balashova 1976, p. 55))

Ptychopyge (Pseudasaphus) tecticaudatus var. *praecurrents*
Schmidt, 1904

*Pseudoasaphus (*Pseudoasaphoides)
praecurrents* (Vol. V-3, pl. 2, fig. 2-3, see
Balashova 1976 p. 44)

Ptychopyge (Basilicus) lawrowi Schmidt, 1898

**Pseudobasilicus (P.) lawrowi* (see Reed 1930, p. 307)
P. (P.) planus Balashova, 1971 (see
Balashova, 1976, p. 59)

Ptychopyge (Basilicus) kuckersianus

**Pseudobasiliella kuckersiana* (see Balashova 1976,
p. 59)

Pseudobasilicus sp. (see Balashova 1976,
p. 59)

Pseudobasiliella kegelensis

**Ptychopyge angustifrons* (see Harrington et al. 1959, p.
O339)

Ptychopyge rossica Balashova, 1964 (see
Balashova 1976, p. 31)

P. lesnikovae Balashova, 1964 (see
Balashova 1976, p. 31)

Ptychopyge (Ptychopyge) angustifrons var. *gladiifera*
Schmidt, 1904

Ptychopyge gladiifera

<i>Ptychopyge (Ptychopyge) truncata</i> Nieszkowski, 1859 (Vol. V-3, pl. 6, fig. 1-2) (non Vol. V-3, pl. 6, fig. 3-4, see Balashova 1976, p. 30))	*Metaptychopyge truncata (see Balashova 1976, p. 29)
<i>Ptychopyge (Ptychopyge) truncata</i> var. <i>Bröggeri</i> Schmidt, 1904 (Vol. V-3, Textfig. 5,5a) (non Vol. V-3, pl. 6, fig. 5-8)	Ptychopyge broeggeri Metaptychopyge truncata (see Balashova 1976, p. 30)
<i>Ptychopyge (Ptychopyge) cincta</i> Brögger, 1886 (Vol. V-3, pl. 8, figs 1, 3-9) (non Vol. V-3, pl. 8, fig. 2, ?pl. 7, fig. 8)	Paraptychopyge cincta Metaptychopyge truncata (see Balashova 1976, p. 30)
<i>Ptychopyge (Ptychopyge) Plautini</i> Schmidt, 1904 (Vol. V-3) (non Vol. VI, pl. 3, fig. 15)	*Paraptychopyge plautini (see Balashova 1976, p. 29) * <i>Protoptychopyge prisca</i> Lesnikova, 1949 (see Balashova 1976, p. 34)
<i>Ptychopyge (Ptychopyge) limbata</i> Angelin, 1851 (Vol. VI)	*Pseudoptychopyge limbata (see Balashova 1976 p. 28)
<i>Ptychopyge (Ptychopyge) Wöhramni</i> Schmidt, 1904	=*Pseudoptychopyge limbata Angelin, 1851(see Balashova 1976 p. 28)
<i>Ptychopyge (Ptychopyge) Knyrkoi</i> Schmidt, 1904	Paraptychopyge knyrkoi
<i>Ptychopyge (Ptychopyge) Pahleni</i> Schmidt, 1904	Paraptychopyge pahleni
<i>Ogygia dilatata</i> var. <i>Panderi</i> Schmidt, 1904	Bronteopsis panderi (see Skjeseth 1955, p. 19)
<i>Ogygia dilatata</i> var. <i>Plautini</i> Schmidt, 1904	Stygina plautini (see Skjeseth 1955, p. 14)
<i>Nileus armadillo</i> Dalman, 1827 (Vol. V-3, pl. 8, fig. 15) (non V-3, pl. 8, fig. 16) (non V-3, pl. 8, fig. 12,17,17a)	*Nileus armadillo <i>Nileus exarmatus</i> Tjernvik, 1956 (p. 209), <i>Nileus depressus depressus</i> (Boeck, 1838) (see Nielsen 1995, p. 202; 225; 248)

VOLUME 5

Part 4 (1906)

<i>Megalaspis planilimbata</i> Angelin, 1851 ? (non Vol. V-4, pl. 2, figs 2-4, textfig. 2)	<i>Megistaspis (Paramegistaspis) estonica</i> Tjernvik, 1956 (p. 238) <i>M. (P.) planilimbata rossica</i> (Balashova, 1966) (see Balashova 1976, p. 77)
<i>Megalaspis planilimbata</i> var. <i>Leuchtenbergi</i> Lamansky, 1905	<i>M. (Paramegistaspis) leuchtenbergi</i>
<i>Megalaspis limbata</i> (Boeck, 1838) (Vol V-4, pl.1, figs 10-11, textfig. 4) (Vol. V-4, text-fig. 5, pl. 1, fig. 9)	<i>Megistaspis (Megistaspis) limbata baltica</i> Balashova, 1976 <i>M. (M.) pseudolimbata</i> Balashova, 1976
<i>Megalaspis limbata</i> var. <i>elongata</i> Schmidt, 1906	<i>M. (M.) elongata</i>
<i>Megalaspis lawae</i> Schmidt, 1906	<i>M. (M.) lawae</i> (? = <i>M. (M.) polyphemus</i>)
<i>Megalaspis polyphemus</i> var. <i>Törnquisti</i> Schmidt, 1906	<i>M. (M.) polyphemus</i> Brögger, 1882
<i>Megalaspis polyphemus</i> var. <i>minor</i> Schmidt, 1906	<i>M. (M.) polyphemus</i>
<i>Megalaspis polyphemus</i> var. <i>Lamanskii</i> Schmidt, 1906 (non Vol. V-4, pl. 2, fig. 7)	<i>M. (M.) simon</i> Tjernvik 1980 <i>M. (M.) ingeriensis</i> Jaanusson 1956b

<i>Megalaspis polyphemus</i> var. <i>Knrykoi</i> Schmidt, 1906	<i>M. (M.) laine</i> Jaanusson, 1956b
<i>Megalaspis hyorrhina</i> [sic] Leuchtenberg, 1843	<i>M. (*Rhinoferus) hyorrhina</i> (see Nielsen 1995, p. 150) * <i>Rhinoferus</i> (R.) <i>hyorrhinus</i> (see Balashova 1976, p. 107)
<i>Megalaspis hyorrhina</i> [sic] var. <i>kolenkoi</i> Schmidt, 1898	<i>Rhinoferus</i> (R.) <i>kolenkoi</i> (see Balashova 1976, p. 107)
<i>Megalaspis hyorrhina</i> [sic] var. <i>mickwitzi</i> Schmidt, 1898	<i>Rhinoferus</i> (R.) <i>mickwitzi</i> (see Balashova 1976, p. 107)
<i>Megalaspis hyorrhina</i> [sic] var. <i>stacyi</i> Schmidt, 1906	<i>Rhinoferus</i> (R.) <i>stacyi</i> (see Balashova 1976, p. 107)
<i>Megalaspis pogrebowi</i> Lamansky, 1905	<i>Rhinoferus</i> (* <i>Popovkiaspis</i>) <i>pogrebowi</i> (see Balashova 1976, p. 110)
<i>Megalaspis knyrkoi</i> Schmidt, 1906	<i>Megistaspis</i> (?subgenus) <i>knrykoi</i> (<i>Rhinoferus</i> (<i>Lawiaspis</i>) <i>knrykoi</i> (see Balashova 1976, p. 111))
<i>Megalaspis gibba</i> Schmidt, 1906	<i>Rhinoferus</i> (* <i>Lawiaspis</i>) <i>gibba</i> , (see Balashova 1976, p. 111)
<i>Megalaspis acuticauda</i> var. <i>typica</i> Angelin, 1854	<i>M. (Megistaspidella) spinulata</i> Bohlin, 1960 (p. 186) <i>Megistaspidella</i> (<i>Spinopyge</i>) <i>spinulata</i> , (see Balashova 1976, p. 104)
<i>Megalaspis acuticauda</i> var. <i>obtusa</i> Schmidt, 1906	<i>M. (Spinopyge) obtusa</i> (see Balashova 1976, p. 101)
<i>Megalaspis acuticauda</i> var. <i>triangularis</i> Schmidt, 1906	<i>M. (Spinopyge) triangularis</i>
<i>Megalaspis acuticauda</i> var. <i>lamanskii</i> Schmidt, 1906	<i>M. (Spinopyge) lamanskii</i>
- <i>Asaphus centron</i> Leuchtenberg, 1843 (Vol. V-4, textfig. 21)	<i>M. (Spinopyge) isvosica</i> Balashova, 1976 (see Balashova 1976, p. 97)
<i>Megalaspis extenuata</i> Wahlenberg, 1821	<i>M. (*Megistaspidella) extenuata</i> (see Jaanusson 1956b, p. 71)
<i>Megalaspis heros</i> Dalman, 1827	<i>M. (*Heraspis) heroica</i> Bohlin, 1960 (see Wandås 1983, p. 223)
(non Vol. V-4, pl. 7, fig. 6)	<i>Rhinoferus</i> (R.) <i>kolenkoi</i> (see Balashova 1976, p. 108)
<i>Megalaspis centaurus</i> Dalman, 1827	<i>M. (Megistaspidella) longicauda</i>
(Vol. V-4, pl. 8, fig. 1-3, 5, textfig. 30, 31)	Leuhtenberg, 1843
(Vol. V-4, pl. 8, fig. 4, 4a)	<i>M. (M.) gigas</i> Angelin, 1854 (see Balashova 1976, p. 96)
<i>Megalaspis centaurus</i> var. <i>rudis</i> Angelin, 1854	<i>Megistaspidella</i> (<i>M.</i>) <i>pseudorudis</i>
(Vol. V-4, pl. 8, fig. 6)	Balashova, 1976 (p. 93);
(Vol. V-4, textfig. 32)	<i>M. (M.) longa</i> Balashova, 1976 (see Balashova, 1976, p. 94)
<i>Megalaspis lawrowi</i> Schmidt, 1906	<i>Rhinoferus</i> (* <i>Ropschiaspis</i>) <i>lawrowi</i> ,
(Vol. V-4, textfig. 33)	<i>Rhinoferus</i> (<i>Ropschiaspis</i>) <i>petrowtschinensis</i>
(Vol. V-4, pl. 6, fig. 7)	Balashova, 1976 (see Balashova 1976, p. 113)

REFERENCES

- Ahlberg, P. (1989): Agnostid trilobites from the lower Ordovician Komstad Limestone Formation of Killeröd, Scania, Sweden. *Palaeontology* 32, 553-570.
- Angelin, N. P. (1851): *Palaeontologia Suecia*. Pars I. Reprinted in *Palaeontologia Scandinavica*. 96 pp.
- Angelin, N. P. (1854): *Palaeontologia Scandinavica. Crustacea Formationis Transitionis*. P. A. Nordstedt & Söner, Stockholm 96 pp., Pl. I-XLII. Reissued and edited in 1878.
- Balashova, E. A. (1964): *Morfologiyu i stratigraficheskoe znachenie ranneordovikskogo podsemejstva Ptychopyginae Pribaltiki*. [Morphology, phylogeny and stratigraphical significance of the early Ordovician subfamily Ptychopyginae of the Baltic Area]. *Voprosy Paleontologii* 4, 3-56. (In Russian).
- Balashova, E. A. (1976): *Sistematika trilobitov Asaphina i ikh predstaviteli v SSSR* [Systematics of Asaphine Trilobites and their representatives in the USSR.] 215 pp. Nedra, Leningrad (In Russian).
- Barrande, J. (1852): *Système Silurien du center de la Bohême: 1^{re} Partie*, Vol. I. Trilobites, Crustacés divers et Poissons. 935 pp. (Praha, Paris).
- Beyrich, E. (1845): Ueber einige böhmische Trilobiten. Berlin. 47 pp.
- Beyrich, E. (1846): Untersuchungen über Trilobiten. Zweites Stück. Als Forsetzung zu der Abhandlung "Ueber einige böhmische Trilobiten". G. Reimer Verlag, Berlin. 37 pp. 4 pls.
- Boeck, C. (1838): Übersicht der bisher in Norwegen gefundenen Formen der Trilobiten-Familie. In: Keilhau, B. M. (ed.): *Gaea Norvegica I*, Christiania, 138-145.
- Bohlin, B. (1955): The Lower Ordovician Limestones between the *Ceratopyge* Shale and the *Platyurus* Limestone of Böda Hamn. With a description of the microlithology of the limestones by Valdar Jaanusson. *Bulletin of the Geological Institution of Uppsala* 35, 111-173.
- Bohlin, B. (1960): Trilobites of the genus *Megistaspis* from the Vaginatum Limestone of Scandinavia. *Bulletin of the Geological Institution of Uppsala* 38, 155-205.
- Brongniart, A. (1822): *Histoire Naturelle des Crustacées fossiles*. Paris. Strasbourg. 65 pp.
- Bruton, D. L. (1968): The trilobite genus *Panderia* from the Ordovician of Scandinavia and the Baltic area. *Norsk Geologisk Tidsskrift* 48, 1-53.
- Bruton, D. L. (1967): Silurian odontopleurid trilobites from Sweden, Estonia and Latvia. *Palaeontology* 10, 214-244.
- Bruton, D. L. (1968): Ordovician odontopleurid trilobites from Estonia and Latvia. *Lethaia* 1, 288-302.
- Bruton, D. L. & Owen, A. W. (1988): The Norwegian Upper Ordovician illaenid trilobites. *Norsk Geologisk Tidsskrift* 68, 241-258.
- Brünnich, M. Th. (1781): Beskrivelse over Trilobiten, en Dyreslægt og dens arter, med en nye Arts aftegning. *Kongelige Danske Videnskabernes Selskab, København, Skrifter, Nye samlinger* 1, 384-395, 1 pl.
- Brøgger, W. C. (1882): *Die Silurischen Etagen 2 und 3 im Kristianiagebiet und auf Eker*. Kgl. Fredriks univ. Christiania (Oslo). Universitetsprogram 2. Semester 1882, 1-376.
- Brøgger, W. C. (1886): Ueber die Ausbildung des Hypostomes bei einigen Scandinavian Asaphiden. *Sveriges Geologiska Undersökning C* 82, 78 pp.
- Castelnau, F. de (1843): *Essai sur le Système Silurien de l'Amérique Septentrionale*. Paris and Strasbourg. 56 pp.
- Dalman, J. W. (1827): Om Palæaderna eller de så kallade Trilobiterna. *Kungliga Svenska Vetenskaps-Akademiens Handlingar* 1827. 78 pp.
- Dames, W. (1877): Ueber *Hoplolichas* und *Conolichas*, zwei Untergattungen von *Lichas*. *Zeitschrift der Deutschen Geologischen Gesellschaft* 1877.
- Eichwald, E. (1825): *Geognostico-zoologicae, per Ingria Marisque Baltici provincias, nec non de Trilobitis observationes*. 58 pp. (illustrated)(Casani).
- Eichwald, E. (1840): Die Urwelt Russlands durch Abbildungen erläutert. Vol. 1.(1840) St. Petersburg.
- Eichwald, E. (1842): Die Urwelt Russlands durch Abbildungen erläutert. Vol. 2. (advance copy). 184 pp. St. Petersburg. (Also 1843: Beiträge zur Kenntnis des Russisches Reichs. Herausgegeben von K. E. Von Baer. Band 8.
- Eichwald, E. (1854): Grauwackenschichten Liv- und Estlands. *Bulletin du la Société Impériale des naturalistes de Moscou* 1854 , p. 55.
- Eichwald, E. (1858): Beitrag zur geographischen Verbreitung der fossilen Thiere Russlands. *Bulletin du la Société Impériale des naturalistes de Moscou*. 1858 Vol. 30 (?), no.4.
- Eichwald, E. (1860): *Lethaea rossica ou paléontologie de la Russie*. Premier Volume, Seconde section de l'ancienne Période. Stuttgart 1860, 8°., Atlas in 4°.
- Eichwald, E. (1861): *Paleontologija Rossii*. Drevnjij period. II. Fauna graubakkovojo gornoizvestkovoj i mdistoslanstsjevastojoj formatsii rossii. 521 pp..
- Esmark, H. M. T. (1833): Om nogle nye Arter Trilobiter. *Magazin for Naturvidenskaberne* 1833; 268-270.

- Fortey, R. A. (1980): The Ordovician trilobites of Spitsbergen. III. Remaining trilobites of the Valhallfonna Formation. *Norsk Polarinstitutt, Skrifter*, No.171.
- Haller, J. (1973): Die Ordovizische Trilobitengattung *Chasmops* aus Balto-Skandischen Geschieben. *Paläontologische Abhandlungen A 4*, heft 4, pp. 723-768, 17 pl.
- Harrington, H. J. et al. (1959): In Moore R. C. (ed.) Treatise on Invertebrate Paleontology. Part O: Arthropoda 1. University of Kansas Press. 560 pp.
- Hisinger, W. [1837] (1840): Lethaea Sverica sea Petrificata Svediae, iconibus et characteribus illustrata. Norstedt et fili. Holmiae [Stockholm]. Pp. 1-124.
- Hisinger, W. (1840): Lethaea Sverica sea Petrificata Svediae, iconibus et characteribus illustrata. Norstedt et fili. Holmiae [Stockholm]. Pp. 1-11, pls. 40-42.
- Holm, G. (1883): De svenska arterna af trilobitslägget *Illænus* (Dalman). *Bihang til Kungliga Svenska Vetenskaps-Akademins Handlingar* 7 No.3. 148 pp.
- Holm, G. (1886) In: Schmidt,F.: Revision der ostbaltischen silurischen Trilobiten. Abtheilung III: Illaeniden. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII^e Série: XXXIII*, No.8. 173 pp. 12 pls. 8 text-figs.
- Jaanusson, V. (1953a): Untersuchungen über Baltoscandische Asaphiden I: Revision der mittelordovischen Asaphiden des Siljan-Gebietes in Dalarna. *Arkiv för Mineralogi och Geologi* 1, 377-464.
- Jaanusson, V. (1953b): Untersuchungen über Baltoscandische Asaphiden II: Revision der *Asaphus (Neoasaphus)*-Arten aus dem Geschiebe des südbotttnischen Gebietes. *Arkiv för Mineralogi och Geologi* 1, 465-499.
- Jaanusson, V. (1954): Zur Morphologie und Taxonomie der Illaeniden. *Arkiv för Mineralogi och Geologi* 1, 545-583.
- Jaanusson, V. (1956a): On the trilobite Genus *Celmus* Angelin, 1854. *Bulletin of the Geological Institutions of the University of Uppsala* 36, 35-49.
- Jaanusson, V. (1956b): Untersuchungen über Baltoscandische Asaphiden III: Über die Gattungen *Megistaspis* n. nom. und *Homalopyge* n. gen. *Bulletin of the Geological Institutions of the University of Uppsala* 36, 59-77.
- Jaanusson, V. (1957): Unterordovische Illaeniden aus Skandinavien. *Bulletin of the Geological Institutions of the University of Uppsala* 37, 79-165.
- Jaanusson, V. & Ramsköld, L. (1993): Pterygometopine trilobites from the Ordovician of Baltoscandia. *Palaeontology* 36, 743-769.
- Kutorga, S. (1848): Ueber einige baltisch-silurische Trilobiten Russlands. *Verhandlungen der Kaiserlichen mineralogischen Gesellschaft zu St. Petersburg Jahr 1847*, No. 13, 287-306.
- Kutorga, S. (1854): Einige *Sphaerexochus* und *Cheirurus* aus den silurischen Kalksteinschichten des Gouvernement St. Petersburg. *Verhandlungen der Kaiserlichen mineralogischen Gesellschaft zu St. Petersburg Jahr 1853*.
- Lamansky, W. (1905): Die ältesten silurischen Schichten Russlands (Etage B). *Memoir du Comité géologique, Nouvelle Série, Livr. 20*. 1-223. St. Petersburg.
- Lawrow, N. (1856): *Verhandlungen der Kaiserlichen mineralogischen Gesellschaft zu St. Petersburg Jahr 1855-56*.
- Lesnikova, A. F & Veber, V. N. (1949): Klass Trilobita. In: *Atlas rukovadlyashchikh form iskopaemykh faun SSSR. Tom 2. Silur*, 270-315. Gosgeolizdat, Moskva. [in Russian.]
- Leuchtenberg, M. von (1843): Beschreibung einige neuen Thierreste der Urwelt von Zarskoje-Selo. 30 pp. St. Petersburg.
- Lindström, G. (1885): Förteckning på Gotlands siluriska Crustaceér. *Öfversigt Kongliga Svenska Vetenskaps-Akademiens Förfhandlingar* 1885 nr.6, 37-100.
- Lindström, G. (1901): Researches on the visual organs of the Trilobites. *Kongliga Svenska Vetenskaps-Akademiens Handlingar* 34, 1-86.
- Linnarsson, J. G. O. (1869): Om Vestergötlands Cambriska och Siluriska aflagringar. *Kongliga Svenska Vetenskaps-Akademiens Handlingar* 8, No.2.
- Lovén (1846): Om Svenska Trilobiter. *Öfversigt af Kongliga Svenska Vetenskaps-Akademiens Handlingar* 1845.
- Männil, Ralf (1958a): [*Estoniops*- a new genus of Phacopidae (Trilobita)]. *Eesti NSV Teaduste Akadeemia Toimetised* 6, 385-388. [In Russian with Estonian and English summaries.]
- Männil, Ralf (1958b): [Trilobites of the families Cheiruridae and Encrinuridae from Estonia.] *Eesti NSV Teaduste Akadeemia Geoloogia Instituudi Uurimused III*, 165-212. [In Russian with Estonian and English summaries.]
- Männil, Reet (1977): [East Baltic Lower Silurian Calymenidae (Trilobita).] In: D. Kaljo (ed.): *Fatsii i Fauna Silura Pribaltiki* [Facies and faunas in the Baltic Silurian.] Academy of Sciences of Estonian SSR, Institute of Geology, 240-258. [In Russian with English summary]
- Männil, Reet (1981): [Late Silurian Proetidae (Trilobita) of Estonia]. *Eesti NSV Teaduste Akadeemia Toimetised* 30, 98-105. [In Russian with English summary]

- Männil, Reet (1983): [Upper Silurian Calymenidae (Trilobita) of the East Baltic]. In: Paleontologiya drevnego paleozoya Pribalitiki i Podolii [Early Palaeozoic palaeontology in East Baltic and Podolia] 72-100. Akademiya Nauk Estonskoy SSR, Institut Geologii. [In Russian with English summaries]
- M'Coy, F. (1846): Silurian Fossils of Ireland.
- McNamara, K. J. (1980a): Taxonomy and distribution of chasmopine trilobites. *Geological Magazine* 117, 65-80.
- McNamara, K. J. (1980b): Evolutionary trends and their significance in chasmopine trilobites. *Lethaia* 13(1), 61-78.
- Murchison, R. I. (1839): The Silurian System founded on geological researches in the counties of Salop, Hereford, Radnor, Montgomery, Caermarthen, Brecon, Pembroke, Monmouth, Gloucester, Worcester and Stafford; with descriptions of the coal-fields and overlying formations. Murray, London, i-xxxii, 1-768 (2 vols).
- Nielsen, A. T. (1995): Trilobite systematics, biostratigraphy and palaeoecology of the Lower Ordovician Komstad Limestone and Huk Formations, southern Scandinavia. *Fossils and Strata* 38. 374 pp.
- Nieszkowski, J. (1857): Versuch einer Monografie über der in den Silurischen Schichten der Ostseeprovinzen vorkommende Trilobiten. *Archiv für Naturkunde, Liv-, Est- und Kurland. Serie 1, band 1.*
- Nieszkowski, J. (1859): Zusätze zum Monografie über die Trilobiten die Ostseeprovinzen. *Archiv für Naturkunde, Liv-, Est- und Kurland. Serie 1, band 21.*
- Nikolaisen, F. (1961): The Middle Ordovician of the Oslo Region, Norway, 7. Trilobites of the suborder Cheirurina. *Norsk Geologisk Tidsskrift* 41, 279-301.
- Nikolaisen, F. (1982): The Middle Ordovician of the Oslo Region, Norway, 32. Trilobites of the Family Remopleurididae. *Norsk Geologisk Tidsskrift* 62, 231-329.
- Öpik, A. (1928): Beiträge zur Kenntnis der Kukruse-(C2-C3-) Stufe in Eesti III. *Publications of the geological Institution of the University of Tartu No. 12.*
- Öpik, A. (1937): Trilobiten aus Estland. *Publications of the geological Institution of the University of Tartu No. 52.* 136 pp. 26 pls.
- Owen, A. W. (1980): The trilobite *Tretaspis* from the Upper Ordovician of the Oslo Region, Norway. *Palaeontology* 23, 715-747.
- Owen, A. W. (1981): The Ashgill trilobites of the Oslo Region, Norway. *Palaeontographica A* 175, 1-88.
- Owen, A. W. & Bruton, D. L. (1980): Late Caradoc-early Ashgill trilobites of the central Oslo Region, Norway. *Paleontological Contributions from the University of Oslo, No. 245*, 63 pp.
- Owens, R. M. (1973): Ordovician Proetidae (Trilobita) from Scandinavia. *Norsk Geologisk Tidsskrift* 53, 117-181.
- Owens, R. M. (1978): The trilobite genera *Panarchaeogenus* Öpik, *Isbergia* Warburg and *Cyamops* gen.nov. from the Ordovician of Balto-Scandia and the British Isles. *Norsk Geologisk Tidsskrift* 58, 199-219.
- Pander, C. H. (1830): Beiträge zur Geognosie des Russischen Reiches. Spd. 165 pp. St. Petersburg. (1839: Leipzig).
- Pompeki, J. F. (1890): Die Trilobiten-Fauna der Ost- und Westpreussischen Diluvialgeschiebe. *Beiträge zur Naturkunde Preußens* 7, 97 pp. Königsberg.
- Portlock, J. E. (1843): Report on the geology of the county of Londonderry and of parts of Tyrone and Fermanagh. 784 pp. Dublin & London.
- Ramsköld, L. (1984): Silurian odontopleurid trilobites from Gotland. *Palaeontology* 27; 239-264.
- Ramsköld, L. (1986): Silurian encrinurid trilobites from Gotland and Dalarna. *Palaeontology* 29; 527-575.
- Ramsköld, L.; Adrain, J. M.; Edgecombe, G. D. & Siveter, D. J. (1994): Silurian calymenid trilobite *Alcymene* n.gen., with new species from the Ludlow of Gotland, Sweden. *Journal of Paleontology* 68, 556-569.
- Reed, F. R. (1896): Notes on the evolution of the genus *Cheirurus*. *Geological Magazine, new series 4, Volume 3*, 117-123, 161-167.
- Reed, F. R. (1928): Notes on the Family Encrinuridae. *Geological Magazine* 65, 51-77.
- Reed, F. R. (1930): A review of the Asaphidae. *Annual Magazine of Natural History (London), Serie 10, Vol. 5.*
- Richter, R. & Richter, E. (1954): Die Trilobiten des Ebbe-Sattels. *Abhandlungen der Senckenbrgischen Naturforschenden Gesellschaft* 488, 76 pp.
- Rõõmusoks, A. (1953): Novye dannye o trilobitakh roda *Chasmops* iz ordovika Estonii. [New data on the trilobite genus *Chasmops* from the Ordovician of Estonia]. *Loodusuuriate Seltsi Juubelikoguteos 1853-1953*, 397-413, 2 pls. [In Russian].
- Rõõmusoks, A. (1986): [Oculichasmops-A new genus of the trilobite subfamily Chasmopinae.] *Eesti NSV Teaduste Akdeemia Toimetised* 35, 156-159. [In Russian with English summary]
- Roemer, F. (1861): Die fossile Fauna der silurischen Diluvial-Geschiebe von Sadewitz bei Oels in Nieder Schlesien. Breslau [Wroclaw].
- Sars, M. (1835): Über einige neue oder unvollständig bekannte Trilobiten. *Isis (Oder Encyclopedische Zeitung), Oken*, Jena, 1835, 333-343.

- Schlotheim, E. F. von (1823): Nachträge zur Petrefaktenkunde, Abtheilung 2. Gotha.
- Schlotheim, E. F. von (1826): Beschreibung einiger abgebildeten Arten von Echinospaerites und Trilobiten. *Isis (Oder Encyclopédische Zeitung)*, Oken, Jena, 1826, 309-317, taf. 1.
- Schmidt, F. (1881): Revision der ostbaltischen silurischen Trilobiten. Abtheilung I: Phacopiden, Cheiruriden und Encrinuriden. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII^e Série: XXX, No.1.* 237 pp. 16 pls. 15 text-figs.
- Schmidt, F. (1885): Revision der ostbaltischen silurischen Trilobiten. Abtheilung II: Acidaspiden und Lichiden. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII^e Série: XXXIII, No.1.* 127 pp. 6 pls.
- Schmidt, F. (1894): Revision der ostbaltischen silurischen Trilobiten. Abtheilung IV: Calymmeniden, Proetiden, Bronteiden, Harpeiden, Trinucleiden, Remopleuriden und Agnostiden. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII^e Série: XLII, No.5.* 93 pp. 6 pls.
- Schmidt, F. (1898): Revision der ostbaltischen silurischen Trilobiten. Abtheilung V: Asaphiden; Lieferung I. Allgemeine Theil und Übersicht der Arten. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VIII^e Série: (VI, no.11)* 46 pp. 16 text-figs.
- Schmidt, F. (1901): Revision der ostbaltischen silurischen Trilobiten. Abtheilung V: Asaphiden; Lieferung II. Die Gattungen *Asaphus* sens. str., *Onchometopus*, *Isotelus* und *Niobe* enthaltend. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VIII^e Série: (XII; no.8).* 113 pp. 12 pls. 64 text-figs.
- Schmidt, F. (1904): Revision der ostbaltischen silurischen Trilobiten. Abtheilung V: Asaphiden; Lieferung III. Enthaltend die Gattungen *Ptychopyge* (*Pseudasaphus*, *Basilicus* und *Ptychopyge* sens. str.), *Ogygia* und *Nileus*. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VIII^e Série: (XIV; no.10).* 68 pp. 8 pls. 6 text-figs.
- Schmidt, F. (1906): Revision der ostbaltischen silurischen Trilobiten. Abtheilung V: Asaphiden; Lieferung IV. Enthaltend die Gattung *Megalaspis*. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VIII^e Série: (XIX; no.10).* 62 pp. 8 pls. 33 text-figs.
- Schmidt, F. (1907): Revision der ostbaltischen silurischen Trilobiten. Abtheilung VI: Allgemeine Übersicht mit Nachträgen und Verbesserungen. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VIII^e Série: (XX; no.8).* 104 pp. 3 pls. 18 text-figs.
- Schrink, E. (1972): Proetacea, Encrinuridae und Phacopina (Trilobita) aus silurischen Geschieben. *Geologie 21, Beiheft 76,* 117 pp.
- Siveter, D. J. (1976): The Middle Ordovician of the Oslo Region, Norway. 27. Trilobites of the family Calymenidae. *Norsk Geologisk Tidsskrift 56,* 335-396.
- Siveter, D. J. (1983): *Calymene lawsoni* and allied species from the Silurian of Britain and their stratigraphic significance. *Special Papers in Palaeontology 30,* 69-88.
- Skjeseth, S. (1955): The Middle Ordovician of the Oslo Region, Norway. 5. The trilobite Family Styginidae. *Norsk Geologisk Tidsskrift 35,* 9-28.
- Steinhardt, E. T. G. (1874): Die bis jetzt in Preussische Geschieben gefundenen Trilobiten. *Beiträge zur Naturkunde Preussens herausgegeben von die Physikalisch-Ökonomischen Gesellschaft zu Königsberg, 3,* 64 pp. Königsberg.
- Thomas, A. T & Holloway, D. J. (1988): Classification and phylogeny of the trilobite order Lichida. *Philosophical Transactions of the Royal Society of London B321,* 179-262.
- Tjernvik, T. E. (1956): On the Early Ordovician of Sweden. Stratigraphy and Fauna. *Bulletin of the Geological Institutions of the University of Uppsala 36,* 109-284.
- Tjernvik, T. E. (1980): In: Tjernvik, T. E. & Johansson, J. V. (1980): Description of the upper portion of the drill-core from Finngrundet in the South Bothnian Bay. *Bulletin of the Geological Institutions of the University of Uppsala. New Series 8,* 173-204.
- Törnquist, S. L. (1885): Undersökningar öfver Siljansområdets trilobitfauna. *Sveriges Geologiska Undersökning serie C 66,* 101 pp.
- Vogdes, A. W. (1890): A Bibliography of Palaeozoic Crustacea from 1698 to 1889, including a list of North American species and a systematic arrangement of genera. *U.S. Geological Survey Bulletin 63,* 177 pp.
- Volborth, A. von (1858): Über Crotaluren und Remopleuriden. *Verhandlungen der Kaiserlichen mineralogischen Gesellschaft zu St. Petersburg Jahr 1857-58.* p. 126
- Volborth, A. von (1863): Über die mit glatten Rumpfgliedern versehenen russischen Trilobiten, nebst einem Anhange über die bewegungsorgane und über das Herz derselben. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII^e Série: (VI; no.2).* 1-47, pls. 1-4.
- Volborth, A. von (1864): Ueber einen neuen ehstländische Illaenen. *Mémoires de l'Academie Impériale des Sciences de St.-Petersbourg, VII^e Série: (VII; no.9)*

- Wahlenberg, G. [1818] (1821): Petrificata Telluris
Svecanae. *Nova Acta Regiae Scientiarum
Upsaliensis* 8(for 1821), 1-116.
- Wandås, B. T. G. (1984): The Middle Ordovician of the Oslo Region, Norway, 33. Trilobites from the lowermost part of the Ogygiocaris Series. *Norsk Geologisk Tidsskrift* 63, 211-267.
- Warburg, E. (1925): The trilobites of the *Leptaena* Limestone in Dalarne. *Bulletin of the Geological Institutions of the University of Uppsala* 17, 1-446.
- Warburg, E. (1937): The Swedish Ordovician and lower Silurian Lichidae. *Kungliga Svenska Vetenskapsakademiens Handlingar* 3dje serien, 17, no.4. 162 pp.
- Whittington, H. B. & Evitt, W. R. (1954): Silicified Middle Ordovician Trilobites. *Geological Society of America Memoir* 59, 137 pp.
- Wiman, C. (1907): Studien über das Nordbaltische Silurgebiet II. *Bulletin of the Geological Institutions Uppsala* 8, 6-168.

ISBN 82-90915-07-1